

Standards for Technology in Automotive Retail

Implementation Guidelines Change Vehicle Remarketing Repository Version Rev4.5.4

Table of Contents

| <u>Overview</u> | |
|----------------------------------|----|
| Schema Field Usage | 1 |
| Business Scenario | 2 |
| Relationship Diagram | 3 |
| Schema Document Properties | 4 |
| Components and Data Types | 5 |
| AddressBase | 5 |
| Advertising | 6 |
| <u>Amount</u> | 6 |
| AnnualMilesAllowed | 7 |
| AnnualPercentageRate | 7 |
| ApplicationArea | 8 |
| ApprovedAmount | 9 |
| BalanceAmount | 10 |
| BrandedInfo | 10 |
| BrandingStateCode | 11 |
| BusinessObjectDocument | 11 |
| <u>Change</u> | 13 |
| ChangeVehicleRemarketing | |
| ChangeVehicleRemarketingDataArea | 14 |
| CodeType | 15 |
| ConfirmableVerb | 16 |
| ContractId | 16 |
| <u>Count</u> | 17 |
| DealerExtendedAddress | |
| DealerPartyBase | 18 |
| DeliveryMileage | 19 |
| Description | 19 |
| Destination | 20 |
| DocumentId | |
| DoorsQuantity | |
| DownPaymentAmount | 22 |

| EmbeddedData | 23 |
|----------------------------|----|
| EngineCylinders | 23 |
| Engine Description | 24 |
| ExcessMileageRate | 24 |
| FinalAmount | 25 |
| FinanceCharge | 25 |
| HeaderBase | |
| <u>ld</u> | 26 |
| ImageAttachment | 27 |
| ImageAttachmentExtended | 27 |
| ImageHeight | 28 |
| ImageWidth | 29 |
| IndividualPartyMinimal | 29 |
| IndividualPartyPersonName2 | 30 |
| JobCompleted | 30 |
| JobToDo | 31 |
| LocationId | 32 |
| Mileage | 32 |
| NewFinancing | 33 |
| NonTaxableAmount | |
| OptionBase | |
| OptionType | 35 |
| <u>OrganizationAddress</u> | |
| OrganizationId | |
| OrganizationPartyMinimal | |
| PartyBase | |
| Partyld | 38 |
| PaymentAmount | 38 |
| Percent | 39 |
| PurchasePrice | 39 |
| Rating | |
| RatingIndex | _ |
| RemarketingFinancing | |
| | |

| RemarketingOption | 43 |
|---------------------------|----|
| RemarketingWarranty | |
| RepairDamage | |
| ResidualAmount | 46 |
| RestrictionDescription | 46 |
| SecondaryDealerNumber | 47 |
| Sender | 47 |
| <u>SenderBase</u> | 50 |
| Serviceld | 52 |
| Signature | 52 |
| <u>Tax</u> | |
| TaxAmount | |
| TaxDescription | 55 |
| TaxRate | |
| Term | 56 |
| TotalAmount | |
| TotalTaxableAmount | |
| UnitSalesTaxAmount | |
| Vehicle | |
| VehicleBase | |
| VehiclePassengers | |
| VehiclePrice | 61 |
| VehiclePricing | |
| VehicleRemarketing | |
| VehicleRemarketingHeader | |
| VehicleRemarketingVehicle | _ |
| <u>Verb</u> | |
| WarrantyEndMileage | |
| WarrantyStartMileage | |
| WarrantyTypeDescription | 71 |
| | |
| | |
| | |

| <u>AccountingDate</u> | 71 |
|---------------------------|----|
| AddressLine | 71 |
| AdvertisingCopy | |
| AdvertisingMedia | 72 |
| ApprovedInd | 72 |
| BodyStyle | 73 |
| BrandedTitleDate | 73 |
| BrandedTitleInd | 73 |
| BrandingSource | 73 |
| BrandingStateReference | |
| CertificationIssuer | 74 |
| <u>CertificationValue</u> | 74 |
| CertifiedPreownedInd | |
| City | 75 |
| Code | 75 |
| CompanyName | 75 |
| Condition | 76 |
| ConfirmType | 76 |
| ContractExpirationDate | |
| ContractStartDate | 77 |
| CopyType | 77 |
| Country | 77 |
| County | |
| Currency | 89 |
| Data | 97 |
| Date | 97 |
| DateTime | 97 |
| DealerName | 98 |
| Decimal | 98 |
| DeliveryDate | |
| DistrictCode | |
| DocumentDateTime | |
| DoorKeyNumber | |
| | |

| <u>DriveTrain</u> | 99 |
|-----------------------|-----|
| <u> DriveType</u> | 99 |
| EncodingBase | |
| EngineConfiguration | 100 |
| EngineDisplacement | 101 |
| EngineHorsepower | 101 |
| EngineInduction | 102 |
| EngineNumber | 102 |
| ExpirationDate | 103 |
| ExteriorColor | 103 |
| ExteriorColorCode | 103 |
| <u>FamilyName</u> | |
| FinanceCompanyName | 104 |
| <u>FinanceType</u> | |
| FinancingAvailableInd | 104 |
| FleetAccount | 104 |
| FormattedName | 105 |
| <u>FuelType</u> | 105 |
| <u> GivenName</u> | |
| gnitionKeyNumber | 106 |
| mageAlternateText | 106 |
| mageAttachmentTitle | |
| ndicator | 107 |
| nteriorColor | |
| nteriorColorCode | 107 |
| <u>_anguage</u> | |
| LastModificationDate | 115 |
| <u>LicenseNumber</u> | 115 |
| <u>Make</u> | 115 |
| Manufacturer | 115 |
| <u>MaturityDate</u> | 116 |
| <u>MiddleName</u> | 116 |
| <u>MileageMeasure</u> | 116 |

| <u>MiscellaneousNotes</u> | 116 |
|---------------------------|-----|
| <u>Model</u> | 117 |
| ModelDescription | 117 |
| <u>ModelYear</u> | |
| <u>Name</u> | 117 |
| NonUSVehicleInd | 118 |
| <u>Note</u> | |
| OdometerStatus | 118 |
| OptionName | |
| OptionNotes | 119 |
| OptionOrigin | 119 |
| <u>OptionSerialNumber</u> | 119 |
| OptionStockNumber | 120 |
| PostalCode | 120 |
| PreviousVehicleUse | 120 |
| PriceExplanation | 120 |
| Pricing Type Source | 121 |
| PromotionalRateInd | 121 |
| Reference | 121 |
| ReferenceNumber | 121 |
| RepairOrderNumber | 122 |
| RestrictionInd | 122 |
| RoadsideAssistanceInd | 122 |
| SaleClass | |
| Salutation | 123 |
| SecondaryPassword | 124 |
| SerialNumber | 124 |
| ShortMfg | 124 |
| SoldDate | 124 |
| StateOrProvince | 125 |
| Suffix | |
| SystemVersion | |
| TaxabilityInd | |
| | |

| <u>TaxType</u> | 26 |
|------------------------------|--------|
| TaxTypeld | 28 |
| TelematicsServiceInd | 29 |
| TermLength | 30 |
| Text | 30 |
| TireCondition | 30 |
| TransmissionCode | 30 |
| TransmissionType | 31 |
| TransmissionTypeName | 32 |
| TrimCode | 32 |
| <u>Type</u> | 32 |
| <u>UrbanizationCode</u> | 33 |
| <u>URI</u> | 33 |
| VehicleAcquisitionDate | 33 |
| VehicleClass | 33 |
| VehicleDemoInd | 34 |
| VehicleInspections | 35 |
| VehicleLocation | 35 |
| VehicleNote | 35 |
| VehiclePricingType | 36 |
| VehicleReceivedDate | 37 |
| VehicleStock | 38 |
| <u>VIN</u> | 38 |
| WarrantyClass | 38 |
| Warranty Expiration Date | 38 |
| WarrantyNotes | 39 |
| WarrantyStartDate | 39 |
| WarrantyTransferInd | 39 |
| WarrantyTypeCode | 40 |
| <u>Year</u> | 40 |
| ZoneCode | 40 |
| Fields and Global Attributes | 41 |
| ApplicationArea | 41 |

| <u>Change</u> | . 141 |
|--------------------------|-------|
| ChangeVehicleRemarketing | .142 |
| Header | |
| Vehicle | |
| VehicleRemarketing | .145 |
| Verb | |

Change Vehicle Remarketing Guidelines

Overview

This document is a guideline on how to use the Change Vehicle Remarketing Business Object Document (BOD). Change Vehicle Remarketing has been defined in the context of STAR for the Automotive Retail Industry. The scope of this BOD is to define the Change Vehicle Remarketing process for individual consumers who service their automobiles through their OEM's authorized Dealers. The focus is on Dealer and OEM interactions, not third party organizations. NOTE: Although this is the traditional use of the Change Vehicle Remarketing, this BOD could be used to send Change Vehicle Remarketing information between any two business parties.

Implementation Guidelines provide detailed information regarding the structure and meaning of the Change Vehicle Remarketing BOD and corresponds directly to the Change Vehicle Remarketing schema. In addition to structure and meaning, the Implementation Guidelines identify various business rules for specific fields/components that due to their nature, i.e. field interdependence, are not possible to express using schema. Please note that although these business rules are not included in the schema, they <u>MUST</u> be followed to be STAR Compliant. Therefore, the Change Vehicle Remarketing Implementation Guidelines must be used in concert with the Change Vehicle Remarketing schema during development and should <u>NOT</u> be considered a supplement or substitution to the schema. For more information regarding STAR XML Data Compliance, please review the STAR Data Compliance Guidelines document located on the STAR Web site.

For a copy of the corresponding Change Vehicle Remarketing schema, please download the appropriate STAR schema repository from the XML portion of the STAR website (www.starstandard.org). Prior to downloading the schema, users are encouraged to download the STAR XML Reference/Implementation document also located on the XML portion of the STAR website. This document provides an overview of the STAR BOD development methodology, how to download and read STAR schema, and various frequently asked questions related to the implementation of STAR BODs.

STAR has followed the Open Application Group's Business Object Document methodology to develop the Change Vehicle Remarketing BOD. Where possible, STAR has mapped to existing OAGI fields and components. Note however that the STAR Change Vehicle Remarketing BOD is unique to the Retail Automotive industry and is not an extension of any existing OAGIS BODs.

For more information on the Open Applications Group's BODs and related documentation please refer to the Open Applications Group's Web site at (www.openapplications.org).

Schema Field Usage


STAR uses the same Noun in the schema for all the Noun/Verb combinations of the Change Vehicle Remarketing except the Get verb. Please refer to each Noun/Verb combination within this document to understand the requirements for each specific BOD. Although the Noun will always have every field defined for the Noun in the schema, each Noun/Verb combination may not use all of the fields. If a field is not used by a BOD, it will be noted in the business rules.

Business Scenario

BUSINESS SCENARIO MISSING. Please make sure it is defined in the build script.

Relationship Diagram

The following is a representation of the Noun for this BOD. It is a high level overview provided to give an idea of the hierarchy of the Noun's components.



Schema Document Properties

Declared Namespaces

A schema can contain more than one namespace. According to Whatis.com, "In general, a namespace uniquely identifies a set of names so that there is no ambiguity when objects having different origins but the same names are mixed together." An example would be two namespaces that both defined an element called ID, without a namespace it would be impossible to determine which definition was being used.

| Prefix | Namespace | |
|-------------------|--------------------------------------|--|
| Default namespace | http://www.starstandards.org/STAR | |
| xml | http://www.w3.org/XML/1998/namespace | |
| xsd | http://www.w3.org/2001/XMLSchema | |

Components and Data Types

Global definitions include components, code lists, and data types. Components are used to build the data structures that make up a Noun and it's requirements. Data types specify the type of data that a component's fields may contain. Not all definitions are included in this documentation. Please see either the STAR Code List guideline or Data Type Guidelines for further information.

AddressBase

| Name | AddressBase |
|----------|-------------|
| Abstract | no |

Data Elements and Components

| Field / Component | Description | R/O | Business Rule |
|-------------------|---|-----|---------------|
| AddressLine | Indicates the multiple lines of an address. The first line is typically the street name and number. | R | |
| City | Is the City of the Address. | R | |
| County | County in which the Address is in. | O | |
| StateOrProvince | Is the State or Province of a given Address. | R | |
| Country | Country in which the Address is in. | R | |
| PostalCode | Postal Code of the Address. | R | |

```
<...>
    <AddressLine> AddressLine </AddressLine> [1..*]
    <City> City </City> [1]
    <County> County </County> [0..1]
    <StateOrProvince> StateOrProvince </StateOrProvince> [1]
    <Country> Country </Country> [1]
    <PostalCode> PostalCode </PostalCode> [1]
    </...>
```

Advertising

These field(s) use this type: **Advertising.**

| Name | Advertising |
|----------|-------------|
| Abstract | no |

Data Elements and Components

| Field / Component | Description | R/O | Business Rule |
|-------------------|--|-----|---------------|
| AdvertisingCopy | Information that goes in the ad | O | |
| AdvertisingMedia | Media where ad is placed. Ex: Internet, newspaper, etc. | O | |
| СоруТуре | Type of copy used for ad. Ex: Teaser text, short description, long description | О | |
| Language | Language for the ad copy | О | |

XML Instance Representation

```
<...>
    <AdvertisingCopy> AdvertisingCopy </AdvertisingCopy> [0..1]
    <AdvertisingMedia> AdvertisingMedia> (0..1)
    <CopyType> CopyType </CopyType> [0..1]
    <Language> Language </Language> [0..1]
    </...>
```

Amount

Based on OAGI Amount. Simple content with the currency as an attrbute

| Name | Amount |
|----------|--------|
| Abstract | no |

Attributes

| Field / Component | Description | R/O | Business Rule |
|-------------------|-------------|-----|---------------|
| currency | | R | |

XML Instance Representation

```
<...
currency="Currency [1]">
    xsd:decimal
</...>
```

AnnualMilesAllowed

These field(s) use this type: **AnnualMilesAllowed.**

The number allowed annually for a balloon contract.

| Name | AnnualMilesAllowed |
|----------|--------------------|
| Abstract | no |

XML Instance Representation

```
<...
uom="MileageMeasure [0..1]">
Mileage
</...>
```

AnnualPercentageRate

These field(s) use this type: **AnnualPercentageRate.**

Annual percentage rate.

| Name | AnnualPercentageRate |
|----------|----------------------|
| Abstract | no |



ApplicationArea

These field(s) use this type: **ApplicationArea.**

| Name | ApplicationArea |
|----------|-----------------|
| Abstract | no |

| Field / Component | Description | R/O | Business Rule |
|-------------------|--|--------|--|
| Sender | Identifies characteristics and control identifiers that relate to the application that created the Business Object Document. The sender area can indicate the logical location of the application and/or database serve the application, and the task that was processing to create the BOD. | | |
| CreationDateTime | is the date time stamp that the given instance of the Business Object Document was created. This date must not be modified during the life of the Business Object Document. | R | DateTime fields must be formatted as XML Schema Datetimes in UTC/GMT format without offsets. Example: 2003-11-05T13:15:30Z |
| Signature | If the BOD is to be signed the signature element is included, otherwise i is not. Signature supports any digital signature that maybe used by an implementation of OAGIS. The qualifying Agency identifies the agency that provided the format for the signature. This element supports any digital signature specification that is available today and in the future. This is accomplished by not actually defining the content but by allowin the implementation to specify the digital signature to be used via an external XML Schema namespace declaration. The Signature element is defined to have any content from any other namespace. This allows the user to carry a digital signature in the xml instance of a BOD. The choic of which digital signature to use is left up to the user and their integrationeds. | g e | Optional. "qualifyingAgency" attribute. |

| Field / Component | Description | R/O | Business Rule |
|-------------------|---|-----|----------------------------|
| BODId | The BODId provides a place to carry a Globally Unique Identifier (GUID) that will make each Business Object Document instance uniquely identifiable. This is a critical success factor to enable software developers to use the Globally Unique Identifier (GUID) to build the following services or capabilities: 1. Legally binding transactions, 2. Transaction logging, 3. Exception handling, 4. Re-sending, 5. Reporting 6. Confirmations, 7. Security. | | |
| Destination | Information related to the receiver of the BOD | R | See Destination Component. |

XML Instance Representation

```
<...>
    <Sender> Sender </Sender> [1]
    <CreationDateTime> DateTime </CreationDateTime> [1]
    <Signature> Signature </Signature> [0..1]
    <BODId> Code </BODId> [0..1]
    <Destination> Destination </Destination> [1]
    </...>
```

ApprovedAmount

These field(s) use this type: **ApprovedAmount.**

Amount pre-approved

| Name | ApprovedAmount |
|----------|----------------|
| Abstract | no |

```
<...
currency="Currency [1]">
Amount
</...>
```

BalanceAmount

These field(s) use this type: **BalanceAmount.**

Remaining balance on Current Vehicle

| Name | I | BalanceAmount |
|----------|---|---------------|
| Abstract | ı | no |

XML Instance Representation

```
<...
currency="Currency [1]">
Amount
</...>
```

BrandedInfo

These field(s) use this type: **BrandedInfo.**

| 1 | Name | BrandedInfo |
|---|----------|-------------|
| / | Abstract | no |

| Field / Component | Description | R/O | Business Rule |
|------------------------|--|-----|-----------------------|
| BrandedTitleInd | This tag indicates if a vehicle's title has been branded. (i.e., vehicle | О | 0 - No |
| | totaled and state registration title branded as such) | | 1 - Yes |
| BrandedTitleDate | Branding Date | О | In YYYY-MM-DD format. |
| BrandingStateCode | Branding State Code | О | |
| BrandingStateReference | Branding State Reference Number | О | |
| BrandingSource | Branding source $\tilde{A}\#\hat{A}\phi\hat{A}\#\hat{A}\#$ (i.e., source who says that the vehicle is branded) | О | |

XML Instance Representation

BrandingStateCode

These field(s) use this type: **BrandingStateCode**.

Branding State Code

| ı | Name | BrandingStateCode |
|---|----------|-------------------|
| , | Abstract | no |

XML Instance Representation

```
<...>
StateOrProvince
</...>
```

BusinessObjectDocument

| Name | BusinessObjectDocument |
|----------|------------------------|
| Abstract | no |

Attributes

| Field / Component | Description | R/O | Business Rule |
|-------------------|--|---------|---------------|
| revision | This should contain the STAR repository version in the following recommended format. 4.2.1_M20080416. Where the first part indicates the version of the STAR repository and anything after the _ indicates the Milestone build that is being used. If referring to an official published version then only the STAR Repository version is required. | | |
| release | Indicates the OAGIS release that this BOD belongs. | О | |
| environment | Indicates whether this BOD is being sent in a "Test" or a "Production" mode. If the BOD is being sent in a test mode, it's information should n affect the business operation. However, if the BOD is sent in "Production" mode it is assumed that all test has been complete and the contents of the BOD are to affect the operation of the receiving busines application(s). | | |
| lang | Indicates the language that the contents of the BOD is in unless otherwise stated. | О | |
| bodVersion | Deprecated as of STAR 4.2.2. It is recommended to use the revision attribute to identify the repository and the noun. May be removed in a new major version of the STAR repository. Indicates the version numb of the BOD. | O er | |

Data Elements and Components

| Field / Component | Description | R/O | Business Rule |
|-------------------|---|-----|---------------|
| ApplicationArea | Provides the information that an application may need to know in order to communicate in an integration of two or more business applications. The ApplicationArea is used at the applications layer of communication. While the integration frameworks web services and middleware provide the communication layer that OAGIS operates on top of. Provides the information that an application may need to know in order to communicate in an integration of two or more business applications. The ApplicationArea is used at the applications layer of communication. While the integration frameworks web services and middleware provide the communication layer that OAGIS operates on top of. | ; | |

Change

These field(s) use this type: **Change.**

| Name | Change |
|----------|--------|
| Abstract | no |

Data Elements and Components

| Field / Component | Description | R/O | Business Rule |
|-------------------|-------------|-----|---------------|
| Verb | | R | |

XML Instance Representation

```
<... confirm="ConfirmType [0..1]"/>
```

ChangeVehicleRemarketing

These field(s) use this type: **ChangeVehicleRemarketing.**

| Name | ChangeVehicleRemarketing |
|----------|--------------------------|
| Abstract | no |

| Field / Component | Description | R/O | Business Rule |
|-------------------|--|-----|---------------|
| ApplicationArea | Provides the information that an application may need to know in order to communicate in an integration of two or more business applications. The ApplicationArea is used at the applications layer of communication While the integration frameworks web services and middleware provide the communication layer that OAGIS operates on top of. Provides the information that an application may need to know in order to communicate in an integration of two or more business applications. The ApplicationArea is used at the applications layer of communication. While the integration frameworks web services and middleware provide the communication layer that OAGIS operates on top of. | 2 | |
| DataArea | | R | |

XML Instance Representation

ChangeVehicleRemarketingDataArea

These field(s) use this type: **DataArea.**

| Name | ChangeVehicleRemarketingDataArea |
|----------|----------------------------------|
| Abstract | no |

| Field / Component | Description | R/O | Business Rule |
|--------------------|---|-----|---------------|
| Change | The Change verb is used when the sender of the BOD is not the owner of the data, but is sending a request for the document to be changed. An example of this is Change REQUISITN, where the original document needs to be changed based on a specific business event. | fR | |
| VehicleRemarketing | | R | |

XML Instance Representation

```
<...>
<Change> ... </Change> [1]
<VehicleRemarketing> ... </VehicleRemarketing> [1..*]
</...>
```

CodeType

Unique code name

| Name | CodeType |
|----------|----------|
| Abstract | no |

Attributes

| Field / Component | Description | R/O | Business Rule |
|-------------------|-------------|-----|---------------|
| listID | | O | |
| listName | | О | |
| listAgencyID | | O | |
| listAgencyName | | O | |
| listVersionID | | О | |
| listURI | | О | |

ConfirmableVerb

| Name | ConfirmableVerb |
|----------|-----------------|
| Abstract | no |

Attributes

| Field / Component | Description | R/O | Business Rule |
|-------------------|-------------|-----|---------------|
| confirm | | R | |

Data Elements and Components

| Field / Component | Description | R/O | Business Rule |
|-------------------|-------------|-----|---------------|
| Verb | | R | |

XML Instance Representation

```
<...
confirm="ConfirmType [0..1]"/>
```

ContractId

These field(s) use this type: **ContractId.**

Identification of Contract

Name ContractId

Abstract no

XML Instance Representation

<...> Id

</...>

Count

Simple quantity type with no attributes

Name Count
Abstract no

XML Instance Representation

<...>
xsd:integer
</...>

DealerExtendedAddress

These field(s) use this type: **Dealer.**

Name DealerExtendedAddress

Abstract no

| Field / Component | Description | R/O | Business Rule |
|-------------------|-----------------------------|-----|---------------|
| PartyId | Party Identification Number | О | |
| DealerName | Dealer name | O | |

| Field / Component | Description | R/O | Business Rule |
|-------------------|-------------------------------------|-----|---------------|
| DistrictCode | Manufacturer Assigned District Code | О | |
| URI | Dealer URI | О | |
| ZoneCode | Manufacturer Assigned Zone Code | O | |
| Address | Dealer party address | О | |

XML Instance Representation

```
<-...>
    <PartyId> PartyId </PartyId> [0..1]
    <DealerName> DealerName </DealerName> [0..1]
    <DistrictCode> DistrictCode </DistrictCode> [0..1]
    <URI> URI </URI> [0..1]
    <ZoneCode> ZoneCode </ZoneCode> [0..1]
    <Address> OrganizationAddress </Address> [0..1]
    </...>
```

DealerPartyBase

| Name | DealerPartyBase |
|----------|-----------------|
| Abstract | no |

| Field / Component | Description | R/O | Business Rule |
|-------------------|-------------------------------------|-----|---------------|
| PartyId | Party Identification Number | О | |
| DealerName | Dealer name | O | |
| DistrictCode | Manufacturer Assigned District Code | О | |
| URI | Dealer URI | O | |
| ZoneCode | Manufacturer Assigned Zone Code | О | |

XML Instance Representation

```
<...>
<PartyId> PartyId </PartyId> [0..1]
<DealerName> DealerName </DealerName> [0..1]
<DistrictCode> DistrictCode </DistrictCode> [0..1]
<URI> URI </URI> [0..1]
<ZoneCode> ZoneCode </ZoneCode> [0..1]
</...>
```

DeliveryMileage

These field(s) use this type: **DeliveryMileage.**

Odometer reading of vehicle at time of delivery

| Name | DeliveryMileage |
|----------|-----------------|
| Abstract | no |

XML Instance Representation

```
<...
uom="MileageMeasure [0..1]">
Mileage
</...>
```

Description

These field(s) use this type: **Description, Description.**

Description

| Name | Description |
|----------|-------------|
| Abstract | no |

Attributes

| Field / Component | Description | R/O | Business Rule |
|-------------------|--|-----|---------------|
| language | The ISO language code that the description is written. | О | |

XML Instance Representation

Destination

These field(s) use this type: **Destination.**

| Name | Destination |
|----------|-------------|
| Abstract | no |

| Field / Component | Description | R/O | Business Rule |
|-------------------------|---|-----|--|
| DestinationNameCode | Code for destination of file (i.e.Short Manufacturer or DSP code) | O | Must use a valid code from the ShortMfg/RSP list on http://www.starstandards.org |
| DestinationURI | Physical address of the destination | O | |
| DestinationSoftwareCode | Additional information about the destination application | O | |
| DestinationSoftware | For which software destination file is intended (may not be known). | O | |
| DealerNumber | Target Dealer Code receiving information | О | |
| StoreNumber | Dealer code store number (DMS assigned) | О | |
| AreaNumber | Dealer code area number (DMS vendor assigned) | О | |
| DealerCountry | Target Dealer country location | О | |

| Field / Component | Description | R/O | Business Rule |
|-------------------|--|-----|---------------|
| PartyId | The Party Id field uniquely identifies the Receiver of the message. This element can be used for parties within the Automotive Community as well as external parties. Party Id is not intended as a replacement for the Dealer Number. Suggested formats for OEMs or other large institutions include: DUNs Number, ShortMfgCode + DUNs, or ShortMfgCode. The suggested format for Dealers is: ShortMfgCode+Dealer Number. | ; | |
| LocationId | The Location Id field uniquely identifies the location of the Receiver of message. This Id may be aligned with a physical address or data centers. This field provides an additional level of granularity beyond the usage of the Party Id for additional routing and deliver of data. | | |
| ServiceId | The Service Id field identifies the particular service to which a message is being sent, e.g., an inventory service. | О | |

XML Instance Representation

DocumentId

These field(s) use this type: **DocumentId.**

Is the identifier for the document.

| ı | Name | DocumentId |
|---|------|-------------------|
| | | |

Abstract no

XML Instance Representation



DoorsQuantity

These field(s) use this type: **DoorsQuantity.**

Number of doors on vehicle

Name DoorsQuantity

Abstract no

XML Instance Representation

<...> Count </...>

DownPaymentAmount

These field(s) use this type: **<u>DownPaymentAmount.</u>**

Down Payment amount or amount of cap cost reduction.

Name DownPaymentAmount

Abstract no

XML Instance Representation

<...
currency="Currency [1]">
Amount
</...>

EmbeddedData

These field(s) use this type: **EmbeddedData.**

embedded data witin a BOD

| Name | EmbeddedData |
|----------|--------------|
| Abstract | no |

Attributes

| Field / Component | Description | R/O | Business Rule |
|-------------------|-------------|-----|---------------|
| encoding | | R | |

Data Elements and Components

| Field / Component | Description | R/O | Business Rule |
|-------------------|--------------------------------------|-----|---------------|
| Data | Container to carry the embedded data | R | |

XML Instance Representation

```
<...
encoding="EncodingBase [0..1]">
    </br/>
    <br/>
    </br/>
    <br/>
    <br/>
```

EngineCylinders

These field(s) use this type: **EngineCylinders.**

Engine cylinder count

| Name | EngineCylinders |
|----------|-----------------|
| Abstract | no |

XML Instance Representation

```
<...>
    Count
</...>
```

EngineDescription

These field(s) use this type: **EngineDescription.**

Text description of engine (e.g. dohc, 32 valves)

| Name | EngineDescription |
|----------|-------------------|
| Abstract | no |

XML Instance Representation

```
<...
language="Language [0..1]">
Description
</...>
```

ExcessMileageRate

These field(s) use this type: **ExcessMileageRate.**

The rate charged per mile over the annual miles allowed.

| Name | ExcessMileageRate |
|----------|-------------------|
| Abstract | no |

```
<...
currency="Currency [1]">
Amount
</...>
```

FinalAmount

These field(s) use this type: **FinalAmount.**

Last month payment amount

| ı | Name | FinalAmount |
|---|----------|-------------|
| / | Abstract | no |

XML Instance Representation

```
<...
currency="Currency [1]">
Amount
</...>
```

FinanceCharge

These field(s) use this type: **FinanceCharge.**

The total interest paid on the contract.

| Name | FinanceCharge |
|----------|---------------|
| Abstract | no |

XML Instance Representation

```
<...
currency="Currency [1]">
Amount
</...>
```

HeaderBase

Used on all STAR BODs

| Name |
|------|
|------|

Abstract no

Data Elements and Components

| Field / Component | Description | R/O | Business Rule |
|-----------------------|--|-----|--|
| DocumentDateTime | Is the date and time the document was last created. This is not the date and time that the BOD message instance was created. | О | DateTime fields must be formatted as XML Schema DateTimes in UTC/GMT format without offsets. Example: 2003-11-05T13:15:30Z |
| SecondaryPassword | Secondary password used to validate access to the dealer information | О | |
| SecondaryDealerNumber | Identifies secondary dealer number if different than primary "Dealer Number" | О | |

XML Instance Representation

ld

These field(s) use this type: **AuthorizationId.**

Party Identification number

| Name | ld |
|----------|----|
| Abstract | no |

XML Instance Representation

<...>
xsd:string
</...>

ImageAttachment

represents information about the location of on-line vehicle photos.

| Name | ImageAttachment |
|----------|-----------------|
| Abstract | no |

Data Elements and Components

| Field / Component | Description | R/O | Business Rule |
|--------------------|--|-----|---------------------------|
| URI | URI | O | |
| ImageWidth | Image tag width. Example: "100" | O | |
| ImageHeight | Image tag height Example: "120" | O | |
| ImageAlternateText | Image alternate text. Example: "1997 Honda Accord" | О | May occur multiple times. |

XML Instance Representation

```
<...>
    <URI> URI </URI> [0..1]
    <ImageWidth> ImageWidth </ImageWidth> [0..1]
    <ImageHeight> ImageHeight </ImageHeight> [0..1]
    <ImageAlternateText> ImageAlternateText </ImageAlternateText> [0..*]
</...>
```

ImageAttachmentExtended

These field(s) use this type: **ImageAttachment.**

| Name | ImageAttachmentExtended |
|----------|-------------------------|
| Abstract | no |

| Field / Component | Description | R/O | Business Rule |
|----------------------|--|-----|---------------------------|
| URI | URI | О | |
| ImageWidth | Image tag width. Example: "100" | O | |
| ImageHeight | Image tag height Example: "120" | O | |
| ImageAlternateText | Image alternate text. Example: "1997 Honda Accord" | О | May occur multiple times. |
| ImageAttachmentTitle | Image attachment title | О | |
| EmbeddedData | Holder for embedded data. (Will have an attribute for type of enbedded document) | О | |

XML Instance Representation

ImageHeight

These field(s) use this type: **ImageHeight.**

Image tag height Example: "120"

| Name | ImageHeight |
|----------|-------------|
| Abstract | no |



ImageWidth

These field(s) use this type: **ImageWidth.**

Image tag width. Example: "100"

Name ImageWidth

Abstract no

XML Instance Representation

<...> Count </...>

IndividualPartyMinimal

These field(s) use this type: **PreviousIndividualOwner.**

| Name | IndividualPartyMinimal |
|----------|------------------------|
| Abstract | no |

Data Elements and Components

| Field / Component | Description | R/O | Business Rule |
|-------------------|-----------------------------|-----|---------------|
| PartyId | Party Identification Number | О | |
| PersonName | Individual party name | О | |

```
<...>
<PartyId> PartyId </PartyId> [0..1]
<PersonName> IndividualPartyPersonName2 </PersonName> [0..1]
</...>
```

IndividualPartyPersonName2

These field(s) use this type: **PersonName.**

| Name | IndividualPartyPersonName2 |
|----------|----------------------------|
| Abstract | no |

Data Elements and Components

| Field / Component | Description | R/O | Business Rule |
|-------------------|--|-----|---------------|
| Salutation | Title or greeting of business party | О | |
| GivenName | First Name of business party | R | |
| MiddleName | Middle Initial of business party | О | |
| FamilyName | Last Name of business party | R | |
| Suffix | Business Party name suffix designation if individual Ex: Sr, Jr, III, etc. | О | |
| FormattedName | Full Name of business party. Format for name should be "First Last" with no commas between first and last name | О | |

XML Instance Representation

```
<...>
    <Salutation> Salutation </Salutation> [0..1]
    <GivenName> GivenName </GivenName> [1]
    <MiddleName> MiddleName </MiddleName> [0..1]
    <FamilyName> FamilyName </FamilyName> [1]
    <Suffix> Suffix </Suffix> [0..1]
    <FormattedName> FormattedName </FormattedName> [0..1]
</...>
```

JobCompleted

These field(s) use this type: **JobCompleted.**

| Name JobCompleted |
|-------------------|
|-------------------|

Abstract no

Data Elements and Components

| Field / Component | Description | R/O | Business Rule |
|-------------------|---|-----|---------------|
| RepairOrderNumber | Identification number of repair order assigned by dealer or DMS | О | |
| Description | Description of work completed on vehicle | О | |
| TotalAmount | Total amount for operation | O | |

XML Instance Representation

<...>
 <RepairOrderNumber> RepairOrderNumber </RepairOrderNumber> [0..1]
 <Description> Description> (Description> [0..1]
 <TotalAmount> TotalAmount </TotalAmount> [0..1]
 </...>

JobToDo

These field(s) use this type: **JobToDo.**

| Name | JobToDo |
|----------|---------|
| Abstract | no |

Data Elements and Components

| Field / Component | Description | R/O | Business Rule |
|-------------------|--|-----|---------------|
| Description | Description of work to be completed on vehicle | О | |
| TotalAmount | Total amount for operation | О | |

```
<...>
    <br/>
    <br/>
```

</...>

LocationId

These field(s) use this type: **LocationId,LocationId.**

Code identifying a physical location

| Name | LocationId |
|----------|------------|
| Abstract | no |

XML Instance Representation

```
<...>
    Id
    </...>
```

Mileage

Mileage definition

| Name | Mileage |
|----------|---------|
| Abstract | no |

Attributes

| Field / Component | Description | R/O | Business Rule |
|-------------------|-------------|-----|---------------|
| uom | | О | |

```
<...
uom="MileageMeasure [0..1]">
Count
</...>
```

NewFinancing

| N | lame | NewFinancing |
|---|---------|--------------|
| Δ | bstract | no |

Data Elements and Components

| Field / Component | Description | R/O | Business Rule |
|--------------------|--|-----|---------------|
| FinanceType | Type of financing Examples may be F- Finance, L - Lease, C-Cash, 1-Retail, 2-Lease, 3-Balloon, etc | О | |
| PaymentAmount | Monthly Payment Amount | O | |
| BalanceAmount | Remaining balance on Current Vehicle | O | |
| FinalAmount | Last month payment amount | О | |
| ResidualAmount | Remaining residual on current vehicle | О | |
| Term | Number of months of contract term | О | |
| MaturityDate | Month and year of contract maturity | О | |
| FinanceCompanyName | Name of Finance Company | О | |
| DownPaymentAmount | Down Payment amount or amount of cap cost reduction. | O | |
| PurchasePrice | Purchase Price or Gross Cap cost specified in deal. Total payments at en of purchase | dO | |
| ApprovedInd | Approved Indicator | О | |
| ApprovedAmount | Amount pre-approved | O | |
| ExpirationDate | Date pre-approval expires | O | |
| RatingIndex | Rating Index Used for Credit Approval | О | |

XML Instance Representation

<...>
<FinanceType> FinanceType </FinanceType> [0..1]

NonTaxableAmount

These field(s) use this type: **NonTaxableAmount.**

Total non-taxable price.

| Name | NonTaxableAmount |
|----------|------------------|
| Abstract | no |

XML Instance Representation

```
<...
currency="Currency [1]">
Amount
</...>
```

OptionBase

| Name | OptionBase |
|----------|------------|
| Abstract | no |

Data Elements and Components

| Field / Component | Description | R/O | Business Rule |
|-------------------|--|-----|---------------|
| OptionType | An option type for a vehicle or other component. Usually references an OEM supplied list of codes. | О | |
| OptionName | Name of vehicle option | O | |
| OptionStockNumber | Stock Number of Vehicle Option | О | |
| Manufacturer | Manufacturer of Vehicle Option | О | |

XML Instance Representation

```
<...>
    <OptionType> OptionType </OptionType> [0..1]
    <OptionName> OptionName </OptionName> [0..1]
    <OptionStockNumber> OptionStockNumber </OptionStockNumber> [0..1]
    <Manufacturer> Manufacturer </Manufacturer> [0..1]
    </...>
```

OptionType

These field(s) use this type: **OptionType.**

Option Type from an OEM or other sources list of codes.

| Name | OptionType |
|----------|------------|
| Abstract | no |

```
<...
listID="xsd:token [0..1]"
listName="xsd:string [0..1]"
listAgencyID="xsd:token [0..1]"
listAgencyName="xsd:string [0..1]"
listVersionID="xsd:token [0..1]"
listURI="xsd:anyURI [0..1]">
```

CodeType </...>

OrganizationAddress

These field(s) use this type: **Address.**

| Name | OrganizationAddress |
|----------|---------------------|
| Abstract | no |

Data Elements and Components

| Field / Component | Description | R/O | Business Rule |
|-------------------|---|-----|---------------|
| AddressLine | Indicates the multiple lines of an address. The first line is typically the street name and number. | R | |
| City | Is the City of the Address. | R | |
| County | County in which the Address is in. | O | |
| StateOrProvince | Is the State or Province of a given Address. | R | |
| Country | Country in which the Address is in. | R | |
| PostalCode | Postal Code of the Address. | R | |
| UrbanizationCode | Geographic definition of a metropolitan or suburban area | O | |

```
<...>
    <AddressLine> AddressLine </AddressLine> [1..*]
    <City> City </City> [1]
    <County> County </County> [0..1]
    <StateOrProvince> StateOrProvince </StateOrProvince> [1]
    <Country> Country </Country> [1]
    <PostalCode> PostalCode </PostalCode> [1]
    <UrbanizationCode> UrbanizationCode </UrbanizationCode> [0..1]
```

</...>

OrganizationId

These field(s) use this type: **OrganizationId.**

Member Identification number of affiliate organization

| Name | OrganizationId |
|----------|----------------|
| Abstract | no |

XML Instance Representation



OrganizationPartyMinimal

These field(s) use this type: **PreviousOrganizationalOwner.**

| Name | OrganizationPartyMinimal |
|----------|--------------------------|
| Abstract | no |

Data Elements and Components

| Field / Component | Description | R/O | Business Rule |
|-------------------|--------------------------------------|-----|---------------|
| PartyId | Party Identification Number | О | |
| Name | Company name of organizational party | О | |

```
<...>
    <PartyId> PartyId </PartyId> [0..1]
    <Name> CompanyName </Name> [0..1]
    </...>
```

PartyBase

Derived from oa:Party

| Nar | me | PartyBase |
|-----|--------|-----------|
| Abs | stract | no |

Data Elements and Components

| Field / Component | Description | R/O | Business Rule |
|-------------------|-----------------------------|-----|---------------|
| PartyId | Party Identification Number | O | |

XML Instance Representation

```
<...>
<PartyId> PartyId </PartyId> [0..1]
</...>
```

Partyld

These field(s) use this type: **<u>DealerNumber,PartyId,DealerNumber,PartyId,PartyId.</u>**

Party Identification Number

| Name | Partyld |
|----------|---------|
| Abstract | no |

XML Instance Representation



PaymentAmount

These field(s) use this type: **PaymentAmount.**

Monthly Payment Amount

Name PaymentAmount

Abstract no

XML Instance Representation

```
<...
currency="Currency [1]">
Amount
</...>
```

Percent

Percent

Name Percent
Abstract no

XML Instance Representation

<...>
xsd:decimal
</...>

PurchasePrice

These field(s) use this type: **PurchasePrice.**

Purchase Price or Gross Cap cost specified in deal. Total payments at end of purchase

Name PurchasePrice
Abstract no

XML Instance Representation

<...

```
currency="Currency [1]">
Amount
</...>
```

Rating

Standing or position on a scale, e.g. credit score.

| Name | Rating |
|----------|--------|
| Abstract | no |

Attributes

| Field / Component | Description | R/O | Business Rule |
|-------------------|-------------|-----|---------------|
| score | | О | |

XML Instance Representation

```
<...
score="Decimal [0..1]">
    xsd:string
</...>
```

RatingIndex

These field(s) use this type: **RatingIndex.**

Rating Index Used for Credit Approval

| Name | RatingIndex |
|----------|-------------|
| Abstract | no |

```
<...
score="Decimal [0..1]">
```

Rating </...>

RemarketingFinancing

These field(s) use this type: **Financing.**

| Name | RemarketingFinancing |
|----------|----------------------|
| Abstract | no |

| Field / Component | Description | R/O | Business Rule |
|--------------------|--|-----|---------------|
| FinanceType | Type of financing Examples may be F- Finance, L - Lease, C-Cash, 1-Retail, 2-Lease, 3-Balloon, etc | О | |
| PaymentAmount | Monthly Payment Amount | О | |
| BalanceAmount | Remaining balance on Current Vehicle | O | |
| FinalAmount | Last month payment amount | О | |
| ResidualAmount | Remaining residual on current vehicle | О | |
| Term | Number of months of contract term | О | |
| MaturityDate | Month and year of contract maturity | O | |
| FinanceCompanyName | Name of Finance Company | O | |
| DownPaymentAmount | Down Payment amount or amount of cap cost reduction. | О | |
| PurchasePrice | Purchase Price or Gross Cap cost specified in deal. Total payments at en of purchase | dO | |
| ApprovedInd | Approved Indicator | О | |
| ApprovedAmount | Amount pre-approved | O | |
| ExpirationDate | Date pre-approval expires | О | |

| Field / Component | Description | R/O | Business Rule |
|----------------------|---|-----|---------------|
| RatingIndex | Rating Index Used for Credit Approval | О | |
| MiscellaneousNotes | Free form miscellaneous comments. | О | |
| AnnualPercentageRate | Annual percentage rate. | О | |
| FleetAccount | Lessor Fleet Account number indicating that this is a Fleet Transaction | О | |
| PromotionalRateInd | Promotional lease rate was used | О | |
| Тах | Tax related to Financing | О | |
| AnnualMilesAllowed | Lease mileage limit per year | О | |
| ExcessMileageRate | The rate charged per mile over the annual miles allowed | О | |
| FinanceCharge | The total interest paid on the contract | O | |

```
<...>
 <FinanceType> FinanceType </financeType> [0..1]
 <PaymentAmount> PaymentAmount </PaymentAmount> [0..1]
 <BalanceAmount> BalanceAmount </BalanceAmount> [0..1]
 <FinalAmount> FinalAmount /FinalAmount> [0..1]
 < Residual Amount > Residual Amount > [0..1]
 <Term> Term </Term> [0..1]
 <MaturityDate > MaturityDate </MaturityDate > [0..1]
 <FinanceCompanyName> FinanceCompanyName </FinanceCompanyName> [0..1]
 <DownPaymentAmount> DownPaymentAmount </DownPaymentAmount> [0..1]
 <PurchasePrice> PurchasePrice </PurchasePrice> [0..1]
 <ApprovedInd> ApprovedInd </ApprovedInd> [0..1]
 <ApprovedAmount> ApprovedAmount </ApprovedAmount> [0..1]
 <ExpirationDate> ExpirationDate </ExpirationDate> [0..1]
 < RatingIndex > RatingIndex < / RatingIndex > [0..1]
 <MiscellaneousNotes> MiscellaneousNotes> [0..1]
 <AnnualPercentageRate> AnnualPercentageRate </AnnualPercentageRate> [0..1]
 <FleetAccount> FleetAccount /FleetAccount> [0..1]
 <PromotionalRateInd> PromotionalRateInd /PromotionalRateInd> [0..1]
```

```
<Tax> Tax </Tax> [0..*]
  <AnnualMilesAllowed> AnnualMilesAllowed </AnnualMilesAllowed> [0..1]
  <ExcessMileageRate> ExcessMileageRate </ExcessMileageRate> [0..1]
  <FinanceCharge> FinanceCharge </FinanceCharge> [0..1]
</...>
```

RemarketingOption

These field(s) use this type: **Option.**

| Name | RemarketingOption |
|----------|-------------------|
| Abstract | no |

Data Elements and Components

| Field / Component | Description | R/O | Business Rule |
|--------------------|--|-----|---------------|
| OptionType | An option type for a vehicle or other component. Usually references an OEM supplied list of codes. | О | |
| OptionName | Name of vehicle option | О | |
| OptionStockNumber | Stock Number of Vehicle Option | O | |
| Manufacturer | Manufacturer of Vehicle Option | O | |
| OptionOrigin | Identifies the option installer | О | |
| OptionSerialNumber | Serial number of Option | О | |
| OptionNotes | Free form text related to option | O | |

```
<...>
    <OptionType> OptionType </OptionType> [0..1]
    <OptionName> OptionName </OptionName> [0..1]
    <OptionStockNumber> OptionStockNumber </OptionStockNumber> [0..1]
    <Manufacturer> Manufacturer </Manufacturer> [0..1]
```

```
<OptionOrigin> OptionOrigin </OptionOrigin> [0..1]
<OptionSerialNumber> OptionSerialNumber </OptionSerialNumber> [0..1]
<OptionNotes> OptionNotes </OptionNotes> [0..1]
</...>
```

RemarketingWarranty

These field(s) use this type: **Warranty.**

| Name | RemarketingWarranty |
|----------|---------------------|
| Abstract | no |

| Field / Component | Description | R/O | Business Rule |
|-------------------------|---|------|------------------------|
| WarrantyTypeCode | Type of warranty (Ex: OEM new, OEM used or third party) | О | |
| WarrantyTypeDescription | Description of type of warranty Example: Basic /Powertrain, etc | О | |
| WarrantyStartMileage | Mileage at start date of vehicle warranty | О | Requires UOM attribute |
| | | | K - Kilometers |
| | | | M - Miles |
| WarrantyEndMileage | Mileage limit for vehicle warranty coverage for warranty currently in force at time of repair | О | Requires UOM attribute |
| | | | K - Kilometers |
| | | | M - Miles |
| WarrantyStartDate | Start date of vehicle warranty | О | In YYYY-MM-DD format |
| WarrantyExpirationDate | Last date of vehicle warranty coverage for warranty currently in force time of repair | at O | In YYYY-MM-DD format |
| RoadsideAssistanceInd | Indicates whether coverage includes roadside assistance | О | 0 - No |
| | | | 1 - Yes |

| Field / Component | Description | R/O | Business Rule |
|---------------------|--|-----|---------------|
| WarrantyTransferInd | Flag indicating if warranty is transferable | О | 0 - No |
| | | | 1 - Yes |
| WarrantyNotes | Any Warranty related Notes | О | |
| WarrantyClass | A classification of warranty specifications that the warranty must address O such as 'tires, power train, rust 'or 'power train only' and can be based on the age or mileage | | |

XML Instance Representation

```
<WarrantyTypeCode> WarrantyTypeCode </WarrantyTypeCode> [0..1]
<WarrantyTypeDescription> WarrantyTypeDescription </WarrantyTypeDescription> [0..1]
<WarrantyStartMileage> WarrantyStartMileage </WarrantyStartMileage> [0..1]
<WarrantyEndMileage> WarrantyEndMileage </WarrantyEndMileage> [0..1]
<WarrantyStartDate> WarrantyStartDate </WarrantyStartDate> [0..1]
<WarrantyExpirationDate> WarrantyExpirationDate </WarrantyExpirationDate> [0..1]
<RoadsideAssistanceInd> RoadsideAssistanceInd </RoadsideAssistanceInd> [0..1]
<WarrantyTransferInd> WarrantyTransferInd </WarrantyTransferInd> [0..1]
<WarrantyNotes> WarrantyNotes </warrantyNotes> [0..1]
<WarrantyClass> WarrantyClass </warrantyClass> [0..1]
</m>
```

RepairDamage

These field(s) use this type: **Damage.**

| Name | RepairDamage |
|----------|--------------|
| Abstract | no |

| Field / Component | Description | R/O | Business Rule |
|-------------------|----------------------------------|-----|---------------|
| Description | Description of damage on vehicle | О | |

| Field / Component | Description | R/O | Business Rule |
|-------------------|-------------------------------|-----|---------------|
| TotalAmount | Total amount to repair damage | О | |

XML Instance Representation

```
<...>
    <br/>
    <br/>
```

ResidualAmount

These field(s) use this type: **ResidualAmount.**

Remaining residual on current vehicle

| Name | ResidualAmount |
|----------|----------------|
| Abstract | no |

XML Instance Representation

```
<...
currency="Currency [1]">
Amount
</...>
```

RestrictionDescription

These field(s) use this type: **RestrictionDescription.**

Description of vehicle use restrictions

| Name | RestrictionDescription |
|----------|------------------------|
| Abstract | no |

XML Instance Representation

· <...

```
language="Language [0..1]">
Description
</...>
```

SecondaryDealerNumber

These field(s) use this type: **SecondaryDealerNumber.**

Identifies secondary dealer number if different than primary "Dealer Number"

| Name | SecondaryDealerNumber |
|----------|-----------------------|
| Abstract | no |

XML Instance Representation



Sender

These field(s) use this type: **Sender.**

| Name | Sender |
|----------|--------|
| Abstract | no |

| Field / Component | Description | R/O | Business Rule |
|-------------------|---|--------------------|--|
| LogicalId | Provides the logical location of the server and applications from which the Business Object Document originated. It can be used to establish a logical to physical mapping, however its use is optional. Each system of combination of systems should maintain an external central reference table containing the logical names or logical addresses of the application systems in the integration configuration. This enables the logical name to be mapped to the physical network addresses of the resources needed on the network. Note: The technical implementation of this Domain Naming Service is not dictated by this specification. This logical to physical mapping may be done at execution time by the application its or by a middleware transport mechanism, depending on the integration architecture used. This provides for a simple but effective directory access capability while maintaining application independence from the physical location of those resources on the network | or on s d | |
| Component | Provides a finer level of control than Logical Identifier and represents business application that issued the Business Object Document. Its use optional. For STAR's use this is the DCS Software code name | | |
| Task | Describes the business event that initiated the need for the Business Object Document to be created. For STAR, the task is defined in the Implementation Guidelines for each BOD. It is usually a short description of the BOD. Ex: SalesLead, CreditDecision, etc. | R | |
| ReferenceId | Enables the sending application to indicate the instance identifier of the event or task that caused the BOD to be created. This is used to correla a response BOD to an originating BOD | | |
| AuthorizationId | Identifyies the authorization level of the user or application that is sending the Business Object Document Message. This authorization le being recognized be the receiving system indicates what can be done of the receiving system. For STAR, this is the User ID. | | |
| CreatorNameCode | DCS Software Creator Code | R | |
| SenderNameCode | Additional information about the sending platform (i.e., Short MFG or DSP code). | R | Must use a valid code from the ShortMfg/RSP list on http://www.starstandards.org |
| SenderURI | Physical address of the sender | О | |

| Field / Component | Description | R/O | Business Rule |
|-----------------------|--|-------|--|
| DealerNumber | Dealer Code of source of information | О | Dealer Number is Required if originating from DMS. |
| StoreNumber | Dealer code store number (DMS assigned) | О | |
| AreaNumber | Dealer code area number (DMS vendor assigned) | О | |
| DealerCountry | Source Dealer country location | О | Reference Country enumerator. |
| Language | This code is used to define the language of the data used in this transaction | О | Reference Language enumerator. |
| DeliverPendingMailInd | Indicates if the user requests to receive pending mail that has been storand has yet not been delivered yet. By selecting 0, the user will only receive the response for the current transaction the user is performing. | red O | 1 - Receive Pending Mail. 0 - Do not receive pending mail. |
| Password | Token for application specific authentication. Used to authenticate dealership/users through application specific security | O | |
| SystemVersion | The sender's software version number. | О | |
| PartyId | The Party Id field uniquely identifies the Sender of the message. This element can be used for parties within the Automotive Community as well as external parties. Party Id is not intended as a replacement for the Dealer Number. Suggested formats for OEMs or other large institution include: DUNs Number, ShortMfgCode + DUNs, or ShortMfgCode. To suggested format for Dealers is: ShortMfgCode+Dealer Number. | ıs | |
| LocationId | The Location Id field uniquely identifies the location of the Sender of message. This Id may be aligned with a physical address or data center. This field provides an additional level of granularity beyond the usage the Party Id for additional routing and deliver of data. | rs. | |
| ServiceId | The Service Id field identifies the particular service from which a message is being sent, e.g., an inventory service. | O | |

XML Instance Representation

<...>
<LogicalId> Text </LogicalId> [0..1]

```
<Component> Text </Component> [1]
 <Task> Text </Task> [1]
 < Reference Id> Reference < / Reference Id> [0..1]
 < AuthorizationId > Id < / AuthorizationId > [0..1]
 <CreatorNameCode> Text </CreatorNameCode> [1]
 <SenderNameCode> ShortMfg </SenderNameCode> [1]
 <SenderURI> URI </SenderURI> [0..1]
 <DealerNumber> PartyId </DealerNumber> [0..1]
 <StoreNumber> Text </StoreNumber> [0..1]
 <AreaNumber> Text </AreaNumber> [0..1]
 <DealerCountry> Country Country> [0..1]
 <Language> Language </Language> [0..1]
 <DeliverPendingMailInd> Indicator </DeliverPendingMailInd> [0..1]
 <Password> Text </Password> [0..1]
 <SystemVersion> SystemVersion </SystemVersion> [0..1]
 <PartyId> PartyId </PartyId> [0..1]
 <LocationId> LocationId </LocationId> [0..1]
 <ServiceId> ServiceId </ServiceId> [0..1]
</...>
```

SenderBase

| Name | SenderBase |
|----------|------------|
| Abstract | no |

| Field / Component | Description | R/O | Business Rule |
|-------------------|--|-----|---------------|
| LogicalId | Provides the logical location of the server and applications from which the Business Object Document originated. It can be used to establish a logical to physical mapping, however its use is optional. Each system or combination of systems should maintain an external central reference table containing the logical names or logical addresses of the application systems in the integration configuration. This enables the logical names to be mapped to the physical network addresses of the resources needed on the network. Note: The technical implementation of this Domain Naming Service is not dictated by this specification. This logical to physical mapping may be done at execution time by the application itsel or by a middleware transport mechanism, depending on the integration architecture used. This provides for a simple but effective directory access capability while maintaining application independence from the physical location of those resources on the network | 1 | |
| Component | Provides a finer level of control than Logical Identifier and represents the business application that issued the Business Object Document. Its use is optional. For STAR's use this is the DCS Software code name | | |
| Task | Describes the business event that initiated the need for the Business Object Document to be created. For STAR, the task is defined in the Implementation Guidelines for each BOD. It is usually a short description of the BOD. Ex: SalesLead, CreditDecision, etc. | R | |
| ReferenceId | Enables the sending application to indicate the instance identifier of the event or task that caused the BOD to be created. This is used to correlate a response BOD to an originating BOD | | |
| AuthorizationId | Identifyies the authorization level of the user or application that is sending the Business Object Document Message. This authorization level being recognized be the receiving system indicates what can be done on the receiving system. For STAR, this is the User ID. | | |

```
<...>
    <LogicalId> Text </LogicalId> [0..1]
    <Component> Text </Component> [1]
    <Task> Text </Task> [1]
```

```
<ReferenceId> Reference </ReferenceId> [0..1]
<AuthorizationId> Id </AuthorizationId> [0..1]
</...>
```

ServiceId

These field(s) use this type: **ServiceId**, **ServiceId**.

The Service Id field identifies the particular service to or from which a message is being sent, e.g., an inventory service.

| Nam | e | Serviceld |
|------|------|-----------|
| Abst | ract | no |

XML Instance Representation



Signature

These field(s) use this type: **Signature.**

| Name | Signature |
|----------|-----------|
| Abstract | no |

Attributes

| Field / Component | Description | R/O | Business Rule |
|-------------------|-------------|-----|---------------|
| qualifyingAgency | | О | |

| Field / Component Description R/O Business Rule | Field / Component | Description | R/O | |
|---|-------------------|-------------|-----|--|
|---|-------------------|-------------|-----|--|

XML Instance Representation

```
<...
qualifyingAgency="Text [0..1]">
Allow any elements from any namespace (strict validation). [0..1]
</...>
```

Tax

These field(s) use this type: <u>Tax,Tax.</u>

| 1 | Name | Tax |
|---|----------|-----|
| / | Abstract | no |

| Field / Component | Description | R/O | Business Rule |
|--------------------|---|-----|---------------|
| ТахТуре | Identifies the type tax. | R | |
| TaxDescription | Free form text description of tax amount. | O | |
| TaxAmount | Actual amount of tax paid. | О | |
| UnitSalesTaxAmount | Unit amount of sales tax. | О | |
| TaxRate | Tax Percentage Rate | О | |
| TotalTaxableAmount | Total taxble price | О | |
| NonTaxableAmount | Total non-taxble price | О | |

| Field / Component | Description | R/O | Business Rule |
|-------------------|---|-----|------------------------------|
| TaxTypeId | Tax type identification | О | CS = City |
| | | | CP = County |
| | | | ST = State |
| | | | OT = Other |
| | | | GST = Goods and Services Tax |
| | | | EX = Excise tax |
| | | | VAT = VAT |
| | | | PST = Provincial Sales Tax |
| | | | RT = Rental |
| | | | HST = Harmonized Tax |
| | | | ART = Air Tax |
| | | | QST = Quebec Sales Tax |
| TaxabilityInd | Determines whether the dealer wants to claim tax on the cost. | О | 0 - No |
| | | | 1 - Yes |

TaxAmount

These field(s) use this type: **TaxAmount.**

Actual amount of tax paid.

| Name | TaxAmount |
|----------|-----------|
| Abstract | no |

XML Instance Representation

```
<...
currency="Currency [1]">
Amount
</...>
```

TaxDescription

These field(s) use this type: **TaxDescription.**

Free form text description of tax amount.

| Name | TaxDescription |
|----------|----------------|
| Abstract | no |

XML Instance Representation

```
<...
language="Language [0..1]">
Description
</...>
```

TaxRate

These field(s) use this type: **TaxRate.**

Tax Percentage rate.

| Name | TaxRate |
|----------|---------|
| Abstract | no |

XML Instance Representation

```
<...>
    Percent
</...>
```

Term

These field(s) use this type: **Term.**

Number of months of contract term

| Name | Term |
|----------|------|
| Abstract | no |

Attributes

| Field / Component | Description | R/O | Business Rule |
|-------------------|-------------|-----|---------------|
| length | | R | |

XML Instance Representation

```
<...
length="TermLength [0..1]">
        Count
        </...>
```

TotalAmount

These field(s) use this type: **TotalAmount,TotalAmount,TotalAmount.**

Total price (cost + markup)

| Name | TotalAmount |
|------|-------------|
|------|-------------|

Abstract

no

XML Instance Representation

```
<...
currency="Currency [1]">
Amount
</...>
```

TotalTaxableAmount

These field(s) use this type: **TotalTaxableAmount.**

Total taxable price.

Name TotalTaxableAmount

Abstract no

XML Instance Representation

```
<...
currency="Currency [1]">
Amount
</...>
```

UnitSalesTaxAmount

These field(s) use this type: **UnitSalesTaxAmount.**

Unit amount of sales tax.

Name UnitSalesTaxAmount

Abstract no

```
<... currency="Currency [1]">
```

| Amount | | | |
|--------|--|--|--|
| | | | |

Vehicle

| Na | me | Vehicle |
|----|--------|---------|
| Ab | stract | no |

Data Elements and Components

| Field / Component | Description | R/O | Business Rule |
|-------------------|---|-----|---------------|
| Model | Manufacturer-assigned model code of vehicle - Usually available in the VIN number (use NCIC code) | О | |
| ModelYear | Vehicle designated model year | О | |
| ModelDescription | Descriptive vehicle model name | O | |
| Make | Vehicle make code - Usually available in the VIN number (use NCIC code). | О | |

XML Instance Representation

```
<...>
    <Model> Model </Model> [0..1]
    <ModelYear> ModelYear </ModelYear> [0..1]
    <ModelDescription> ModelDescription </ModelDescription> [0..1]
    <Make> Make </Make> [0..1]
</...>
```

VehicleBase

| Name | VehicleBase |
|----------|-------------|
| Abstract | no |

| Field / Component | Description | R/O | Business Rule |
|----------------------|---|-----|---------------|
| Model | Manufacturer-assigned model code of vehicle - Usually available in the VIN number (use NCIC code) | 0 | |
| ModelYear | Vehicle designated model year | О | |
| ModelDescription | Descriptive vehicle model name | О | |
| Make | Vehicle make code - Usually available in the VIN number (use NCIC code). | 0 | |
| SaleClass | Class of Sale | О | |
| Condition | Condition of Vehicle - Example: Excellent, Good, Fair, Poor, Unknown | О | |
| CertifiedPreownedInd | Identifies as a certified Pre-Owned Vehicle | О | |
| VehicleNote | Any vehicle related notes | О | |
| VIN | Federally defined 17 position vehicle identification number | О | |
| DeliveryMileage | Odometer reading of vehicle at time of delivery | О | |
| VehicleStock | Dealer assigned vehicle stock number | О | |
| TrimCode | Manufacturer assigned trim code | О | |
| DoorsQuantity | Number of doors on vehicle | О | |
| BodyStyle | Manufacturer-assigned vehicle body style | О | |
| InteriorColor | Vehicle Interior Color(s) | О | |
| ExteriorColor | Vehicle Exterior Color(s) | О | |
| TransmissionType | Vehicle Transmission type | О | |
| OdometerStatus | Status of odometer at trade-in. Example:: Replaced, Tampered, Miles> 90,000, etc. | 0 | |
| NonUSVehicleInd | Indicates whether the vehicle was produced for the United States or not | О | |
| VehicleDemoInd | Indicates whether vehicle was ever a demo | О | |
| LicenseNumber | State License plate number of vehicle | О | |

| Field / Component | Description | R/O | Business Rule |
|------------------------|---|-----|---|
| BrandedInfo | Vehicle Branding Information | О | |
| RestrictionInd | Indication that vehicle has restrictions on its use | О | |
| RestrictionDescription | Description of vehicle use restrictions | 0 | If the "RestrictionInd" is "1", this field is Required. |
| TelematicsServiceInd | Indication whether Telematics Service Subscription is turned on | O | |

```
<...>
 <Model> Model </Model> [0..1]
 <ModelYear> ModelYear </ModelYear> [0..1]
 < ModelDescription > ModelDescription < / ModelDescription > [0..1]
 <Make> Make </Make> [0..1]
 <SaleClass> SaleClass </SaleClass> [0..1]
 <Condition> Condition </Condition> [0..1]
 <CertifiedPreownedInd> CertifiedPreownedInd </CertifiedPreownedInd> [0..1]
 < VehicleNote > VehicleNote < / VehicleNote > [0..*]
 <VIN> VIN </VIN> [0..1]
 <DeliveryMileage> DeliveryMileage </DeliveryMileage> [0..1]
 < VehicleStock > VehicleStock < / VehicleStock > [0..1]
 <TrimCode> TrimCode </TrimCode> [0..1]
 <DoorsQuantity> DoorsQuantity </DoorsQuantity> [0..1]
 <BodyStyle> BodyStyle </BodyStyle> [0..1]
 <InteriorColor> InteriorColor </InteriorColor> [0..*]
 < Exterior Color > Exterior Color < / Exterior Color > [0..*]
 <TransmissionType> TransmissionType </TransmissionType> [0..1]
 <OdometerStatus> OdometerStatus </OdometerStatus> [0..1]
 <NonUSVehicleInd> NonUSVehicleInd </NonUSVehicleInd> [0..1]
 <VehicleDemoInd> VehicleDemoInd </VehicleDemoInd> [0..1]
 <LicenseNumber> LicenseNumber </LicenseNumber> [0..1]
 <BrandedInfo> BrandedInfo </BrandedInfo> [0..1]
 <RestrictionInd> RestrictionInd </RestrictionInd> [0..1]
 <RestrictionDescription> RestrictionDescription </RestrictionDescription> [0..1]
```

```
<TelematicsServiceInd> TelematicsServiceInd </TelematicsServiceInd> [0..1]
</...>
```

VehiclePassengers

These field(s) use this type: **VehiclePassengers.**

Passenger/seat capacity count of vehicle

| Name | VehiclePassengers |
|----------|-------------------|
| Abstract | no |

XML Instance Representation

```
<...>
Count
</...>
```

VehiclePrice

These field(s) use this type: **VehiclePrice.**

Customer price of vehicle

| Name | VehiclePrice |
|----------|--------------|
| Abstract | no |

XML Instance Representation

```
<...
currency="Currency [1]">
Amount
</...>
```

VehiclePricing

These field(s) use this type: **VehiclePricing.**

| Name | VehiclePricing |
|----------|----------------|
| Abstract | no |

Data Elements and Components

| Field / Component | Description | R/O | Business Rule |
|--------------------|---|-----|---------------|
| VehiclePrice | Customer price of vehicle | R | |
| PriceExplanation | Explanatory Note for Pricing Example: Anniversary Edition | О | |
| VehiclePricingType | Designates type of pricing for vehicle transaction | O | |
| PricingTypeSource | Source from which pricing type data originated (i.e. Blue Book, NADA, etc.) | О | |

XML Instance Representation

```
<...>
    <VehiclePrice> VehiclePrice </VehiclePrice> [1]
    <PriceExplanation> PriceExplanation </PriceExplanation> [0..1]
    <VehiclePricingType> VehiclePricingType </VehiclePricingType> [0..1]
    <PricingTypeSource> PricingTypeSource </PricingTypeSource> [0..1]
    </...>
```

VehicleRemarketing

These field(s) use this type: **VehicleRemarketing.**

STAR Version 2.0 - Draft

STAR Version 1.0, STAR approved 04/20/2005; OAGI approved 03/03/2005; effective date 07/04/2005

| Name | VehicleRemarketing |
|----------|--------------------|
| Abstract | no |

| Field / Component | Description | R/O | Business Rule |
|-------------------|-------------|-----|---------------|
| Header | | R | |
| Vehicle | | О | |

XML Instance Representation

```
<...>
    <Header> ... </Header> [1]
    <Vehicle> ... </Vehicle> [0..*]
    </...>
```

VehicleRemarketingHeader

These field(s) use this type: **Header.**

| Name | VehicleRemarketingHeader |
|----------|--------------------------|
| Abstract | no |

Data Elements and Components

| Field / Component | Description | R/O | Business Rule |
|-----------------------|--|-----|--|
| DocumentDateTime | Is the date and time the document was last created. This is not the date and time that the BOD message instance was created. | О | DateTime fields must be formatted as XML Schema DateTimes in UTC/GMT format without offsets. Example: 2003-11-05T13:15:30Z |
| SecondaryPassword | Secondary password used to validate access to the dealer information | O | |
| SecondaryDealerNumber | Identifies secondary dealer number if different than primary "Dealer Number" | О | |
| DocumentId | Sender (Source) Identification of this vehicle | R | |
| OrganizationId | Member identification number affiliate organization (i.e., association number) | O | |
| ContractStartDate | The date the advertising contract starts | О | |

| Field / Component | Description | R/O | Business Rule |
|------------------------|---|-----|---------------|
| ContractExpirationDate | The date the advertising contract ends | О | |
| ContractId | Unique identifier for the particular advertising activity | O | |

XML Instance Representation

VehicleRemarketingVehicle

These field(s) use this type: **Vehicle.**

| Name | VehicleRemarketingVehicle |
|----------|---------------------------|
| Abstract | no |

Data Elements and Components

| Field / Component | Description | R/O | Business Rule |
|-------------------|---|-----|---------------|
| Model | Manufacturer-assigned model code of vehicle - Usually available in the VIN number (use NCIC code) | O | |
| ModelYear | Vehicle designated model year | О | |
| ModelDescription | Descriptive vehicle model name | O | |
| Make | Vehicle make code - Usually available in the VIN number (use NCIC code). | O | |

| Field / Component | Description | R/O | Business Rule |
|------------------------|---|-----|---|
| SaleClass | Class of Sale | О | |
| Condition | Condition of Vehicle - Example: Excellent, Good, Fair, Poor, Unknow | n O | |
| CertifiedPreownedInd | Identifies as a certified Pre-Owned Vehicle | 0 | |
| VehicleNote | Any vehicle related notes | O | |
| VIN | Federally defined 17 position vehicle identification number | O | |
| DeliveryMileage | Odometer reading of vehicle at time of delivery | О | |
| VehicleStock | Dealer assigned vehicle stock number | О | |
| TrimCode | Manufacturer assigned trim code | О | |
| DoorsQuantity | Number of doors on vehicle | О | |
| BodyStyle | Manufacturer-assigned vehicle body style | О | |
| InteriorColor | Vehicle Interior Color(s) | О | |
| ExteriorColor | Vehicle Exterior Color(s) | О | |
| TransmissionType | Vehicle Transmission type | О | |
| OdometerStatus | Status of odometer at trade-in. Example:: Replaced, Tampered, Miles> 90,000, etc. | О | |
| NonUSVehicleInd | Indicates whether the vehicle was produced for the United States or no | t O | |
| VehicleDemoInd | Indicates whether vehicle was ever a demo | 0 | |
| LicenseNumber | State License plate number of vehicle | O | |
| BrandedInfo | Vehicle Branding Information | О | |
| RestrictionInd | Indication that vehicle has restrictions on its use | О | |
| RestrictionDescription | Description of vehicle use restrictions | 0 | If the "RestrictionInd" is "1", this field is Required. |
| TelematicsServiceInd | Indication whether Telematics Service Subscription is turned on | О | |

| Field / Component | Description | R/O Business Rule |
|------------------------|---|-------------------|
| Option | Vehicle Remarketing Vehicle Options | 0 |
| TransmissionCode | Transmission Serial Number | 0 |
| DeliveryDate | The date of original retail vehicle sale | 0 |
| EngineNumber | Serial number of the engine if vehicle not made for US sale | 0 |
| IgnitionKeyNumber | Vehicle Ignition Key Number | 0 |
| DoorKeyNumber | Door key number | 0 |
| ExteriorColorCode | Vehicle exterior color code | 0 |
| InteriorColorCode | Vehicle Interior color code | 0 |
| VehicleLocation | Indicates the physical location of the vehicle | 0 |
| VehicleAcquisitionDate | Actual date vehicle was acquired by Dealership | 0 |
| VehiclePricing | Vehicle Pricing | 0 |
| Тах | Vehicle Tax | 0 |
| Dealer | Vehicle Dealer | 0 |
| JobToDo | Repairs to be done on vehicle | 0 |
| JobCompleted | Repairs completed on vehicle | 0 |
| Damage | Damage to the vehicle that needs repaired | 0 |
| TransmissionTypeName | Name of transmission type (i.e., Hydromatic, Shiftronic, Manual, Automatic, etc.) | O |
| VehicleClass | VehicleClass | 0 |
| FuelType | Type of vehicle fuel | 0 |
| EngineDescription | Text description of engine (e.g. dohc, 32 valves) | 0 |
| EngineConfiguration | Type of engine configuration | 0 |
| EngineInduction | Engine induction | 0 |

| Field / Component | Description | R/O | Business Rule |
|-----------------------------|--|-----|---------------|
| EngineDisplacement | Displacement of engine (i.e., amount of volume in the cylinders) | О | |
| EngineCylinders | Engine cylinder count | O | |
| EngineHorsepower | Engine horsepower rating | O | |
| DriveTrain | Indicates whether the vehicle is 2 or 4 wheel drive (i.e., 2WD, 4WD, 4x4, 4x2) | О | |
| DriveType | Designates Vehicle drive type | O | |
| Warranty | Vehicle warranty | O | |
| Financing | Vehicle financing | O | |
| PreviousIndividualOwner | Previous Individual owner of vehicle | O | |
| PreviousOrganizationalOwner | Previous organization owner of vehicle | O | |
| ImageAttachment | Contains vehicle photo and image information | O | |
| VehiclePassengers | Passenger/seat capacity count of vehicle | О | |
| VehicleInspections | Description of inspections done to the vehicle | O | |
| TireCondition | Condition of tires | O | |
| VehicleReceivedDate | Date vehicle was received at the dealer | O | |
| LastModificationDate | Date vehicle was last modified in the sender's inventory | O | |
| PreviousVehicleUse | Previous vehicle use, eg. ambulance, rental, etc | O | |
| SoldDate | Date vehicle was sold (useful when dealer wishes to show the car as "SOLD" on his website) | О | |
| CertificationIssuer | Name of issuer of vehicle certification, eg. honda, gm, government, etc | О | |
| CertificationValue | Vehicle certification name, eg. gold, optimum | O | |
| Advertising | Media advertising information | O | |
| FinancingAvailableInd | Indicates is someone is offering financing on this vehicle | O | |

XML Instance Representation

```
<...>
  <Model> Model </Model> [0..1]
 <ModelYear> ModelYear </ModelYear> [0..1]
 <ModelDescription> ModelDescription </ModelDescription> [0..1]
 <Make> Make </Make> [0..1]
 <SaleClass> SaleClass </SaleClass> [0..1]
 <Condition> Condition </Condition> [0..1]
 <CertifiedPreownedInd> CertifiedPreownedInd </CertifiedPreownedInd> [0..1]
 < VehicleNote > VehicleNote < / VehicleNote > [0..*]
 <VIN> VIN </VIN> [0..1]
 <DeliveryMileage> DeliveryMileage /DeliveryMileage> [0..1]
 < VehicleStock > VehicleStock < / VehicleStock > [0..1]
 <TrimCode> TrimCode </TrimCode> [0..1]
 <DoorsQuantity> DoorsQuantity /DoorsQuantity> [0..1]
 <BodyStyle> BodyStyle </BodyStyle> [0..1]
 <InteriorColor> InteriorColor </InteriorColor> [0..*]
 < Exterior Color > Exterior Color < / Exterior Color > [0..*]
 <TransmissionType> TransmissionType </TransmissionType> [0..1]
 <OdometerStatus> OdometerStatus </OdometerStatus> [0..1]
  <NonUSVehicleInd> NonUSVehicleInd </NonUSVehicleInd> [0..1]
 <VehicleDemoInd> VehicleDemoInd </VehicleDemoInd> [0..1]
 <LicenseNumber> LicenseNumber </LicenseNumber> [0..1]
 <BrandedInfo> BrandedInfo </BrandedInfo> [0..1]
 < RestrictionInd > RestrictionInd < / RestrictionInd > [0..1]
 <RestrictionDescription> RestrictionDescription </RestrictionDescription> [0..1]
 <TelematicsServiceInd> TelematicsServiceInd </TelematicsServiceInd> [0..1]
 <Option> RemarketingOption </Option> [0..*]
 <TransmissionCode> TransmissionCode </TransmissionCode> [0..1]
 <DeliveryDate> DeliveryDate /DeliveryDate> [0..1]
 <EngineNumber> EngineNumber </EngineNumber> [0..1]
 <IgnitionKeyNumber> IgnitionKeyNumber </IgnitionKeyNumber> [0..1]
 <DoorKeyNumber> DoorKeyNumber /DoorKeyNumber> [0..1]
 <ExteriorColorCode> ExteriorColorCode </ExteriorColorCode> [0..1]
 <InteriorColorCode> InteriorColorCode </InteriorColorCode> [0..1]
  < VehicleLocation > VehicleLocation < / VehicleLocation > [0..1]
```

```
<VehicleAcquisitionDate> VehicleAcquisitionDate 
 <VehiclePricing> VehiclePricing </VehiclePricing> [0..*]
 <Tax> Tax</Tax> [0..*]
 <Dealer> DealerExtendedAddress </Dealer> [0..1]
 <JobToDo> JobToDo </JobToDo> [0..*]
 <JobCompleted> JobCompleted </JobCompleted> [0..*]
 <Damage> RepairDamage </Damage> [0..*]
 <TransmissionTypeName> TransmissionTypeName /TransmissionTypeName> [0..1]
 < VehicleClass > VehicleClass < / VehicleClass > [0..1]
 <FuelType> FuelType </FuelType> [0..1]
 < Engine Description > Engine Description < / Engine Description > [0..1]
 <EngineConfiguration> EngineConfiguration </EngineConfiguration> [0..1]
 <EngineInduction> EngineInduction </EngineInduction> [0..1]
 <EngineDisplacement> EngineDisplacement </EngineDisplacement> [0..1]
 < Engine Cylinders > Engine Cylinders < / Engine Cylinders > [0..1]
 < EngineHorsepower > EngineHorsepower < / EngineHorsepower > [0..1]
 <DriveTrain> DriveTrain /DriveTrain> [0..1]
 <DriveType> DriveType 
[0..1]
 <Warranty> RemarketingWarranty </Warranty> [0..*]
 <Financing> RemarketingFinancing </Financing> [0..*]
 <PreviousIndividualOwner> IndividualPartyMinimal </previousIndividualOwner> [0..1]
 <PreviousOrganizationalOwner> OrganizationPartyMinimal </previousOrganizationalOwner> [0..1]
 <ImageAttachment> ImageAttachmentExtended </ImageAttachment> [0..*]
 <VehiclePassengers> VehiclePassengers </VehiclePassengers> [0..1]
 < VehicleInspections > VehicleInspections < / VehicleInspections > [0..1]
 <TireCondition> TireCondition </TireCondition> [0..1]
 <VehicleReceivedDate> VehicleReceivedDate </VehicleReceivedDate> [0..1]
 <LastModificationDate> LastModificationDate </LastModificationDate> [0..1]
 <PreviousVehicleUse> PreviousVehicleUse </previousVehicleUse> [0..1]
 <SoldDate > SoldDate > [0..1]
 < CertificationIssuer > CertificationIssuer < / CertificationIssuer > [0..1]
 < Certification Value > Certification Value < / Certification Value > [0..1]
 <Advertising> Advertising </Advertising> [0..*]
 <FinancingAvailableInd> FinancingAvailableInd </FinancingAvailableInd> [0..1]
</...>
```

Verb

These field(s) use this type: $\underline{Verb.}$

| Name | Verb |
|----------|------|
| Abstract | no |

Data Elements and Components

| | | _ | |
|-------------------|-------------|-----|---------------|
| Field / Component | Description | R/O | Business Rule |

XML Instance Representation

<.../>

WarrantyEndMileage

These field(s) use this type: WarrantyEndMileage.

Mileage limit for vehicle warranty coverage for warranty currently in force at time of repair

| Name | WarrantyEndMileage |
|----------|--------------------|
| Abstract | no |

XML Instance Representation

```
<...
uom="MileageMeasure [0..1]">
Mileage
</...>
```

WarrantyStartMileage

These field(s) use this type: WarrantyStartMileage.

Mileage at start Date of vehicle warranty

| Name WarrantyStartMileage | |
|---------------------------|--|
|---------------------------|--|

Abstract

no

XML Instance Representation

```
<....
uom="MileageMeasure [0..1]">
Mileage
</...>
```

WarrantyTypeDescription

These field(s) use this type: WarrantyTypeDescription.

A code used to classify into coverage categories

| Name | WarrantyTypeDescription |
|----------|-------------------------|
| Abstract | no |

XML Instance Representation

```
<....
language="Language [0..1]">
Description
</...>
```

Accounting Date

Month and year accounting date conforms to ISO 8601 format rules Ex: $\d\d\d\d$

Name

AccountingDate

Base XSD Type: gYearMonth

AddressLine

These field(s) use this type: **AddressLine.**

Indicates the multiple lines of an address. The first line is typically the street name and number.

Name AddressLine

Base XSD Type: string

AdvertisingCopy

These field(s) use this type: **AdvertisingCopy.**

Information that goes in the ad.

Name AdvertisingCopy

Base XSD Type: string

AdvertisingMedia

These field(s) use this type: **AdvertisingMedia.**

Media where ad is placed. Ex: Internet, newspaper, etc

Name AdvertisingMedia

Base XSD Type: string

ApprovedInd

These field(s) use this type: **ApprovedInd.**

Approved Indicator

| Name | ApprovedInd |
|------|-------------|
| | |

Base XSD Type: string

Code Value Description

0

1

BodyStyle

These field(s) use this type: **BodyStyle.**

Manufacturer-assigned vehicle body style

Name BodyStyle

Base XSD Type: string

BrandedTitleDate

These field(s) use this type: **BrandedTitleDate.**

Branding Date

Name BrandedTitleDate

Base XSD Type: date

BrandedTitleInd

These field(s) use this type: **BrandedTitleInd.**

This tag indicates if a vehicle's title has been branded. (i.e., vehicle totaled and state registration title branded as such)

Name BrandedTitleInd

Base XSD Type: string

Code Value Description
0

BrandingSource

These field(s) use this type: **BrandingSource.**

Branding source (i.e., source who says that the vehicle is branded)

Name BrandingSource

Base XSD Type: string

BrandingStateReference

These field(s) use this type: **BrandingStateReference.**

Branding State Reference Number

Name BrandingStateReference

Base XSD Type: string

CertificationIssuer

These field(s) use this type: **CertificationIssuer.**

Name of issuer of certification

Name CertificationIssuer

Base XSD Type: string

CertificationValue

These field(s) use this type: **CertificationValue.**

certification value (i.e., gold)

Name Certification Value

Base XSD Type: string

CertifiedPreownedInd

These field(s) use this type: **CertifiedPreownedInd.**

Identifies as a certified Pre-Owned Vehicle

| Name | CertifiedPreownedInd |
|-----------------------|----------------------|
| Base XSD Type: string | |
| Code Value | Description |
| 0 | |
| 1 | |

City

These field(s) use this type: **City.**

City of the Address.

Name City

Base XSD Type: string

Code

These field(s) use this type: **BODId.**

Unique code name

Name Code

Base XSD Type: string

CompanyName

These field(s) use this type: **Name.**

Company name of customer

Name CompanyName

Base XSD Type: string

Condition

These field(s) use this type: **Condition.**

Condition of Vehicle - Example: Excellent, Good, Fair, Poor, Unknown

Name Condition

Base XSD Type: string

ConfirmType

| Name | ConfirmType |
|------------------------|-------------|
| Base XSD Type: NMTOKEN | |
| Code Value | Description |
| Always | |
| OnChange | |
| Never | |

ContractExpirationDate

These field(s) use this type: **ContractExpirationDate.**

Date the contract expires

Name ContractExpirationDate

Base XSD Type: date

ContractStartDate

These field(s) use this type: **ContractStartDate.**

Contract sale Date

Name

ContractStartDate

Base XSD Type: date

CopyType

These field(s) use this type: **CopyType.**

Type of copy used for ad. Ex: Teaser text, short description, long description

Name

CopyType

Base XSD Type: string

Country

These field(s) use this type: **DealerCountry, DealerCountry, Country.**

Country in which the Address is in. Conforms to ISO 3166-2. AF -AFGHANISTAN AL -ALBANIA DZ -ALGERIA AS -AMERICAN SAMOA AD -ANDORRA AO -ANGOLA AI -ANGUILLA AQ -ANTARCTICA AG -ANTIGUA AND BARBUDA AR -ARGENTINA AM -ARMENIA AW -ARUBA AU -AUSTRALIA AT -AUSTRIA AZ -AZERBAIJAN BS -BAHAMAS BH -BAHRAIN BD -BANGLADESH BB -BARBADOS BY -BELARUS BE -BELGIUM BZ -BELIZE BJ -BENIN BM -BERMUDA BT -BHUTAN BO -BOLIVIA BA -BOSNIA AND HERZEGOVINA BW -BOTSWANA BV -BOUVET ISLAND BR -BRAZIL IO-BRITISH INDIAN OCEAN TERRITORY BN -BRUNEI DARUSSALAM BG -BULGARIA BF -BURKINA FASO BI -BURUNDI KH -CAMBODIA CM -CAMEROON CA -CANADA CV -CAPE VERDE KY -CAYMAN ISLANDS CF -CENTRAL AFRICAN REPUBLIC TD -CHAD CL -CHILE CN -CHINA CX -CHRISTMAS ISLAND CC -COCOS (KEELING) ISLANDS CO -COLOMBIA KM -COMOROS CG -CONGO CD -CONGO, THE DEMOCRATIC REPUBLIC OF THE CK -COOK ISLANDS CR -COSTA RICA CI -CÄ#Â#TE D'IVOIRE HR -CROATIA CU -CUBA CY -CYPRUS CZ -CZECH REPUBLIC DK -DEMMARK DJ -DJIBOUTI DM -DOMINICA DO -DOMINICAN REPUBLIC EC -ECUADOR EG -EGYPT SV -EL SALVADOR GQ -EQUATORIAL GUINEA ER -ERITREA EE -ESTONIA ET -ETHIOPIA FK -FALKLAND ISLANDS (MALVINAS) FO -FAROE ISLANDS FJ -FIJI FI -FINLAND FR -FRANCE GF -FRENCH GUIANA PF -FRENCH POLYNESIA TF -FRENCH SOUTHERN TERRITORIES GA -GABON GM -GAMBIA GE -GEORGIA DE -GERMANY GH -GHANA GI -GIBRALTAR GR -GREECE GL -GREENLAND GD -GRENADA GP -GUADELOUPE GU -GUAM GT -GUATEMALA GN -GUINEA GW -GUINEA-BISSAU GY -GUYANA HT -HAITI HM -HEARD ISLAND AND MCDONALD ISLANDS VA -HOLY SEE (VATICAN CITY STATE)

HN -HONDURAS HK -HONG KONG HU -HUNGARY IS -ICELAND IN -INDIA ID -INDONESIA IR -IRAN, ISLAMIC REPUBLIC OF IQ -IRAQ IE -IRELAND IL -ISRAEL IT -ITALY JM -JAMAICA JP -JAPAN JO -JORDAN KZ -KAZAKHSTAN KE -KENYA KI -KIRIBATI KP -KOREA. DEMOCRATIC PEOPLE'S REPUBLIC OF KR -KOREA, REPUBLIC OF KW -KUWAIT KG -KYRGYZSTAN LA -LAO PEOPLE'S DEMOCRATIC REPUBLIC LV -LATVIA LB -LEBANON LS -LESOTHO LR -LIBERIA LY -LIBYAN ARAB JAMAHIRIYA LI -LIECHTENSTEIN LT -LITHUANIA LU -LUXEMBOURG MO -MACAO MK -MACEDONIA, THE FORMER YUGOSLAV REPUBLIC OF MG -MADAGASCAR MW -MALAWI MY -MALAYSIA MV -MALDIVES ML -MALI MT -MALTA MH -MARSHALL ISLANDS MQ -MARTINIQUE MR -MAURITANIA MU -MAURITIUS YT -MAYOTTE MX -MEXICO FM -MICRONESIA. FEDERATED STATES OF MD -MOLDOVA. REPUBLIC OF MC -MONACO MN -MONGOLIA MS -MONTSERRAT MA -MOROCCO MZ -MOZAMBIQUE MM -MYANMAR NA -NAMIBIA NR -NAURU NP -NEPAL NL -NETHERLANDS AN -NETHERLANDS ANTILLES NC -NEW CALEDONIA NZ -NEW ZEALAND NI -NICARAGUA NE -NIGER NG -NIGERIA NU -NIUE NF -NORFOLK ISLAND MP -NORTHERN MARIANA ISLANDS NO -NORWAY OM -OMAN PK -PAKISTAN PW -PALAU PS -PALESTINIAN TERRITORY, OCCUPIED PA -PANAMA PG -PAPUA NEW GUINEA PY -PARAGUAY PE -PERU PH -PHILIPPINES PN -PITCAIRN PL -POLAND PT -PORTUGAL PR -PUERTO RICO OA -OATAR RE -RÃ#Â#UNION RO -ROMANIA RU -RUSSIAN FEDERATION RW -RWANDA SH -SAINT HELENA KN -SAINT KITTS AND NEVIS LC -SAINT LUCIA PM -SAINT PIERRE AND MIQUELON VC -SAINT VINCENT AND THE GRENADINES WS -SAMOA SM -SAN MARINO ST -SAO TOME AND PRINCIPE SA -SAUDI ARABIA SN -SENEGAL CS -SERBIA AND MONTENEGRO SC -SEYCHELLES SL -SIERRA LEONE SG -SINGAPORE SK -SLOVAKIA SI -SLOVENIA SB -SOLOMON ISLANDS SO -SOMALIA ZA -SOUTH AFRICA GS -SOUTH GEORGIA AND THE SOUTH SANDWICH ISLANDS ES -SPAIN LK -SRI LANKA SD -SUDAN SR -SURINAME SJ -SVALBARD AND JAN MAYEN SZ -SWAZILAND SE -SWEDEN CH -SWITZERLAND SY -SYRIAN ARAB REPUBLIC TW -TAIWAN, PROVINCE OF CHINA TJ -TAJIKISTAN TZ -TANZANIA, UNITED REPUBLIC OF TH -THAILAND TL -TIMOR-LESTE TG - TOGO TK -TOKELAU TO -TONGA TT -TRINIDAD AND TOBAGO TN -TUNISIA TR -TURKEY TM -TURKMENISTAN TC -TURKS AND CAICOS ISLANDS TV -TUVALU UG -UGANDA UA -UKRAINE AE -UNITED ARAB EMIRATES GB -UNITED KINGDOM US -UNITED STATES UM -UNITED STATES MINOR OUTLYING ISLANDS UY -URUGUAY UZ -UZBEKISTAN VU -VANUATU VE -VENEZUELA VN -VIET NAM VG -VIRGIN ISLANDS, BRITISH VI -VIRGIN ISLANDS, U.S. WF -WALLIS AND FUTUNA EH -WESTERN SAHARA YE -YEMEN ZM -ZAMBIA ZW -ZIMBABWE

| Name | Country | | |
|-------------------|---------|-------------|--|
| ằase XSD Type: st | ring | | |
| Code Value | | Description | |
| US | | | |
| AF | | | |
| AL | | | |
| DZ | | | |
| AS | | | |

| Code Value | Description |
|------------|-------------|
| AD | |
| AO | |
| AI | |
| AQ | |
| AG | |
| AR | |
| AM | |
| AW | |
| AU | |
| AT | |
| AZ | |
| BS | |
| вн | |
| BD | |
| ВВ | |
| BY | |
| BE | |
| BZ | |
| ВЈ | |
| BM | |
| BT | |
| ВО | |
| | |

| Code Value | Description |
|------------|-------------|
| BA | |
| BW | |
| BV | |
| BR | |
| IO | |
| BN | |
| BG | |
| BF | |
| BI | |
| КН | |
| CM | |
| CA | |
| CV | |
| KY | |
| CF | |
| TD | |
| CL | |
| CN | |
| CX | |
| CC | |
| CO | |
| KM | |
| - | |

| Code Value | Description | |
|------------|-------------|--|
| CG | | |
| CD | | |
| CK | | |
| CR | | |
| CI | | |
| HR | | |
| CU | | |
| СУ | | |
| CZ | | |
| DK | | |
| DJ | | |
| DM | | |
| DO | | |
| EC | | |
| EG | | |
| sv | | |
| GQ | | |
| ER | | |
| EE | | |
| ET | | |
| FK | | |
| FO | | |
| | | |

| Code Value | Description |
|------------|-------------|
| FJ | |
| FI | |
| FR | |
| GF | |
| PF | |
| TF | |
| GA | |
| GM | |
| GE | |
| DE | |
| GH | |
| GI | |
| GR | |
| GL | |
| GD | |
| GP | |
| GU | |
| GT | |
| GN | |
| GW | |
| GY | |
| HT | |
| | |

| Code Value | Description | |
|------------|-------------|--|
| НМ | | |
| VA | | |
| HN | | |
| нк | | |
| HU | | |
| IS | | |
| IN | | |
| ID | | |
| IR | | |
| IQ | | |
| IE | | |
| IL | | |
| IT | | |
| JM | | |
| JP | | |
| <u>IO</u> | | |
| KZ | | |
| KE | | |
| KI | | |
| KP | | |
| KR | | |
| KW | | |
| | | |

| Code Value | Description | |
|------------|-------------|--|
| KG | | |
| LA | | |
| LV | | |
| LB | | |
| LS | | |
| LR | | |
| LY | | |
| LI | | |
| LT | | |
| LU | | |
| MO | | |
| MK | | |
| MG | | |
| MW | | |
| MY | | |
| MV | | |
| ML | | |
| MT | | |
| MH | | |
| MQ | | |
| MR | | |
| MU | | |
| | | |

| Code Value | Description |
|------------|-------------|
| YT | |
| MX | |
| FM | |
| MD | |
| MC | |
| MN | |
| MS | |
| MA | |
| MZ | |
| MM | |
| NA | |
| NR | |
| NP | |
| NL | |
| AN | |
| NC | |
| NZ | |
| NI | |
| NE | |
| NG | |
| NU | |
| NF | |
| | |

| Code Value | Description | |
|------------|-------------|--|
| MP | | |
| NO | | |
| OM | | |
| PK | | |
| PW | | |
| PS | | |
| PA | | |
| PG | | |
| PY | | |
| PE | | |
| РН | | |
| PN | | |
| PL | | |
| PT | | |
| PR | | |
| QA | | |
| RE | | |
| RO | | |
| RU | | |
| RW | | |
| SH | | |
| KN | | |
| | | |

| Code Value | Description |
|------------|-------------|
| LC | |
| PM | |
| VC | |
| ws | |
| SM | |
| ST | |
| SA | |
| SN | |
| CS | |
| SC | |
| SL | |
| SG | |
| SK | |
| SI | |
| SB | |
| so | |
| ZA | |
| GS | |
| ES | |
| LK | |
| SD | |
| SR | |
| | |

| Code Value | Description |
|------------|-------------|
| SJ | |
| SZ | |
| SE | |
| СН | |
| SY | |
| TW | |
| ТЈ | |
| TZ | |
| ТН | |
| TL | |
| TG | |
| TK | |
| ТО | |
| ТТ | |
| TN | |
| TR | |
| TM | |
| TC | |
| TV | |
| UG | |
| UA | |
| AE | |
| | |

| Code Value | Description |
|------------|-------------|
| GB | |
| UM | |
| UY | |
| UZ | |
| VU | |
| VE | |
| VN | |
| VG | |
| VI | |
| WF | |
| ЕН | |
| YE | |
| ZM | |
| ZW | |

County

These field(s) use this type: **County.**

Business party county location

| Name | County |
|------|--------|
|------|--------|

Base XSD Type: string

Currency

The ISO code identifying the type of currency in use.

| Name | Currency | | |
|-------------------|----------|-------------|--|
| Base XSD Type: st | ring | | |
| Code Value | | Description | |
| USD | | | |
| ADP | | | |
| AED | | | |
| AFA | | | |
| ALL | | | |
| ANG | | | |
| AOK | | | |
| ARA | | | |
| ATS | | | |
| AUD | | | |
| AWG | | | |
| BBD | | | |
| BDT | | | |
| BEF | | | |
| BGL | | | |
| BHD | | | |
| BIF | | | |
| BMD | | | |
| BND | | | |
| | | _ | |

| Code Value | Description | |
|------------|-------------|--|
| BOB | | |
| BRC | | |
| BSD | | |
| BTN | | |
| BUK | | |
| BWP | | |
| BZD | | |
| CAD | | |
| CHF | | |
| CLF | | |
| CLP | | |
| CNY | | |
| COP | | |
| CRC | | |
| CSK | | |
| CUP | | |
| CVE | | |
| СҮР | | |
| DDM | | |
| DEM | | |
| DJF | | |
| DKK | | |
| | | |

| Code Value | Description |
|------------|-------------|
| DOP | |
| DZD | |
| ECS | |
| EGP | |
| ESP | |
| ETB | |
| EUR | |
| FIM | |
| FKP | |
| FRF | |
| GBP | |
| GHC | |
| GIP | |
| GMD | |
| GNF | |
| GRD | |
| GTQ | |
| GWP | |
| GYD | |
| HKD | |
| HNL | |
| HTG | |
| | |

| Code Value | Description |
|------------|-------------|
| HUF | |
| IDR | |
| IEP | |
| ILS | |
| INR | |
| IQD | |
| IRR | |
| ISK | |
| ITL | |
| JMD | |
| JOD | |
| JPY | |
| KES | |
| KHR | |
| KMF | |
| KPW | |
| KRW | |
| KWD | |
| KYD | |
| LAK | |
| LBP | |
| LKR | |
| | |

| Code Value | Description |
|------------|-------------|
| LRD | |
| LSL | |
| LUF | |
| LYD | |
| MAD | |
| MGF | |
| MNT | |
| MOP | |
| MRO | |
| MTL | |
| MUR | |
| MVR | |
| MWK | |
| MXN | |
| MYR | |
| MZM | |
| NGN | |
| NIC | |
| NLG | |
| NOK | |
| NPR | |
| NZD | |
| | |

| Code Value | Description |
|------------|-------------|
| OMR | |
| PAB | |
| PEI | |
| PGK | |
| PHP | |
| PKR | |
| PLZ | |
| PTE | |
| PYG | |
| QAR | |
| ROL | |
| RWF | |
| SAR | |
| SBD | |
| SCR | |
| SDP | |
| SEK | |
| SGD | |
| SHP | |
| SLL | |
| SKK | |
| sos | |
| | |

| Code Value | Description |
|------------|-------------|
| SRG | |
| STD | |
| SUR | |
| SVC | |
| SYP | |
| SZL | |
| ТНВ | |
| TND | |
| TOP | |
| TPE | |
| TRL | |
| TTD | |
| TWD | |
| TZS | |
| UGS | |
| UYP | |
| VEB | |
| VND | |
| VUV | |
| WST | |
| YDD | |
| YER | |
| | |

| Code Value | Description | |
|------------|-------------|--|
| Code value | Description | |
| YUD | | |
| ZAR | | |
| ZRZ | | |
| ZWD | | |
| Other | | |

Data

These field(s) use this type: **<u>Data.</u>** Container to carry embedded data

Name Data

Base XSD Type: string

Date

Name Date

Base XSD Type: date

DateTime

These field(s) use this type: **CreationDateTime.**

Date and time conforms to ISO 8601 format rules without offset EX:2003-11-05T13:15:30Z

Name DateTime

Base XSD Type: dateTime

DealerName

These field(s) use this type: **DealerName.**

Dealer name

Name DealerName

Base XSD Type: string

Decimal

Decimal

Name Decimal

Base XSD Type: decimal

DeliveryDate

These field(s) use this type: **DeliveryDate.**

The date of original retail vehicle sale

Name DeliveryDate

Base XSD Type: date

DistrictCode

These field(s) use this type: **DistrictCode.**

Manufacturer Assigned District Code

Name DistrictCode

Base XSD Type: string

DocumentDateTime

These field(s) use this type: **DocumentDateTime.**

Is the date and time the document was last created. This is not the date and time that the BOD message instance was created.

Name DocumentDateTime

Base XSD Type: dateTime

DoorKeyNumber

These field(s) use this type: **DoorKeyNumber.**

Door Key Number

Name DoorKeyNumber

Base XSD Type: string

DriveTrain

These field(s) use this type: **DriveTrain.**

Indicates whether the vehicle is 2 or 4 wheel drive (ie: 2WD, 4WD, 4x4, 4x2)

Name DriveTrain

Base XSD Type: string

DriveType

These field(s) use this type: **DriveType.**

Designates vehicle drive type

Name DriveType

| Code Value | Description |
|------------|-------------------|
| Front | Front wheel drive |
| Rear | Rear wheel drive |

EncodingBase

Encoding values for embedded documents

| Name | EncodingBase |
|-----------------------|----------------|
| Base XSD Type: string | |
| Code Value | Description |
| base64 | Base 64 |
| octal | Octal |
| binary | Binary |
| plainText | Plain Text |
| other | |
| N/A | Not Applicable |

EngineConfiguration

These field(s) use this type: **EngineConfiguration.**

Type of engine configuration

| Name | EngineConfiguration |
|------|----------------------------|
| | |

| Code Value | Description |
|------------|---------------------------------|
| horizontal | Horizontal engine configuration |
| in-line | In-line engine configuration |
| rotary | Rotary engine configuration |
| V-type | V-type engine configuration |
| W-type | W-type engine configuration |
| other | |
| N/A | Not Applicable |

EngineDisplacement

These field(s) use this type: **EngineDisplacement.**

Displacement of engine (i.e., amount of volume in the cylinders)

| Name | EngineDisplacement | |
|--------------------|--------------------|------------------------|
| Base XSD Type: str | ring | |
| Code Value | | Description |
| ci | | ci - Cubic Inches |
| сс | | cc - Cubic Centimeters |
| liters | | liters |
| other | | |
| N/A | | Not Applicable |
| | | |

EngineHorsepower

These field(s) use this type: **EngineHorsepower.**

Engine horsepower rating

Name EngineHorsepower

Base XSD Type: string

EngineInduction

These field(s) use this type: **EngineInduction.**

Engine induction

| Name | EngineInduction |
|------------------------|-------------------------------------|
| *Base XSD Type: string | |
| Code Value | Description |
| turbo | Turbo engine induction |
| supercharger | Supercharger engine induction |
| twin-turbo | Twin-turbo engine induction |
| normally aspirated | Normally aspirated engine induction |
| other | |
| N/A | Not Applicable |

EngineNumber

These field(s) use this type: **EngineNumber.**

Serial number of the engine if vehicle not made for US sale

Name EngineNumber

ExpirationDate

These field(s) use this type: **ExpirationDate.**

Expiration Date

Name ExpirationDate

Base XSD Type: date

ExteriorColor

These field(s) use this type: **ExteriorColor.**

Vehicle Exterior Color(s)

Name ExteriorColor

Base XSD Type: string

ExteriorColorCode

These field(s) use this type: **ExteriorColorCode**.

Vehicle exterior color code

Name ExteriorColorCode

Base XSD Type: string

FamilyName

These field(s) use this type: **FamilyName.**

Last Name of business party

Name FamilyName

FinanceCompanyName

These field(s) use this type: **FinanceCompanyName.**

Name of Finance Company

Name FinanceCompanyName

Base XSD Type: string

FinanceType

These field(s) use this type: **FinanceType.**

Type of financing Examples may be F- Finance, L - Lease, C-Cash, 1-Retail, 2-Lease, 3-Balloon, etc.

Name FinanceType

Base XSD Type: string

FinancingAvailableInd

These field(s) use this type: **FinancingAvailableInd.**

Indicates is someone is offering financing

Name FinancingAvailableInd

Base XSD Type: string

Code Value Description

0

1

FleetAccount

These field(s) use this type: **FleetAccount.**

Manufacturer defined fleet account number

Name FleetAccount

Base XSD Type: string

FormattedName

These field(s) use this type: **FormattedName.**

Full Name of business party. Format for name should be "First Last" with no commas between first and last name

Name FormattedName

Base XSD Type: string

FuelType

These field(s) use this type: **FuelType.**

Type of vehicle fuel

| Name | FuelType |
|-----------------------|---|
| Base XSD Type: string | |
| Code Value | Description |
| diesel | Diesel Fuel |
| premium unleaded | Premium Unleaded Fuel |
| unleaded | Unleaded Fuel |
| natural gas | Natural Gas |
| electric | Electric |
| ethanol | Ethanol is an alternative automotive fuel derived from grain and corn; usually blended with gasoline to form gasohol. |
| propane | Propane |

| Code Value | Description |
|------------|--|
| hybrid | Hybrid is a vehicle that uses two or more distinct power sources to propel the vehicle |
| Other | Other |
| N/A | Not Applicable |

GivenName

These field(s) use this type: **GivenName.**

First Name of business party

Name GivenName

Base XSD Type: string

IgnitionKeyNumber

These field(s) use this type: **IgnitionKeyNumber.**

Vehicle Ignition Key Number

Name IgnitionKeyNumber

Base XSD Type: string

ImageAlternateText

These field(s) use this type: $\underline{\textbf{ImageAlternateText.}}$

Image alternate text. Example: "1997 Honda Accord"

Name ImageAlternateText

ImageAttachmentTitle

These field(s) use this type: **ImageAttachmentTitle.**

Image attachment title

Name

ImageAttachmentTitle

Base XSD Type: string

Indicator

These field(s) use this type: **<u>DeliverPendingMailInd.</u>**

0 = No, 1 = Yes

Name

Indicator

Base XSD Type: string

Code Value

Description

0

1

InteriorColor

These field(s) use this type: **InteriorColor.**

Vehicle Interior Color(s)

Name

InteriorColor

Base XSD Type: string

InteriorColorCode

These field(s) use this type: **InteriorColorCode**.

Vehicle Interior color code

Name InteriorColorCode

Base XSD Type: string

Language

These field(s) use this type: Language, Language.

Language conforms to ISO 639-2 rules. Note the format for this field is language-Country (see Country data type for the list of countries with definitions). AA "Afar", AB "Abkhazian", AF "Afrikaans", AM "Amharic", AR "Arabic", AS "Assamese", AY "Aymara", AZ "Azerbaijani", BA "Bashkir", BE "Byelorussian", BG "Bulgarian", BH "Bihari", BI "Bislama", BN "Bengali" "Bangla", BO "Tibetan", BR "Breton", CA "Catalan", CO "Corsican", CS "Czech", CY "Welsh", DA "Danish", DE "German", DZ "Bhutani", EL "Greek", EN "English" "American", ES "Spanish", ET "Estonian", EU "Basque", FA "Persian", FI "Finnish", FJ "Fiji", FO "Faeroese", FR "French", FY "Frisian", GA "Irish", GD "Gaelic" "Scots Gaelic", GL "Galician", GN "Guarani", GU "Gujarati", HA "Hausa", HI "Hindi", HR "Croatian", HU "Hungarian", HY "Armenian", IK "Inupiak", IN "Indonesian", IS "Icelandic", IT "Italian", IW "Hebrew", JA "Japanese", JI "Yiddish", JW "Javanese", KA "Georgian", KK "Kazakh", KL "Greenlandic", KM "Cambodian", KN "Kannada", KO "Korean", KS "Kashmiri", KU "Kurdish", KY "Kirghiz", LA "Latin", LN "Lingala", LO "Laothian", LT "Lithuanian", LV "Latvian" "Lettish", MG "Malagasy". MI "Maori", MK "Macedonian", ML "Malayalam", MN "Mongolian", MO "Moldavian", MR "Marathi", MS "Malay", MT "Maltese", MY "Burmese", NA "Nauru", NE "Nepali", NL "Dutch", NO "Norwegian", OC "Occitan", OM "Oromo" "Afan", OR "Oriya", PA "Punjabi", PL "Polish", PS "Pashto" "Pushto", PT "Portuguese", QU "Quechua", RM "Rhaeto-Romance", RN "Kirundi", RO "Romanian", RM "Kinyarwanda", SA "Sanskrit", SD "Sindhi", SG "Sangro", SH "Serbo-Croatian", SI "Singhalese", SK "Slovak", SL "Slovenian", SM "Samoan", SN "Shona", SO "Somali", SQ "Albanian", SR "Serbian", SS "Siswati", ST "Sesotho", SU "Sudanese", SV "Swedish", SW "Swahili", TA "Tamil", TE "Tegulu", TG "Tajik", TH "Thai", TI "Tigrinya", TK "Turkmen", TL "Tagalog", TN "Setswana", TO "Tonga", TR "Turkish", TS "Tsonga", TT "Tatar", TW "Twi", UK "Ukrainian", UR "Urdu", UZ "Uzbek", VI "Vietnamese", WO "Wolof", XH "Xhosa", YO "Yoruba", ZH "Chines

| Name | Language |
|------------------------|-------------|
| *Base XSD Type: string | |
| Code Value | Description |
| en-US | |
| en-CA | |
| aa-ET | |
| ab-GE | |

| Code Value | Description |
|------------|-------------|
| af-ZA | |
| am- ET | |
| ar-SA | |
| as-IN | |
| ay-BO | |
| az-AZ | |
| ba-RU | |
| be-BY | |
| bg-BG | |
| bh-IN | |
| bi-VU | |
| bn-BD | |
| bo-BT | |
| br-FR | |
| ca-ES | |
| co-FR | |
| cs-CZ | |
| cy-GB | |
| da-DE | |
| de-DE | |
| dz-BT | |
| el-GR | |
| | |

| Code Value | Description |
|------------|-------------|
| es-ES | |
| et-EE | |
| eu-ES | |
| fa-AF | |
| fi-FI | |
| fj-FJ | |
| fo-FO | |
| fr-CA | |
| fr-FR | |
| fy-NL | |
| ga-IE | |
| gd-GB | |
| gl-ES | |
| gn-PY | |
| gu-IN | |
| ha-NG | |
| hi-IN | |
| hr-HR | |
| hu-HU | |
| hy-AM | |
| ik-GL | |
| in-ID | |
| | |

| ode Value -IS -IT -/-IL -JP | Description |
|-----------------------------|-------------|
| JP | |
| -JP | |
| | |
| П | |
| IL . | |
| v-ID | |
| ı-GE | |
| x-KZ | |
| -GL | |
| n-KH | |
| n-IN | |
| o-KP | |
| o-KR | |
| -IN | |
| ı-IQ | |
| r-CN | |
| -VA | |
| -CD | |
| -LA | |
| LT | |
| -LV | |
| g-MG | |

| Code Value | Description |
|------------|-------------|
| mi-NZ | |
| mk-MK | |
| ml-IN | |
| mn-MN | |
| mo-MO | |
| mr-IN | |
| ms-MY | |
| mt-MH | |
| my-MM | |
| na-NR | |
| ne-NP | |
| nl-NL | |
| no-NO | |
| oc-FR | |
| om- ET | |
| or-IN | |
| pa-IN | |
| pl-PL | |
| ps-PK | |
| pt-PT | |
| qu-PE | |
| rm-CH | |
| | |

| Code Value | Description |
|------------|-------------|
| rn-BI | |
| ro-RO | |
| ru-RU | |
| rw-RW | |
| sa-IN | |
| sd-PK | |
| sg-CF | |
| sh-HR | |
| si-LK | |
| sk-SK | |
| sl-SI | |
| sm-WS | |
| sn-ZW | |
| so-SO | |
| sq-AL | |
| sr-CS | |
| ss-ZA | |
| st-ZA | |
| su-SD | |
| sv-SE | |
| sw-TL | |
| ta-IN | |
| | |

| Code Value | Description |
|------------|-------------|
| | Description |
| te-IN | |
| tg-TJ | |
| th-TH | |
| ti-ET | |
| tk-TM | |
| tl-PH | |
| tn-ZA | |
| to-TO | |
| tr-TR | |
| ts-ZA | |
| tt-RU | |
| tw-GH | |
| uk-UA | |
| ur-PK | |
| uz-UZ | |
| vi-VN | |
| wo-SN | |
| xh-ZA | |
| yo-NG | |
| zh-CN | |
| zu-ZA | |

LastModificationDate

These field(s) use this type: **LastModificationDate.**

Last date modification was made

Name

LastModificationDate

Base XSD Type: date

LicenseNumber

These field(s) use this type: **LicenseNumber.**

State License plate number of vehicle

Name

LicenseNumber

Base XSD Type: string

Make

These field(s) use this type: Make.

Vehicle make code - Usually available in the VIN number (use NCIC code).

Name

Make

Base XSD Type: string

Manufacturer

These field(s) use this type: Manufacturer.

Manufacturer Name

Name

Manufacturer

MaturityDate

These field(s) use this type: **MaturityDate.**

Month and year of contract maturity

Name MaturityDate

Base XSD Type: gYearMonth

MiddleName

These field(s) use this type: **MiddleName.**

Middle Initial of business party

Name MiddleName

Base XSD Type: string

MileageMeasure

M = Miles, K = KIlometers

| Name | MileageMeasure | |
|-----------------------|----------------|----------------|
| Base XSD Type: string | | |
| Code Value | | Description |
| M | | "M" = Modified |
| K | | Kilometers |

MiscellaneousNotes

These field(s) use this type: MiscellaneousNotes.

Free form miscellaneous comments

Name

MiscellaneousNotes

Base XSD Type: string

Model

These field(s) use this type: **Model.**

Manufacturer-assigned model code of vehicle - Usually available in the VIN number (use NCIC code)

Name

Model

Base XSD Type: string

ModelDescription

These field(s) use this type: **ModelDescription.**

Descriptive vehicle model name

Name

ModelDescription

Base XSD Type: string

ModelYear

These field(s) use this type: **ModelYear.**

Vehicle designated model year

Name

ModelYear

Base XSD Type: gYear

Name

Name of the Party.

Name Name

Base XSD Type: string

NonUSVehicleInd

These field(s) use this type: **NonUSVehicleInd.**

Indicates whether the vehicle was produced for the United States or not

| Name | NonUSVehicleInd |
|-----------------------|-----------------|
| Base XSD Type: string | |
| Code Value | Description |
| 0 | |
| 1 | |

Note

A free form note.

Name Note

Base XSD Type: string

OdometerStatus

These field(s) use this type: **OdometerStatus.**

Status of odometer at trade-in. Example:: Replaced, Tampered, Miles> 90,000, etc.

Name OdometerStatus

OptionName

These field(s) use this type: **OptionName.**

Name of vehicle option

Name

OptionName

Base XSD Type: string

OptionNotes

These field(s) use this type: **OptionNotes.**

Free form text related to option

Name OptionNotes

Base XSD Type: string

OptionOrigin

These field(s) use this type: **OptionOrigin.**

Identifies the option installer

Name OptionOrigin

Base XSD Type: string

OptionSerialNumber

These field(s) use this type: **OptionSerialNumber.**

Serial number of Option

Name OptionSerialNumber

OptionStockNumber

These field(s) use this type: **OptionStockNumber.**

Stock Number of Vehicle Option

Name OptionStockNumber

Base XSD Type: string

PostalCode

These field(s) use this type: **PostalCode.**

Postal Code of the Address.

Name PostalCode

Base XSD Type: string

PreviousVehicleUse

These field(s) use this type: $\underline{\textbf{PreviousVehicleUse.}}$

Previous vehicle use, eg: ambulance, rental, etc.

Name Previous Vehicle Use

Base XSD Type: string

PriceExplanation

These field(s) use this type: **PriceExplanation.**

Explanatory Note for Pricing

Name PriceExplanation

PricingTypeSource

These field(s) use this type: **PricingTypeSource.**

Source from which pricing type data originated (i.e. Blue Book, NADA, etc.).

Name

PricingTypeSource

Base XSD Type: string

PromotionalRateInd

These field(s) use this type: **PromotionalRateInd.**

Promotional rate was used

| Name | PromotionalRateInd |
|------|--------------------|
| | |

Base XSD Type: string

Code Value Description

0

1

Reference

These field(s) use this type: **ReferenceId.**

Reference notation

Name Reference

Base XSD Type: string

ReferenceNumber

Reference number

Name

ReferenceNumber

Base XSD Type: string

RepairOrderNumber

These field(s) use this type: **RepairOrderNumber.**

Identification number of repair order assignedby dealer or DMS.

Name

RepairOrderNumber

Base XSD Type: string

RestrictionInd

These field(s) use this type: **RestrictionInd.**

Indication that vehicle has restrictions on its use

Name

RestrictionInd

Base XSD Type: string

Code Value

Description

0

1

RoadsideAssistanceInd

These field(s) use this type: ${\bf Roadside Assistance Ind.}$

Indicates whether coverage includes roadside assistance

Name

RoadsideAssistanceInd

| Code Value | Description |
|------------|-------------|
| 0 | |
| 1 | |

SaleClass

These field(s) use this type: **SaleClass.**

Class of sale.

| Name | SaleClass |
|-----------------------|---|
| Base XSD Type: string | |
| Code Value | Description |
| New | Never owned. |
| Used | Previously Owned |
| Demo | Demonstration item. |
| Other | Other |
| N/A | Not Applicable |
| Floor Sample | This is a vehicle that is provided in the showroom as an example. |
| Factory | Identifies that the vehicle may have been used as a product demonstration for an official or executive from the manufacturer. |

Salutation

These field(s) use this type: **Salutation.**

Title or greeting of business party

| Name Salutation | |
|-----------------|--|
|-----------------|--|

Base XSD Type: string

SecondaryPassword

These field(s) use this type: **SecondaryPassword.**

Secondary password used to validate access to the dealer information

Name SecondaryPassword

Base XSD Type: string

SerialNumber

Serial Number

Name SerialNumber

Base XSD Type: string

ShortMfg

 $These \ field (s) \ use \ this \ type: \\ \underline{\textbf{SenderNameCode,} DestinationNameCode.}$

Short Manfacturer or RSP Codes

Name ShortMfg

Base XSD Type: string

SoldDate

These field(s) use this type: **SoldDate.**

Sold date

Name SoldDate

Base XSD Type: date

StateOrProvince

These field(s) use this type: **StateOrProvince.**

Is the State or Province of a given Address.

Name

StateOrProvince

Base XSD Type: string

Suffix

These field(s) use this type: **Suffix.**

Business Party name suffix designation if individual Ex: Sr, Jr, III, etc.

Name

Suffix

Base XSD Type: string

SystemVersion

These field(s) use this type: **SystemVersion.**

The sender's software version number.

Name

SystemVersion

Base XSD Type: string

TaxabilityInd

These field(s) use this type: **TaxabilityInd.**

Determines whether an item or amount is taxable.

| Name | TaxabilityInd | |
|-----------------------|---------------|--|
| Base XSD Type: string | | |
| Code Value | Description | |
| 0 | | |
| 1 | | |

TaxType

These field(s) use this type: **TaxType.**

Tax Type

| Name | ТахТуре |
|-----------------------|-------------|
| Base XSD Type: string | |
| Code Value | Description |
| Total | |
| Amount | |
| Labor | |
| Parts | |
| Claim | |
| Dealer | Dealer |
| Deductible | |
| Prorated | |
| Other | Other |
| Luxury | |
| Vehicle Inventory | |

| Code Value | Description |
|-------------------------|---|
| Taxes Not In Cash Price | |
| Document Stamp | |
| Sales | |
| Tire | |
| Personal Property | |
| Registration | |
| Monthly/Use | |
| Weight | |
| Adjustment | |
| DownPayment | |
| CapCostReduction | |
| Lieu | |
| CurrentYear | |
| N/A | Not Applicable |
| LocalOption | Tennessee Tax - combination of city and county. |
| SingleArticle | Tennessee Tax - State Tax |
| Gas | Gas tax levied to applicable vehicles or by state/province law. (Referred to in US as "Gas Guzzler" tax). |
| Total Monthly/Use | The total amount of monthly use tax for a payment on a contract. |
| Service Contract | Tax charged on service contracts (where applicable). |
| Adjusted Sales | Adjusted sales tax due to tax modifications when capitalized (i.e. NY) |
| Total Sales/Use | The total amount of sales/use tax for a single payment contract. |
| Air Conditioning Excise | Provincal tax providing for the installation or removal of freon. (Canada) |

| Code Value | Description |
|------------------------|--|
| Purchase and Use | A type of tax that is assessed upon "tax free" tangible personal property purchased by a resident of the assessing state for use, storage or consumption of goods in that state (not for resale), regardless of where the purchase took place. The tax is a one time retail tax due at registration or titling of a vehicle. |
| County Tax | A county tax charged based on the location of the dealer and the customer. An example, The Cook County Tax. |
| General Excise | This is a general excise tax that a state or region could impose. |
| Gross Receipt | A gross receipts tax, sometimes referred to as a gross excise tax, is a tax on the total gross revenues of a company, regardless of their source. |
| Tax on Trade-In | Tax due on a trade-in vehicle. |
| Tax on Upfront Fees | Total tax due on fees paid upfront. |
| Tax on Acquisition Fee | Tax due on amount of acquisition fee. |
| Environmental Tax | Environmental Levy / Tax. |
| Motor Vehicle Tax | Tax paid at of registration based on the vehicle's age and MSRP. |
| Wheel Tax | A tax levied by cities and villages to be credited to a road fund of the city or village |

TaxTypeld

These field(s) use this type: **TaxTypeId.**

CS - City, CP - County, ST - State, OT - Other, EX - Excise, VAT - Value Added Tax, PST - Provincial Sales Tax, RT - Rental, GST - Goods and Services Tax, HST - Harmonized Tax, ART - Air Tax, QST - Quebec Sales Tax, IMP - Import Tax

| Name | TaxTypeld |
|-----------------------|-------------|
| Base XSD Type: string | |
| Code Value | Description |
| CS | City |

| Code Value | Description | |
|------------|------------------------|--|
| СР | County | |
| ST | State | |
| OT | "OT" = Other | |
| EX | Excise | |
| VAT | Value Added | |
| PST | Provincial Sales Tax | |
| RT | Rental | |
| GST | Goods and Services Tax | |
| HST | Harmonized Tax | |
| ART | Air Tax | |
| QST | Quebec Sales Tax | |
| IMP | Import Tax | |
| <u> </u> | | |

TelematicsServiceInd

These field(s) use this type: **TelematicsServiceInd.**

Indication whether Telematics Service Subscription is turned on

| Name | TelematicsServiceInd |
|------------------------|----------------------|
| *Base XSD Type: string | |
| Code Value | Description |
| 0 | |
| 1 | |

TermLength

Term Length

| Name | TermLength | |
|-----------------------|------------|-------------|
| Base XSD Type: string | | |
| Code Value | | Description |
| Months | | Months |
| Weeks | | Weeks |
| Years | | Years |

Text

These field(s) use this type:

 $\underline{CreatorNameCode,StoreNumber,AreaNumber,Password,DestinationSoftwareCode,DestinationSoftware,StoreNumber,AreaNumber,LogicalId,Component,TargettingCode,DestinationSoftwareC$

Indicates generic text type

Name Text

Base XSD Type: string

TireCondition

These field(s) use this type: **<u>TireCondition.</u>**

Condition of tires

Name TireCondition

Base XSD Type: string

TransmissionCode

These field(s) use this type: **TransmissionCode.**

Transmission Serial Number

Name TransmissionCode

Base XSD Type: string

TransmissionType

These field(s) use this type: **TransmissionType.**

Vehicle Transmission type - 3 = 3 speed, 4 = 4 speed, 5 = 5 speed, 6 = 6 speed, A - Automatic

| Name | TransmissionType |
|-----------------------|--|
| Base XSD Type: string | |
| Code Value | Description |
| 3 | 3 Speed |
| 4 | 4 Speed |
| 5 | 5 Speed |
| 6 | 6 Speed |
| A | "A" = Automatic |
| Automatic 3 | Automatic 3 speed transmission type |
| Automatic 4 | Automatic 4 speed transmission type |
| Automatic 5 | Automatic 5 speed transmission type |
| Automatic 6 | Automatic 6 speed transmission type |
| Automatic 7 | Automatic 7 speed transmission type |
| 7 | 7 Speed |
| CVT Automatic 3 | Continuously Variable T ransmission Automatic 3 speed transmission type (naturgas and hybrid). |

| Code Value | Description |
|-----------------|---|
| CVT Automatic 4 | Continuously Variable T ransmission Automatic 4 speed transmission type (natural gas and hybrid). |
| CVT Automatic 5 | Continuously Variable T ransmission Automatic 5 speed transmission type (natural gas and hybrid). |
| CVT Automatic 6 | Continuously Variable T ransmission Automatic 6 speed transmission type (natural gas and hybrid). |
| CVT Automatic 7 | Continuously Variable T ransmission Automatic 7 speed transmission type (natural gas and hybrid). |
| M | M = Manual |

TransmissionTypeName

These field(s) use this type: **TransmissionTypeName.**

Name of transmission type (i.e., Hydromatic, Shiftronic, Manual, Automatic, etc.)

Name TransmissionTypeName

Base XSD Type: string

TrimCode

These field(s) use this type: **TrimCode.**

Manufacturer assigned trim code

| Name | TrimCode |
|------|----------|
|------|----------|

Base XSD Type: string

Type

Type

Name Type

Base XSD Type: string

UrbanizationCode

These field(s) use this type: **<u>UrbanizationCode.</u>**

Geographic definition of a metropolitan or suburban area

Name UrbanizationCode

Base XSD Type: string

URI

These field(s) use this type: **SenderURI, Destination URI, URI, URI.**

URI

Name URI

Base XSD Type: anyURI

VehicleAcquisitionDate

These field(s) use this type: **VehicleAcquisitionDate.**

Actual Date vehicle was acquired by Dealership

Name VehicleAcquisitionDate

Base XSD Type: date

VehicleClass

These field(s) use this type: **VehicleClass.**

Class of vehicle

| Base XSD Type: string | |
|-----------------------|-----------------------|
| | |
| Code Value | Description |
| passenger | Passenger |
| minivan | Minivan |
| pickup | Pickup |
| fullsizevan | Full size van |
| sportutil | Sport utility vehicle |
| motorcycle | Motorcycle |
| rv | RV |
| atv | ATV |
| boats | Boats |
| snowmobile | Snowmobile |
| heavy truck | Heavy truck |
| medium duty | Medium duty |
| truck | Truck |
| sedans | Sedans |
| Other | Other |
| N/A | Not Applicable |

VehicleDemoInd

These field(s) use this type: **VehicleDemoInd.**

Indicates whether vehicle was ever a demo

| Name | VehicleDemoInd |
|-----------------------|----------------|
| Base XSD Type: string | |
| Code Value | Description |
| 0 | |
| 1 | |

VehicleInspections

These field(s) use this type: **<u>VehicleInspections.</u>** Description of inspections done to the vehicle

Name VehicleInspections

Base XSD Type: string

VehicleLocation

These field(s) use this type: $\underline{\text{VehicleLocation.}}$

Indicates the physical location of the vehicle

Name VehicleLocation

Base XSD Type: string

VehicleNote

These field(s) use this type: **VehicleNote.**

Any vehicle related notes

Name VehicleNote

Base XSD Type: string

VehiclePricingType

These field(s) use this type: $\underline{\text{VehiclePricingType.}}$

Designates type of pricing for vehicle

| Name | VehiclePricingType |
|-----------------------|--------------------|
| Base XSD Type: string | |
| Code Value | Description |
| MSRP | |
| Hold Back | |
| Destination/Handling | |
| Group Fund Price | |
| Wholesale Price | |
| Wholesale Cost | |
| Actual Cash Value | |
| Employee | |
| Invoice | |
| Sale Price | |
| Final MSRP | |
| Base MSRP | |
| Employee Order Price | |
| Employee Stock Price | |
| Other | Other |

| Code Value | Description |
|-------------------------|--|
| Selling Price | |
| Cap Cost | |
| Total Option Price | |
| Total Option Cost | |
| Retail | |
| N/A | Not Applicable |
| MSRP Discount | |
| Gross Cap Cost | |
| Net Cap Cost | |
| Taxable Selling Price | |
| Loan | Amount lenders typically loan on the listed vehicle. |
| Trade-In | Amount allowed by dealers on a trade. |
| Adjusted Gross Cap Cost | Adjusted gross cap cost due to tax calculations. |
| Adjusted Net Cap Cost | Adjusted net cap cost due to tax calculations. |
| Total Option MSRP | Total of all itemized products of the Manufactured Suggested Retail Price. |

VehicleReceivedDate

These field(s) use this type: **VehicleReceivedDate.**

Date vehicle was received at the dealer

Base XSD Type: date

VehicleStock

These field(s) use this type: **VehicleStock.**

Dealer assigned vehicle stock number

Name

VehicleStock

Base XSD Type: string

VIN

These field(s) use this type: **VIN**.

Federally defined 17 position vehicle identification number

Name VIN

Base XSD Type: string

WarrantyClass

These field(s) use this type: WarrantyClass.

A classification of warranty specifications that the warranty must address such as 'tires, power train, rust 'or 'power train only' and can be based on the age or mileage

Name WarrantyClass

Base XSD Type: string

WarrantyExpirationDate

These field(s) use this type: WarrantyExpirationDate.

Last Date of vehicle warranty coverage for warranty currently in force at time of repair

Name WarrantyExpirationDate

Base XSD Type: date

WarrantyNotes

These field(s) use this type: WarrantyNotes.

Any Warranty related Notes

Name WarrantyNotes

Base XSD Type: string

WarrantyStartDate

These field(s) use this type: WarrantyStartDate.

Start Date of vehicle warranty

Name WarrantyStartDate

Base XSD Type: date

WarrantyTransferInd

These field(s) use this type: $\underline{WarrantyTransferInd.}$

Indicates if warranty is transferable

| Name | WarrantyTransferInd |
|-----------------------|---------------------|
| Base XSD Type: string | |
| Code Value | Description |
| 0 | |
| 1 | |

WarrantyTypeCode

These field(s) use this type: **WarrantyTypeCode.**

A code used to classify into coverage categories.

Name WarrantyTypeCode

Base XSD Type: string

Year

Year

Name Year

Base XSD Type: gYear

ZoneCode

These field(s) use this type: $\underline{\textbf{ZoneCode.}}$

Manufacturer Assigned Zone Code

Name ZoneCode

Base XSD Type: string

Fields and Global Attributes

Global declarations are items such as elements, attribute groups, and group definitions. These items are not defined within any particular component. A component may reference these definitions. Within a STAR XML Schemas these are typically known as global fields.

ApplicationArea

These field(s) use this type: **ApplicationArea**.

Provides the information that an application may need to know in order to communicate in an integration of two or more business applications. The ApplicationArea is used at the applications layer of communication. While the integration frameworks web services and middleware provide the communication layer that OAGIS operates on top of.

Provides the information that an application may need to know in order to communicate in an integration of two or more business applications. The ApplicationArea is used at the applications layer of communication. While the integration frameworks web services and middleware provide the communication layer that OAGIS operates on top of.

| Name | ApplicationArea |
|----------|-----------------|
| Туре | ApplicationArea |
| Nillable | no |
| Abstract | no |

XML Instance Representation

Change

These field(s) use this type: **Change.**

The Change verb is used when the sender of the BOD is not the owner of the data, but is sending a request for the document to be changed. An example of this is Change REQUISITN, where the original document needs to be changed based on a specific business event.

| Name | Change |
|----------|--------|
| Туре | Change |
| Nillable | no |
| Abstract | no |

XML Instance Representation

```
<Change
confirm="ConfirmType [0..1]"/>
```

ChangeVehicleRemarketing

These field(s) use this type: **ChangeVehicleRemarketing.**

| N | ame | ChangeVehicleRemarketing |
|----|---------|--------------------------|
| Ty | уре | ChangeVehicleRemarketing |
| N | illable | no |
| A | bstract | no |

XML Instance Representation

Header

Name
Header

Type
VehicleRemarketingHeader

Nillable
no

Abstract no

XML Instance Representation

<Header>
 <DocumentDateTime> DocumentDateTime </DocumentDateTime> [0..1]

<SecondaryPassword> SecondaryPassword </SecondaryPassword> [0..1]

<SecondaryDealerNumber> SecondaryDealerNumber </SecondaryDealerNumber> [0..1]

<DocumentId> DocumentId </DocumentId> [1]

<OrganizationId> OrganizationId </OrganizationId> [0..1]

<ContractStartDate> ContractStartDate </ContractStartDate> [0..1]

<ContractExpirationDate> ContractExpirationDate /ContractExpirationDate> [0..1]

<ContractId> ContractId </ContractId> [0..1]

</Header>

Vehicle

Name Vehicle

Type VehicleRemarketingVehicle

Nillable no
Abstract no

XML Instance Representation

<Vehicle>

- <Model> Model </Model> [0..1]
- <ModelYear> ModelYear </ModelYear> [0..1]
- < ModelDescription > ModelDescription < / ModelDescription > [0..1]

```
<Make> Make </Make> [0..1]
<SaleClass> SaleClass </SaleClass> [0..1]
<Condition> Condition </Condition> [0..1]
<CertifiedPreownedInd> CertifiedPreownedInd </CertifiedPreownedInd> [0..1]
< VehicleNote > VehicleNote < / VehicleNote > [0..*]
<VIN> VIN </VIN> [0..1]
<DeliveryMileage> DeliveryMileage </DeliveryMileage> [0..1]
< VehicleStock > VehicleStock < / VehicleStock > [0..1]
<TrimCode> TrimCode </TrimCode> [0..1]
<DoorsOuantity> DoorsOuantity /DoorsOuantity> [0..1]
<BodyStyle> BodyStyle </BodyStyle> [0..1]
<InteriorColor> InteriorColor </InteriorColor> [0..*]
< Exterior Color > Exterior Color < / Exterior Color > [0..*]
<TransmissionType> TransmissionType </TransmissionType> [0..1]
<OdometerStatus> OdometerStatus </OdometerStatus> [0..1]
<NonUSVehicleInd> NonUSVehicleInd </NonUSVehicleInd> [0..1]
<VehicleDemoInd> VehicleDemoInd </VehicleDemoInd> [0..1]
<LicenseNumber> LicenseNumber </LicenseNumber> [0..1]
<BrandedInfo> BrandedInfo </BrandedInfo> [0..1]
<RestrictionInd> RestrictionInd </RestrictionInd> [0..1]
<RestrictionDescription> RestrictionDescription 
<TelematicsServiceInd> TelematicsServiceInd </TelematicsServiceInd> [0..1]
<Option> RemarketingOption </Option> [0..*]
<TransmissionCode> TransmissionCode </TransmissionCode> [0..1]
<DeliveryDate> DeliveryDate [0..1]
< Engine Number > Engine Number < / Engine Number > [0..1]
<IgnitionKeyNumber> IgnitionKeyNumber </IgnitionKeyNumber> [0..1]
<DoorKeyNumber> DoorKeyNumber /DoorKeyNumber> [0..1]
<ExteriorColorCode> ExteriorColorCode </ExteriorColorCode> [0..1]
<InteriorColorCode> InteriorColorCode </InteriorColorCode> [0..1]
<VehicleLocation> VehicleLocation </VehicleLocation> [0..1]
<VehicleAcquisitionDate> VehicleAcquisitionDate </VehicleAcquisitionDate> [0..1]
<VehiclePricing> VehiclePricing </VehiclePricing> [0..*]
< Tax > Tax < / Tax > [0..*]
<Dealer> DealerExtendedAddress [0..1]
<JobToDo> JobToDo </JobToDo> [0..*]
<JobCompleted> JobCompleted </JobCompleted> [0..*]
```

```
<Damage> RepairDamage </Damage> [0..*]
 <TransmissionTypeName> TransmissionTypeName </TransmissionTypeName> [0..1]
 < VehicleClass > VehicleClass < / VehicleClass > [0..1]
 <FuelType> FuelType </fuelType> [0..1]
 < Engine Description > Engine Description < / Engine Description > [0..1]
 <EngineConfiguration> EngineConfiguration </EngineConfiguration> [0..1]
 < Engine Induction > Engine Induction < / Engine Induction > [0..1]
 < Engine Displacement > Engine Displacement < / Engine Displacement > [0..1]
 < Engine Cylinders > Engine Cylinders < / Engine Cylinders > [0..1]
 < EngineHorsepower > EngineHorsepower < / EngineHorsepower > [0..1]
 <DriveTrain> DriveTrain /DriveTrain> [0..1]
 <DriveType> DriveType 
[0..1]
 <Warranty> Remarketing Warranty </Warranty> [0..*]
 <Financing> RemarketingFinancing </financing> [0..*]
 <PreviousIndividualOwner> IndividualPartyMinimal </previousIndividualOwner> [0..1]
 <PreviousOrganizationalOwner> OrganizationPartyMinimal </previousOrganizationalOwner> [0..1]
 <ImageAttachment> ImageAttachmentExtended </ImageAttachment> [0..*]
 <VehiclePassengers> VehiclePassengers </VehiclePassengers> [0..1]
 <VehicleInspections> VehicleInspections </VehicleInspections> [0..1]
 <TireCondition> TireCondition </TireCondition> [0..1]
 <VehicleReceivedDate> VehicleReceivedDate </VehicleReceivedDate> [0..1]
 <LastModificationDate> LastModificationDate </LastModificationDate> [0..1]
 <PreviousVehicleUse> PreviousVehicleUse /PreviousVehicleUse> [0..1]
 <SoldDate > SoldDate > [0..1]
 < CertificationIssuer > CertificationIssuer < / CertificationIssuer > [0..1]
 < Certification Value > Certification Value > [0..1]
 <Advertising> Advertising </Advertising> [0..*]
 <FinancingAvailableInd> FinancingAvailableInd </FinancingAvailableInd> [0..1]
</Vehicle>
```

VehicleRemarketing

These field(s) use this type: **VehicleRemarketing.**

| Name | VehicleRemarketing |
|------|--------------------|
| Туре | VehicleRemarketing |

| Nillable | no |
|----------|----|
| Abstract | no |

XML Instance Representation

```
<VehicleRemarketing>
  <Header> ... </Header> [1]
  <Vehicle> ... </Vehicle> [0..*]
  </VehicleRemarketing>
```

Verb

These field(s) use this type: $\underline{\text{Verb.}}$

| Name | Verb |
|----------|------|
| Туре | Verb |
| Nillable | no |
| Abstract | yes |

XML Instance Representation

<Verb/>