



***Standards for Technology in Automotive Retail***

**Implementation Guidelines  
Process Credit Application  
Repository Version Rev4.5.4**



## Table of Contents

<a href="#">Overview</a>	1
<a href="#">Schema Field Usage</a>	1
<a href="#">Business Scenario</a>	2
<a href="#">Relationship Diagram</a>	3
<a href="#">Schema Document Properties</a>	4
<a href="#">Components and Data Types</a>	5
<a href="#">AccountantParty</a>	5
<a href="#">AccountBalanceAmount</a>	6
<a href="#">AccountId</a>	6
<a href="#">AcknowledgableVerb</a>	6
<a href="#">ActionExpressionCriteria</a>	7
<a href="#">ActionVerb</a>	8
<a href="#">Address</a>	8
<a href="#">AddressBase</a>	9
<a href="#">Age</a>	10
<a href="#">AlternatePartyId</a>	11
<a href="#">Amortization</a>	11
<a href="#">Amount</a>	12
<a href="#">AnnualPercentageRate</a>	12
<a href="#">AnnualSalesAmount</a>	13
<a href="#">ApplicantDemographics</a>	13
<a href="#">ApplicationArea</a>	14
<a href="#">ApplicationFinancing</a>	16
<a href="#">ApprovedAmount</a>	20
<a href="#">ApprovedEquipmentAmount</a>	20
<a href="#">BalanceAmount</a>	21
<a href="#">Bank</a>	21
<a href="#">BankAccount</a>	22
<a href="#">BankruptcyRepossession</a>	23
<a href="#">BasePaymentAmount</a>	24
<a href="#">BranchId</a>	24
<a href="#">BrandedInfo</a>	24

<a href="#">BrandingStateCode</a>	25
<a href="#">BusinessObjectDocument</a>	26
<a href="#">CapitalAmount</a>	27
<a href="#">CashOutAmount</a>	28
<a href="#">Chassis</a>	28
<a href="#">ChassisMake</a>	29
<a href="#">ChassisModel</a>	29
<a href="#">Co-ApplicantPartyExtended</a>	30
<a href="#">Co-Creditor</a>	32
<a href="#">Co-CreditorFinancing</a>	33
<a href="#">CodeType</a>	34
<a href="#">ConfirmableVerb</a>	35
<a href="#">ContactBase</a>	36
<a href="#">ContractDeductible</a>	37
<a href="#">ContractId</a>	37
<a href="#">ContractOrganizationContact</a>	37
<a href="#">ContractPlanDescription</a>	38
<a href="#">ContractStartMileage</a>	39
<a href="#">ContractTermMileage</a>	39
<a href="#">CostPerMile</a>	40
<a href="#">Count</a>	40
<a href="#">CreditApplication</a>	40
<a href="#">CreditApplicationDetail</a>	41
<a href="#">CreditApplicationHeader</a>	42
<a href="#">CreditDetailBase</a>	43
<a href="#">CreditExpandedOption</a>	44
<a href="#">CreditHeaderBase</a>	46
<a href="#">CreditLifePremiumAmount</a>	47
<a href="#">CreditPrimaryDriver</a>	48
<a href="#">CreditVehicle</a>	49
<a href="#">CreditVehiclePricing</a>	54
<a href="#">CurrentAssetsAmount</a>	55
<a href="#">CurrentAssetsLiabilitiesRatio</a>	55

<a href="#"><u>CurrentFinancing</u></a> .....	56
<a href="#"><u>CurrentLiabilitiesAmount</u></a> .....	57
<a href="#"><u>DealerParty</u></a> .....	57
<a href="#"><u>DealerPartyBase</u></a> .....	59
<a href="#"><u>DealerProducts</u></a> .....	60
<a href="#"><u>DealerProductsAmount</u></a> .....	61
<a href="#"><u>DealerRebateAmount</u></a> .....	61
<a href="#"><u>DebtNetWorthRatio</u></a> .....	61
<a href="#"><u>DefaultCurrency</u></a> .....	62
<a href="#"><u>DefectDisclosureDescription</u></a> .....	62
<a href="#"><u>DeferredDownPaymentAmount</u></a> .....	63
<a href="#"><u>DeliveryMileage</u></a> .....	63
<a href="#"><u>Dependents</u></a> .....	63
<a href="#"><u>Description</u></a> .....	64
<a href="#"><u>Destination</u></a> .....	64
<a href="#"><u>Dimension</u></a> .....	66
<a href="#"><u>DisabilityPremiumAmount</u></a> .....	66
<a href="#"><u>DocumentId</u></a> .....	67
<a href="#"><u>DoorsQuantity</u></a> .....	67
<a href="#"><u>DownPaymentAmount</u></a> .....	68
<a href="#"><u>EarnedSurplusAmount</u></a> .....	68
<a href="#"><u>EmployerParty</u></a> .....	69
<a href="#"><u>EstimatedAnnualMileage</u></a> .....	70
<a href="#"><u>EstimatedUsage</u></a> .....	70
<a href="#"><u>ExcessMilesPerYear</u></a> .....	71
<a href="#"><u>ExpandedFinanceParty</u></a> .....	71
<a href="#"><u>Fee</u></a> .....	72
<a href="#"><u>FeeAmount</u></a> .....	73
<a href="#"><u>FeeDescription</u></a> .....	74
<a href="#"><u>FeePaidTo</u></a> .....	74
<a href="#"><u>FinalAmount</u></a> .....	74
<a href="#"><u>FinanceParty</u></a> .....	75
<a href="#"><u>FinancialPosition</u></a> .....	76

<a href="#"><u>FixedAssetsAmount</u></a> .....	78
<a href="#"><u>GrossProfitAmount</u></a> .....	78
<a href="#"><u>GrossTradeIn</u></a> .....	79
<a href="#"><u>HeaderBase</u></a> .....	79
<a href="#"><u>Id</u></a> .....	80
<a href="#"><u>Income</u></a> .....	80
<a href="#"><u>IndividualApplicantAddress</u></a> .....	81
<a href="#"><u>IndividualApplicantContact</u></a> .....	82
<a href="#"><u>IndividualApplicantParty</u></a> .....	83
<a href="#"><u>IndividualApplicantPartyExtended</u></a> .....	84
<a href="#"><u>IndividualApplicantPersonName</u></a> .....	86
<a href="#"><u>IndividualPartyAddress</u></a> .....	87
<a href="#"><u>IndividualPartyAlternatePartyId</u></a> .....	88
<a href="#"><u>IndividualPartyContactEMail</u></a> .....	89
<a href="#"><u>IndividualPartyContactFax</u></a> .....	90
<a href="#"><u>IndividualPartyContactTelephoneNumber</u></a> .....	90
<a href="#"><u>IndividualPartyPersonName</u></a> .....	91
<a href="#"><u>InsuranceTotalExtendedWarrantyAmount</u></a> .....	92
<a href="#"><u>IntangibleAssetsAmount</u></a> .....	92
<a href="#"><u>ItemId</u></a> .....	92
<a href="#"><u>LeaseRatePercentage</u></a> .....	93
<a href="#"><u>LicenseNumberStateOrProvince</u></a> .....	93
<a href="#"><u>LoadCapacity</u></a> .....	94
<a href="#"><u>LocationId</u></a> .....	94
<a href="#"><u>LongTermDirectLiabilitiesAmt</u></a> .....	94
<a href="#"><u>ManufacturerRebateAmount</u></a> .....	95
<a href="#"><u>Measurement</u></a> .....	95
<a href="#"><u>Mileage</u></a> .....	96
<a href="#"><u>MileageValuationAdjustmentAmt</u></a> .....	96
<a href="#"><u>MonthlySalesTaxExemptionAmount</u></a> .....	97
<a href="#"><u>MortgageBalance</u></a> .....	97
<a href="#"><u>MSRPGuidePercentage</u></a> .....	97
<a href="#"><u>NearestRelative</u></a> .....	98

<a href="#"><u>NetAmountFinanced</u></a> .....	99
<a href="#"><u>NetCapitalizedCostAmount</u></a> .....	99
<a href="#"><u>NetProfitAmount</u></a> .....	100
<a href="#"><u>NetTradeAllowanceAmount</u></a> .....	100
<a href="#"><u>NetTradeAmount</u></a> .....	101
<a href="#"><u>NonTaxableAmount</u></a> .....	101
<a href="#"><u>NumberOfDependents</u></a> .....	101
<a href="#"><u>NumberOfEngineCylinders</u></a> .....	102
<a href="#"><u>NumberOfTaxCreditMonths</u></a> .....	102
<a href="#"><u>NumberOfUnits</u></a> .....	103
<a href="#"><u>Option</u></a> .....	103
<a href="#"><u>OptionBase</u></a> .....	104
<a href="#"><u>OptionCost</u></a> .....	104
<a href="#"><u>OptionMSRP</u></a> .....	105
<a href="#"><u>OptionPackageld</u></a> .....	105
<a href="#"><u>OptionPrice</u></a> .....	106
<a href="#"><u>OptionPricingDetail</u></a> .....	106
<a href="#"><u>OptionPricingGroup</u></a> .....	107
<a href="#"><u>OptionResidualValueAmount</u></a> .....	107
<a href="#"><u>OptionType</u></a> .....	108
<a href="#"><u>OrganizationAddress</u></a> .....	108
<a href="#"><u>OrganizationalApplicantPartyAddress</u></a> .....	109
<a href="#"><u>OrganizationalApplicantPartyExtended</u></a> .....	110
<a href="#"><u>OrganizationalPartyAlternatePartyId</u></a> .....	113
<a href="#"><u>OrganizationContact</u></a> .....	114
<a href="#"><u>OrganizationContactPersonName</u></a> .....	115
<a href="#"><u>OrganizationContactPersonNameExtended</u></a> .....	116
<a href="#"><u>OrganizationId</u></a> .....	117
<a href="#"><u>OrganizationPartyBase</u></a> .....	117
<a href="#"><u>OrganizationPartyEmail</u></a> .....	118
<a href="#"><u>OrganizationPartyFax</u></a> .....	118
<a href="#"><u>OrganizationPartyTelephone</u></a> .....	118
<a href="#"><u>OtherDescription</u></a> .....	119

<a href="#">OtherIncome</a>	120
<a href="#">OtherIncomeAmount</a>	120
<a href="#">OtherVehicleUseDescription</a>	121
<a href="#">PartyBase</a>	121
<a href="#">PartyId</a>	121
<a href="#">PaymentAmount</a>	122
<a href="#">PaymentsDeferredPeriodMeasure</a>	122
<a href="#">Percent</a>	123
<a href="#">PercentOfOwnership</a>	123
<a href="#">PeriodAsPrincipal</a>	124
<a href="#">PeriodOfEmployment</a>	124
<a href="#">PeriodOfOwnership</a>	125
<a href="#">PeriodOfResidence</a>	125
<a href="#">Pricing</a>	126
<a href="#">PrincipalParty</a>	127
<a href="#">PriorCreditOrLeaseOwedOnTrade</a>	128
<a href="#">PriorVehicleUseCode</a>	129
<a href="#">Privacy</a>	129
<a href="#">Process</a>	130
<a href="#">ProcessCreditApplication</a>	130
<a href="#">ProcessCreditApplicationDataArea</a>	131
<a href="#">PurchasePrice</a>	132
<a href="#">Quantity</a>	132
<a href="#">Rating</a>	133
<a href="#">RatingIndex</a>	134
<a href="#">Ratio</a>	134
<a href="#">ReferenceApplicantParty</a>	134
<a href="#">RelationshipDescription</a>	135
<a href="#">ResidualAmount</a>	136
<a href="#">RestrictionDescription</a>	136
<a href="#">SalesTaxExemptionAmount</a>	137
<a href="#">SecondaryDealerNumber</a>	137
<a href="#">SecurityDepositAmount</a>	137



<a href="#"><u>Sender</u></a> .....	138
<a href="#"><u>SenderBase</u></a> .....	141
<a href="#"><u>ServiceContractBase</u></a> .....	142
<a href="#"><u>ServiceId</u></a> .....	143
<a href="#"><u>Signature</u></a> .....	144
<a href="#"><u>Tax</u></a> .....	144
<a href="#"><u>TaxAmount</u></a> .....	146
<a href="#"><u>TaxDescription</u></a> .....	146
<a href="#"><u>TaxRate</u></a> .....	147
<a href="#"><u>Term</u></a> .....	147
<a href="#"><u>TireDescription</u></a> .....	148
<a href="#"><u>TotalAssetsAmount</u></a> .....	148
<a href="#"><u>TotalContractAmount</u></a> .....	148
<a href="#"><u>TotalLiabilitiesAmount</u></a> .....	149
<a href="#"><u>TotalNetWorthAmount</u></a> .....	149
<a href="#"><u>TotalOptionsAmount</u></a> .....	150
<a href="#"><u>TotalReductionsAmount</u></a> .....	150
<a href="#"><u>TotalTaxableAmount</u></a> .....	151
<a href="#"><u>TradeAllowanceAmount</u></a> .....	151
<a href="#"><u>TradeInFinancing</u></a> .....	151
<a href="#"><u>TradeInSalesTaxCredit</u></a> .....	153
<a href="#"><u>TradeInVehicleCredit</u></a> .....	154
<a href="#"><u>UnitSalesTaxAmount</u></a> .....	156
<a href="#"><u>UpfrontNetTradePayoffAmount</u></a> .....	157
<a href="#"><u>VanConversionCost</u></a> .....	157
<a href="#"><u>VanConversionPercentage</u></a> .....	157
<a href="#"><u>Vehicle</u></a> .....	158
<a href="#"><u>VehicleBase</u></a> .....	159
<a href="#"><u>VehicleLengthMeasure</u></a> .....	161
<a href="#"><u>VehiclePrice</u></a> .....	161
<a href="#"><u>VehiclePricingTypeSource</u></a> .....	162
<a href="#"><u>VehicleWeight</u></a> .....	162
<a href="#"><u>Verb</u></a> .....	163

<a href="#">WholesaleValueAmount</a>	163
<a href="#">WorkingCapitalAmount</a>	163
<a href="#">YearsInBusiness</a>	164
.....	
.....	
<a href="#">AccountantName</a>	164
<a href="#">AccountingDate</a>	165
<a href="#">AccountKey</a>	165
<a href="#">AccountType</a>	165
<a href="#">AcknowledgementType</a>	165
<a href="#">Action</a>	166
<a href="#">AddressLine</a>	166
<a href="#">AddressQualifier</a>	167
<a href="#">AirConditionInd</a>	167
<a href="#">ApplicationStatus</a>	168
<a href="#">ApplicationType</a>	169
<a href="#">ApprovedInd</a>	169
<a href="#">AssigningOrganizationPartyId</a>	169
<a href="#">AssigningPartyId</a>	170
<a href="#">AuctionInd</a>	171
<a href="#">BankCode</a>	171
<a href="#">BankIdType</a>	172
<a href="#">BankName</a>	172
<a href="#">BankruptcyDate</a>	172
<a href="#">BankruptcyInd</a>	172
<a href="#">BirthDate</a>	173
<a href="#">BodyStyle</a>	173
<a href="#">BrakeType</a>	173
<a href="#">BranchCode</a>	174
<a href="#">BranchName</a>	174
<a href="#">BrandedTitleDate</a>	174
<a href="#">BrandedTitleInd</a>	174

<a href="#">BrandingSource</a>	175
<a href="#">BrandingStateReference</a>	175
<a href="#">CertifiedPreownedInd</a>	175
<a href="#">City</a>	176
<a href="#">Code</a>	176
<a href="#">CollateralType</a>	176
<a href="#">CompanyCode</a>	177
<a href="#">CompanyName</a>	177
<a href="#">Condition</a>	177
<a href="#">ConfirmType</a>	177
<a href="#">ContactTelephoneNumberDescription</a>	178
<a href="#">ContactTelephoneNumberOrganizationDescription</a>	178
<a href="#">ContactTime</a>	179
<a href="#">ContractCompanyName</a>	179
<a href="#">ContractExpirationDate</a>	179
<a href="#">ContractNote</a>	179
<a href="#">ContractOwnerName</a>	180
<a href="#">ContractPlanCode</a>	180
<a href="#">ContractStartDate</a>	180
<a href="#">ContractType</a>	180
<a href="#">Country</a>	181
<a href="#">County</a>	193
<a href="#">Currency</a>	193
<a href="#">Date</a>	201
<a href="#">DateOfIncorporation</a>	201
<a href="#">DateTime</a>	201
<a href="#">DBAName</a>	201
<a href="#">DealerInstallationInd</a>	202
<a href="#">DealerName</a>	202
<a href="#">DealerProductsCapitalizedInd</a>	202
<a href="#">DealerProductsPaidFor</a>	203
<a href="#">DealerProductsPaidTo</a>	203
<a href="#">DealerProductsType</a>	203

<a href="#"><u>Decimal</u></a> .....	204
<a href="#"><u>Department</u></a> .....	204
<a href="#"><u>DepartmentType</u></a> .....	204
<a href="#"><u>DimensionMeasure</u></a> .....	204
<a href="#"><u>DistrictCode</u></a> .....	205
<a href="#"><u>DivisionCode</u></a> .....	205
<a href="#"><u>DocumentDateTime</u></a> .....	205
<a href="#"><u>EducationLevel</u></a> .....	206
<a href="#"><u>EmployeeTitle</u></a> .....	206
<a href="#"><u>EmploymentCode</u></a> .....	206
<a href="#"><u>EmploymentStatus</u></a> .....	206
<a href="#"><u>EngineType</u></a> .....	207
<a href="#"><u>ExpirationDate</u></a> .....	207
<a href="#"><u>Expression</u></a> .....	207
<a href="#"><u>ExpressionLanguage</u></a> .....	207
<a href="#"><u>ExteriorColor</u></a> .....	207
<a href="#"><u>FamilyName</u></a> .....	208
<a href="#"><u>FeeType</u></a> .....	208
<a href="#"><u>FinanceCompanyName</u></a> .....	214
<a href="#"><u>FinanceType</u></a> .....	214
<a href="#"><u>FirstTimeBuyerInd</u></a> .....	214
<a href="#"><u>FormattedName</u></a> .....	215
<a href="#"><u>GivenName</u></a> .....	215
<a href="#"><u>HoldingCompany</u></a> .....	215
<a href="#"><u>HomeWork</u></a> .....	216
<a href="#"><u>IgnitionKeyNumber</u></a> .....	216
<a href="#"><u>IncomePeriod</u></a> .....	216
<a href="#"><u>IncomeSource</u></a> .....	217
<a href="#"><u>IndebtednessResponsibility</u></a> .....	217
<a href="#"><u>IndebtednessResponsibilityDesc</u></a> .....	218
<a href="#"><u>Indicator</u></a> .....	218
<a href="#"><u>IndustryType</u></a> .....	218
<a href="#"><u>InsuranceCompanyName</u></a> .....	218

<a href="#"><u>InteriorColor</u></a>	219
<a href="#"><u>InvoiceNumber</u></a>	219
<a href="#"><u>IssuingState</u></a>	219
<a href="#"><u>Language</u></a>	219
<a href="#"><u>LeaseMaturityDate</u></a>	226
<a href="#"><u>LeaseRateMoneyFactor</u></a>	227
<a href="#"><u>LicenseNumber</u></a>	227
<a href="#"><u>Make</u></a>	227
<a href="#"><u>Manufacturer</u></a>	227
<a href="#"><u>ManufacturerInstalledInd</u></a>	228
<a href="#"><u>MaritalStatus</u></a>	228
<a href="#"><u>MarketingMailInd</u></a>	228
<a href="#"><u>MaturityDate</u></a>	229
<a href="#"><u>MfgDealerInd</u></a>	229
<a href="#"><u>MiddleName</u></a>	230
<a href="#"><u>MileageMeasure</u></a>	230
<a href="#"><u>MilitaryInd</u></a>	230
<a href="#"><u>MiscellaneousCode</u></a>	231
<a href="#"><u>MiscellaneousNotes</u></a>	231
<a href="#"><u>Model</u></a>	231
<a href="#"><u>ModelDescription</u></a>	231
<a href="#"><u>ModelYear</u></a>	232
<a href="#"><u>Name</u></a>	232
<a href="#"><u>NonUSVehicleInd</u></a>	232
<a href="#"><u>Note</u></a>	232
<a href="#"><u>Occupation</u></a>	233
<a href="#"><u>OdometerStatus</u></a>	233
<a href="#"><u>OfferingType</u></a>	233
<a href="#"><u>OptionName</u></a>	233
<a href="#"><u>OptionNotes</u></a>	234
<a href="#"><u>OptionOrigin</u></a>	234
<a href="#"><u>OptionPricingType</u></a>	234
<a href="#"><u>OptionSalesCode</u></a>	235

<a href="#"><u>OptionSecurityCode</u></a> .....	235
<a href="#"><u>OptionSerialNumber</u></a> .....	235
<a href="#"><u>OptionStockNumber</u></a> .....	235
<a href="#"><u>OrganizationName</u></a> .....	236
<a href="#"><u>OrganizationType</u></a> .....	236
<a href="#"><u>OwnedType</u></a> .....	236
<a href="#"><u>PartType</u></a> .....	237
<a href="#"><u>PortInstalledInd</u></a> .....	237
<a href="#"><u>PostalCode</u></a> .....	238
<a href="#"><u>PreApprovedProgramName</u></a> .....	238
<a href="#"><u>PreferredContactMethod</u></a> .....	238
<a href="#"><u>PreferredContactMethodOrganization</u></a> .....	239
<a href="#"><u>PreferredProviderInd</u></a> .....	240
<a href="#"><u>PriceExplanation</u></a> .....	240
<a href="#"><u>PricingType</u></a> .....	240
<a href="#"><u>PricingTypeSource</u></a> .....	241
<a href="#"><u>PrimaryContactInd</u></a> .....	241
<a href="#"><u>PrimaryDriverInd</u></a> .....	241
<a href="#"><u>PrivacyInd</u></a> .....	242
<a href="#"><u>PrivacyType</u></a> .....	242
<a href="#"><u>PublicConveyanceInd</u></a> .....	242
<a href="#"><u>PurchaseDate</u></a> .....	243
<a href="#"><u>Reference</u></a> .....	243
<a href="#"><u>ReferenceNumber</u></a> .....	243
<a href="#"><u>RelationshipCode</u></a> .....	244
<a href="#"><u>RemovedInd</u></a> .....	244
<a href="#"><u>RepairsAccessoriesOrderNumber</u></a> .....	244
<a href="#"><u>ReportOfSaleNumber</u></a> .....	244
<a href="#"><u>RepossessionDate</u></a> .....	245
<a href="#"><u>RepossessionInd</u></a> .....	245
<a href="#"><u>ResidenceType</u></a> .....	245
<a href="#"><u>RestrictionInd</u></a> .....	246
<a href="#"><u>RetiredInd</u></a> .....	246

<a href="#">SaleClass</a>	246
<a href="#">SalesOrderNumber</a>	247
<a href="#">SalesPersonName</a>	247
<a href="#">SalesStockNumber</a>	248
<a href="#">Salutation</a>	248
<a href="#">SecondaryPassword</a>	248
<a href="#">SecondKeyNumber</a>	248
<a href="#">SelectionMethod</a>	249
<a href="#">SelfEmployedInd</a>	249
<a href="#">SerialNumber</a>	249
<a href="#">SeriesName</a>	250
<a href="#">ServiceCenterCode</a>	250
<a href="#">ShortMfg</a>	250
<a href="#">SortName</a>	250
<a href="#">SpecialPrograms</a>	251
<a href="#">StateOfIncorporation</a>	251
<a href="#">StateOrProvince</a>	251
<a href="#">SteeringSystem</a>	251
<a href="#">Suffix</a>	252
<a href="#">SystemVersion</a>	252
<a href="#">TaxabilityInd</a>	252
<a href="#">TaxType</a>	252
<a href="#">TaxTypeId</a>	255
<a href="#">TelematicsServiceInd</a>	256
<a href="#">TermLength</a>	256
<a href="#">Text</a>	257
<a href="#">TradeInInd</a>	257
<a href="#">TransmissionType</a>	257
<a href="#">TrimCode</a>	259
<a href="#">Type</a>	259
<a href="#">UOM</a>	259
<a href="#">UrbanizationCode</a>	260
<a href="#">URI</a>	261

<a href="#">UsedVehicleCertificationNumber</a>	261
<a href="#">VehicleDemoInd</a>	261
<a href="#">VehicleNote</a>	261
<a href="#">VehicleOwnership</a>	262
<a href="#">VehiclePricingType</a>	262
<a href="#">VehicleStock</a>	264
<a href="#">VehicleUse</a>	264
<a href="#">VehicleUseCode</a>	264
<a href="#">VIN</a>	265
<a href="#">Year</a>	265
<a href="#">ZoneCode</a>	266
<a href="#">Fields and Global Attributes</a>	267
<a href="#">ApplicationArea</a>	267
<a href="#">CreditApplication</a>	267
<a href="#">Detail</a>	268
<a href="#">Header</a>	268
<a href="#">Process</a>	269
<a href="#">ProcessCreditApplication</a>	270
<a href="#">Verb</a>	270



# Process Credit Application

---

## Process Credit Application Guidelines

### Overview

This document is a guideline on how to use the Process Credit Application Business Object Document (BOD). Process Credit Application has been defined in the context of STAR for the Automotive Retail Industry. The scope of this BOD is to define the Process Credit Application process for individual consumers who service their automobiles through their OEM's authorized Dealers. The focus is on Dealer and OEM interactions, not third party organizations. NOTE: Although this is the traditional use of the Process Credit Application, this BOD could be used to send Process Credit Application information between any two business parties.

Implementation Guidelines provide detailed information regarding the structure and meaning of the Process Credit Application BOD and corresponds directly to the Process Credit Application schema. In addition to structure and meaning, the Implementation Guidelines identify various business rules for specific fields/components that due to their nature, i.e. field interdependence, are not possible to express using schema. Please note that although these business rules are not included in the schema, they **MUST** be followed to be STAR Compliant. Therefore, the Process Credit Application Implementation Guidelines must be used in concert with the Process Credit Application schema during development and should **NOT** be considered a supplement or substitution to the schema. For more information regarding STAR XML Data Compliance, please review the STAR Data Compliance Guidelines document located on the STAR Web site.

For a copy of the corresponding Process Credit Application schema, please download the appropriate STAR schema repository from the XML portion of the STAR website ([www.starstandard.org](http://www.starstandard.org)). Prior to downloading the schema, users are encouraged to download the STAR XML Reference/Implementation document also located on the XML portion of the STAR website. This document provides an overview of the STAR BOD development methodology, how to download and read STAR schema, and various frequently asked questions related to the implementation of STAR BODs.

STAR has followed the Open Application Group's Business Object Document methodology to develop the Process Credit Application BOD. Where possible, STAR has mapped to existing OAGI fields and components. Note however that the STAR Process Credit Application BOD is unique to the Retail Automotive industry and is not an extension of any existing OAGIS BODs.

For more information on the Open Applications Group's BODs and related documentation please refer to the Open Applications Group's Web site at ([www.openapplications.org](http://www.openapplications.org)).

### Schema Field Usage

STAR uses the same Noun in the schema for all the Noun/Verb combinations of the Process Credit Application except the Get verb. Please refer to each Noun/Verb combination within this document to understand the requirements for each specific BOD. Although the Noun will always have every field defined for the Noun in the schema, each Noun/Verb combination may not use all of the fields. If a field is not used by a BOD, it will be noted in the business rules.

## Process Credit Application

---


### **Business Scenario**

The Credit Application Binary Collaboration starts with the transmission of a credit application from the Dealer to a Lender. If the application is accepted, then the collaboration ends in a success. If the application is denied, then the Dealer may modify the application and resubmit it to the Lender. Note: This scenario is an example of how the Credit Application BOD can be used. Implementations may vary.

# Process Credit Application

## Relationship Diagram

The following is a representation of the Noun for this BOD. It is a high level overview provided to give an idea of the hierarchy of the Noun's components.



### Schema Document Properties

#### Declared Namespaces

A schema can contain more than one namespace. According to Whatis.com, "In general, a namespace uniquely identifies a set of names so that there is no ambiguity when objects having different origins but the same names are mixed together." An example would be two namespaces that both defined an element called ID, without a namespace it would be impossible to determine which definition was being used.

Prefix	Namespace
<b>Default namespace</b>	<a href="http://www.starstandards.org/STAR">http://www.starstandards.org/STAR</a>
<b>xml</b>	<a href="http://www.w3.org/XML/1998/namespace">http://www.w3.org/XML/1998/namespace</a>
<b>xsd</b>	<a href="http://www.w3.org/2001/XMLSchema">http://www.w3.org/2001/XMLSchema</a>

### Components and Data Types

Global definitions include components, code lists, and data types. Components are used to build the data structures that make up a Noun and it's requirements. Data types specify the type of data that a component's fields may contain. Not all definitions are included in this documentation. Please see either the STAR Code List guideline or Data Type Guidelines for further information.

#### AccountantParty

These field(s) use this type: **Accountant**.

<b>Name</b>	<b>AccountantParty</b>
<b>Abstract</b>	<b>no</b>

#### Data Elements and Components

Field / Component	Description	R/O	Business Rule
PartyId	Party Identification Number	O	
AlternatePartyIds	Alternate organizational party Identification	O	
AccountantName	Name of accountant	O	NOTE: First and Last Name  If the parent component name and the Contact PersonName are the same, the Contact PersonName shall not be populated
Address	Accountant address.	O	
Contact	Organizational Party contact information	O	

#### XML Instance Representation

```
<...>  
  <PartyId> PartyId </PartyId> [0..1]  
  <AlternatePartyIds> OrganizationalPartyAlternatePartyId </AlternatePartyIds> [0..*]  
</...>
```

## Process Credit Application

---

```
<AccountantName> AccountantName </AccountantName> [0..1]
<Address> OrganizationAddress </Address> [0..1]
<Contact> OrganizationContact </Contact> [0..1]
</...>
```

### AccountBalanceAmount

These field(s) use this type: AccountBalanceAmount.

The bank account balance amount.

<b>Name</b>	AccountBalanceAmount
<b>Abstract</b>	no

### XML Instance Representation

```
<...
  currency="Currency [1]">
    Amount
  </...>
```

### AccountId

These field(s) use this type: AccountId,AccountId.

Identifies an account number or similary identifier.

<b>Name</b>	AccountId
<b>Abstract</b>	no

### XML Instance Representation

```
<...>
  Id
</...>
```

### AcknowledgableVerb

## Process Credit Application

<b>Name</b>	AcknowledgableVerb
<b>Abstract</b>	yes

### Attributes

Field / Component	Description	R/O	Business Rule
acknowledge		R	

### Data Elements and Components

Field / Component	Description	R/O	Business Rule
Verb		R	
Criteria		O	

### XML Instance Representation

```
<...  
confirm="ConfirmType [0..1]"  
acknowledge="AcknowledgementType [0..1]">  
  <Criteria> ActionExpressionCriteria </Criteria> [0..1]  
</...>
```

### ActionExpressionCriteria

These field(s) use this type: Criteria.

<b>Name</b>	ActionExpressionCriteria
<b>Abstract</b>	no

### Attributes

Field / Component	Description	R/O	Business Rule
expressionLanguage		R	

## Process Credit Application

### Data Elements and Components

Field / Component	Description	R/O	Business Rule
Expression		R	

### XML Instance Representation

```
<...  
expressionLanguage="ExpressionLanguage [0..1]">  
  <Expression> ... </Expression> [1..*]  
</...>
```

### ActionVerb

<b>Name</b>	ActionVerb
<b>Abstract</b>	no

### Data Elements and Components

Field / Component	Description	R/O	Business Rule
Verb		R	
Criteria		O	

### XML Instance Representation

```
<...  
confirm="ConfirmType [0..1]">  
  <Criteria> ActionExpressionCriteria </Criteria> [0..1]  
</...>
```

### Address

<b>Name</b>	Address
<b>Abstract</b>	no



## Process Credit Application

### Attributes

Field / Component	Description	R/O	Business Rule
qualifier		R	

### Data Elements and Components

Field / Component	Description	R/O	Business Rule
AddressLine	Indicates the multiple lines of an address. The first line is typically the street name and number.	R	
City	Is the City of the Address.	R	
County	County in which the Address is in.	O	
StateOrProvince	Is the State or Province of a given Address.	R	
Country	Country in which the Address is in.	R	
PostalCode	Postal Code of the Address.	R	

### XML Instance Representation

```
<...  
  qualifier="AddressQualifier [0..1]">  
    <AddressLine> AddressLine </AddressLine> [1..*]  
    <City> City </City> [1]  
    <County> County </County> [0..1]  
    <StateOrProvince> StateOrProvince </StateOrProvince> [1]  
    <Country> Country </Country> [1]  
    <PostalCode> PostalCode </PostalCode> [1]  
  </...>
```

### AddressBase

<b>Name</b>	<b>AddressBase</b>
<b>Abstract</b>	<b>no</b>

## Process Credit Application

### Data Elements and Components

Field / Component	Description	R/O	Business Rule
AddressLine	Indicates the multiple lines of an address. The first line is typically the street name and number.	R	
City	Is the City of the Address.	R	
County	County in which the Address is in.	O	
StateOrProvince	Is the State or Province of a given Address.	R	
Country	Country in which the Address is in.	R	
PostalCode	Postal Code of the Address.	R	

### XML Instance Representation

```
<...>
  <AddressLine> AddressLine </AddressLine> [1..*]
  <City> City </City> [1]
  <County> County </County> [0..1]
  <StateOrProvince> StateOrProvince </StateOrProvince> [1]
  <Country> Country </Country> [1]
  <PostalCode> PostalCode </PostalCode> [1]
</...>
```

## Age

These field(s) use this type: **Age**.

Age of Business Party.

<b>Name</b>	Age
<b>Abstract</b>	no

### XML Instance Representation

```
<...>
  Count
```

## Process Credit Application

```
</...>
```

### AlternatePartyId

<b>Name</b>	AlternatePartyId
<b>Abstract</b>	no

#### Data Elements and Components

Field / Component	Description	R/O	Business Rule
Id	Alternate Party Identification	R	

### XML Instance Representation

```
<...>  
<Id> Id </Id> [1]  
</...>
```

### Amortization

These field(s) use this type: **Amortization**.

The length of time over which the repayment of a loan is calculated.

<b>Name</b>	Amortization
<b>Abstract</b>	no

#### Attributes

Field / Component	Description	R/O	Business Rule
period		R	

### XML Instance Representation

```
<...>
```

## Process Credit Application

```
period="IncomePeriod [0..1]">
  Count
</...>
```

### Amount

Based on OAGI Amount. Simple content with the currency as an attribute

<b>Name</b>	<b>Amount</b>
<b>Abstract</b>	<b>no</b>

### Attributes

Field / Component	Description	R/O	Business Rule
currency		R	

### XML Instance Representation

```
<...
currency="Currency [1]">
  xsd:decimal
</...>
```

### AnnualPercentageRate

These field(s) use this type: **AnnualPercentageRate**.

Annual percentage rate.

<b>Name</b>	<b>AnnualPercentageRate</b>
<b>Abstract</b>	<b>no</b>

### XML Instance Representation

```
<...>
  Percent
```

## Process Credit Application

```
</...>
```

### AnnualSalesAmount

These field(s) use this type: AnnualSalesAmount.

Annual sales of an organization.

<b>Name</b>	AnnualSalesAmount
<b>Abstract</b>	no

### XML Instance Representation

```
<...  
currency="Currency [1]">  
  Amount  
</...>
```

### ApplicantDemographics

These field(s) use this type: Demographics.

<b>Name</b>	ApplicantDemographics
<b>Abstract</b>	no

### Data Elements and Components

Field / Component	Description	R/O	Business Rule
EducationLevel	Last Year of education completed>	O	
MaritalStatus	Identifies marital status of business party	O	
BirthDate	Birth date of party	R	Example: 1955-03-11
Dependents	Represents information about the dependents in the household	O	
FirstTimeBuyerInd	Identifies customer as first time buyer	O	

## Process Credit Application

Field / Component	Description	R/O	Business Rule
ResidenceType	Business Party's type of residence (i.e., Own, Rent, etc.)	O	
RetiredInd	Indicates if the Business Partner is retired.	O	
Age	Age of Business Party.	O	
MilitaryInd	Indicates whether or not the applicant is a current member of the military.	O	

### XML Instance Representation

```
<...>
  <EducationLevel> EducationLevel </EducationLevel> [0..1]
  <MaritalStatus> MaritalStatus </MaritalStatus> [0..1]
  <BirthDate> BirthDate </BirthDate> [1]
  <Dependents> Dependents </Dependents> [0..1]
  <FirstTimeBuyerInd> FirstTimeBuyerInd </FirstTimeBuyerInd> [0..1]
  <ResidenceType> ResidenceType </ResidenceType> [0..1]
  <RetiredInd> RetiredInd </RetiredInd> [0..1]
  <Age> Age </Age> [0..1]
  <MilitaryInd> MilitaryInd </MilitaryInd> [0..1]
</...>
```

### ApplicationArea

These field(s) use this type: ApplicationArea.

<b>Name</b>	<b>ApplicationArea</b>
<b>Abstract</b>	<b>no</b>

### Data Elements and Components

## Process Credit Application

Field / Component	Description	R/O	Business Rule
Sender	Identifies characteristics and control identifiers that relate to the application that created the Business Object Document. The sender area can indicate the logical location of the application and/or database server, the application, and the task that was processing to create the BOD.	R	
CreationDateTime	is the date time stamp that the given instance of the Business Object Document was created. This date must not be modified during the life of the Business Object Document.	R	DateTime fields must be formatted as XML Schema Datetimes in UTC/GMT format without offsets. Example: 2003-11-05T13:15:30Z
Signature	If the BOD is to be signed the signature element is included, otherwise it is not. Signature supports any digital signature that maybe used by an implementation of OAGIS. The qualifyingAgency identifies the agency that provided the format for the signature. This element supports any digital signature specification that is available today and in the future. This is accomplished by not actually defining the content but by allowing the implementation to specify the digital signature to be used via an external XML Schema namespace declaration. The Signature element is defined to have any content from any other namespace. This allows the user to carry a digital signature in the xml instance of a BOD. The choice of which digital signature to use is left up to the user and their integration needs.	O	
BODId	The BODId provides a place to carry a Globally Unique Identifier (GUID) that will make each Business Object Document instance uniquely identifiable. This is a critical success factor to enable software developers to use the Globally Unique Identifier (GUID) to build the following services or capabilities: 1. Legally binding transactions, 2. Transaction logging, 3. Exception handling, 4. Re-sending, 5. Reporting, 6. Confirmations, 7. Security.	O	
Destination	Information related to the receiver of the BOD	R	

### XML Instance Representation

```

<...>
  <Sender> Sender </Sender> [1]
  <CreationDateTime> DateTime </CreationDateTime> [1]
  <Signature> Signature </Signature> [0..1]

```

## Process Credit Application

```
<BODId> Code </BODId> [0..1]
<Destination> Destination </Destination> [1]
</...>
```

### ApplicationFinancing

These field(s) use this type: **Financing**.

<b>Name</b>	ApplicationFinancing
<b>Abstract</b>	no

### Data Elements and Components

Field / Component	Description	R/O	Business Rule
FinanceType	Type of financing Examples may be F- Finance, L - Lease, C-Cash, 1-Retail, 2-Lease, 3-Balloon, etc..	R	
PaymentAmount	Monthly Payment Amount	R	
BalanceAmount	Remaining balance on Current Vehicle	O	
FinalAmount	Last month payment amount	O	
ResidualAmount	Remaining residual on current vehicle	O	
Term	Number of months of contract term	R	
MaturityDate	Month and year of contract maturity	O	
FinanceCompanyName	Name of Finance Company	O	(INACTIVE)
DownPaymentAmount	Down Payment amount or amount of cap cost reduction.	O	
PurchasePrice	Purchase Price or Gross Cap cost specified in deal. Total payments at endO of purchase	O	
ApprovedInd	Approved Indicator	O	
ApprovedAmount	Amount pre-approved	O	
ExpirationDate	Date pre-approval expires	O	



## Process Credit Application

Field / Component	Description	R/O	Business Rule
RatingIndex	Rating Index Used for Credit Approval	O	(INACTIVE)
ApplicationType	Type of application being submitted for financing (e.g., individual, individual + co-applicant, business, business + coapplicant, employee).	O	
DeferredDownPaymentAmount	Deferred Down Payment amount.	O	
DealerRebateAmount	Dealer rebate amount.	O	(INACTIVE)
ManufacturerRebateAmount	Manufacturer rebate amount.	O	
NetTradeAmount	The difference between the dollar value given by the dealer less the amount the customer still owes on the vehicle.	O	
InsuranceTotalExtendedWarrantyAmount	Total of life, accidental and health insurance cost/extended warranty cost.	O	
DisabilityPremiumAmount	Indicates amount of disability premium insurance being purchased for the vehicle.	O	
CreditLifePremiumAmount	Indicates the amount of credit life premium insurance being purchased for the vehicle.	O	
SecurityDepositAmount	Security deposit is the amount paid to cover damage, excess mileage or excess wear and tear on a leased vehicle.	O	
MiscellaneousNotes	Free form miscellaneous comments	O	
AnnualPercentageRate	Annual percentage rate.	O	
MSRPGuidePercentage	The ration of the amount financed compared to the value of the vehicle identified in a vehicle evaluation guide (EX: Nada Guide).	O	
ServiceContract	Represent service contract information for the vehicle being financed	O	(INACTIVE)
Tax	Communicates the tax associated with the vehicle being financed.	O	
CostPerMile	The cost per mile in excess of the lease agreement.	O	
EstimatedAnnualMileage	The estimated annual mileage of the contract.	O	
ExcessMilesPerYear	Estimated number of miles above the contracted annual mileage	O	

## Process Credit Application

Field / Component	Description	R/O	Business Rule
SpecialPrograms	Code identifying the type of special program (First Time Buyer, College Graduate, etc.	O	
Fee	The fees associated with the vehicle being financed.	O	
TradeIn	The vehicle that is being traded in	O	
OfferingType	Source type of credit contract being offered.	O	
ApprovedEquipmentAmount	Equipment allowed by finance source to be added to the residual value of a vehicle.	O	
LeaseRatePercentage	Percentage used to determine finance cost of a lease.	O	
LeaseRateMoneyFactor	Money factor multiplier used to determine finance costs for a lease.	O	
PreApprovedProgramName	A text description of preapproval codes.	O	Note: Program name under which applicant was approved.
SalesOrderNumber	A vehicle order number used by dealers and OEMS to track customer orders.	O	
NetAmountFinanced	Total net financed amount after all trade-in, incentives, etc. The total amount of the loan.	O	
BasePaymentAmount	Monthly payment amount before dealer add-ons (i.e., does not include fees, taxes, etc.)	O	
TotalReductionsAmount	Sum of Down Payment, Dealer Rebates, and any other cash payments that reduce the amount financed.	O	
NetCapitalizedCostAmount	Leasing value derived from the cash selling price after adjustments for downpayments etc.	O	
Amortization	The length of time over which the repayment of a loan is calculated.	O	
PaymentsDeferredPeriodMeasure	The amount of time by which the vehicle payments have been deferred. HR = Hour, WK = Week, BiWK = Bi-Weekly, MO = Month, YR = Year, SmMO=SemiMonthly, SmAN=SemiAnnually	O	

## XML Instance Representation

## Process Credit Application

```
<...>
<FinanceType> FinanceType </FinanceType> [1]
<PaymentAmount> PaymentAmount </PaymentAmount> [1]
<BalanceAmount> BalanceAmount </BalanceAmount> [0..1]
<FinalAmount> FinalAmount </FinalAmount> [0..1]
<ResidualAmount> ResidualAmount </ResidualAmount> [0..1]
<Term> Term </Term> [1]
<MaturityDate> MaturityDate </MaturityDate> [0..1]
<FinanceCompanyName> FinanceCompanyName </FinanceCompanyName> [0..1]
<DownPaymentAmount> DownPaymentAmount </DownPaymentAmount> [0..1]
<PurchasePrice> PurchasePrice </PurchasePrice> [0..1]
<ApprovedInd> ApprovedInd </ApprovedInd> [0..1]
<ApprovedAmount> ApprovedAmount </ApprovedAmount> [0..1]
<ExpirationDate> ExpirationDate </ExpirationDate> [0..1]
<RatingIndex> RatingIndex </RatingIndex> [0..*]
<ApplicationType> ApplicationType </ApplicationType> [0..1]
<DeferredDownPaymentAmount> DeferredDownPaymentAmount </DeferredDownPaymentAmount> [0..1]
<DealerRebateAmount> DealerRebateAmount </DealerRebateAmount> [0..1]
<ManufacturerRebateAmount> ManufacturerRebateAmount </ManufacturerRebateAmount> [0..1]
<NetTradeAmount> NetTradeAmount </NetTradeAmount> [0..1]
<InsuranceTotalExtendedWarrantyAmount> InsuranceTotalExtendedWarrantyAmount </InsuranceTotalExtendedWarrantyAmount> [0..1]
<DisabilityPremiumAmount> DisabilityPremiumAmount </DisabilityPremiumAmount> [0..1]
<CreditLifePremiumAmount> CreditLifePremiumAmount </CreditLifePremiumAmount> [0..1]
<SecurityDepositAmount> SecurityDepositAmount </SecurityDepositAmount> [0..1]
<MiscellaneousNotes> MiscellaneousNotes </MiscellaneousNotes> [0..1]
<AnnualPercentageRate> AnnualPercentageRate </AnnualPercentageRate> [0..1]
<MSRPGuidePercentage> MSRPGuidePercentage </MSRPGuidePercentage> [0..1]
<ServiceContract> ServiceContractBase </ServiceContract> [0..1]
<Tax> Tax </Tax> [0..*]
<CostPerMile> CostPerMile </CostPerMile> [0..1]
<EstimatedAnnualMileage> EstimatedAnnualMileage </EstimatedAnnualMileage> [0..1]
<ExcessMilesPerYear> ExcessMilesPerYear </ExcessMilesPerYear> [0..1]
<SpecialPrograms> SpecialPrograms </SpecialPrograms> [0..*]
<Fee> Fee </Fee> [0..*]
<TradeIn> TradeInVehicleCredit </TradeIn> [0..*]
<OfferingType> OfferingType </OfferingType> [0..1]
<ApprovedEquipmentAmount> ApprovedEquipmentAmount </ApprovedEquipmentAmount> [0..1]
```

## Process Credit Application

```
<LeaseRatePercentage> LeaseRatePercentage </LeaseRatePercentage> [0..1]
<LeaseRateMoneyFactor> LeaseRateMoneyFactor </LeaseRateMoneyFactor> [0..1]
<PreApprovedProgramName> PreApprovedProgramName </PreApprovedProgramName> [0..1]
<SalesOrderNumber> SalesOrderNumber </SalesOrderNumber> [0..1]
<NetAmountFinanced> NetAmountFinanced </NetAmountFinanced> [0..1]
<BasePaymentAmount> BasePaymentAmount </BasePaymentAmount> [0..1]
<TotalReductionsAmount> TotalReductionsAmount </TotalReductionsAmount> [0..1]
<NetCapitalizedCostAmount> NetCapitalizedCostAmount </NetCapitalizedCostAmount> [0..1]
<Amortization> Amortization </Amortization> [0..*]
<PaymentsDeferredPeriodMeasure> PaymentsDeferredPeriodMeasure </PaymentsDeferredPeriodMeasure> [0..1]
</...>
```

### ApprovedAmount

These field(s) use this type: **ApprovedAmount**.

Amount pre-approved

<b>Name</b>	ApprovedAmount
<b>Abstract</b>	no

### XML Instance Representation

```
<...
currency="Currency [1]">
  Amount
</...>
```

### ApprovedEquipmentAmount

These field(s) use this type: **ApprovedEquipmentAmount**.

Equipment allowed by finance source to be added to the residual value of a vehicle.

<b>Name</b>	ApprovedEquipmentAmount
<b>Abstract</b>	no

## Process Credit Application

---

### XML Instance Representation

```
<...  
currency="Currency [1]">  
  Amount  
</...>
```

### BalanceAmount

These field(s) use this type: **BalanceAmount,BalanceAmount,BalanceAmount.**

Remaining balance on Current Vehicle

<b>Name</b>	<b>BalanceAmount</b>
<b>Abstract</b>	<b>no</b>

### XML Instance Representation

```
<...  
currency="Currency [1]">  
  Amount  
</...>
```

### Bank

These field(s) use this type: **Bank,Bank.**

<b>Name</b>	<b>Bank</b>
<b>Abstract</b>	<b>no</b>

### Data Elements and Components

Field / Component	Description	R/O	Business Rule
Address	Geographic definition of a metropolitan or suburban area	O	
BankName	Name of bank.	O	
BankCode	Code assigned to banking institution.	O	(INACTIVE)

## Process Credit Application

Field / Component	Description	R/O	Business Rule
BankIdType	The identifier standard used for Bank ID, e.g., ABA, SortCode, etc.	O	(INACTIVE)
BranchName	Name of the bank branch.	O	(INACTIVE)
BranchId	Branch identifier	O	(INACTIVE)
BankAccount	Bank account information	O	
Contact	Organizational Party contact.	O	

### XML Instance Representation

```
<...>
  <Address> OrganizationAddress </Address> [0..1]
  <BankName> BankName </BankName> [0..1]
  <BankCode> BankCode </BankCode> [0..1]
  <BankIdType> BankIdType </BankIdType> [0..1]
  <BranchName> BranchName </BranchName> [0..1]
  <BranchId> BranchId </BranchId> [0..1]
  <BankAccount> BankAccount </BankAccount> [0..*]
  <Contact> OrganizationContact </Contact> [0..1]
</...>
```

### BankAccount

These field(s) use this type: **BankAccount**.

<b>Name</b>	<b>BankAccount</b>
<b>Abstract</b>	<b>no</b>

### Data Elements and Components

Field / Component	Description	R/O	Business Rule
DefaultCurrency	Currency used for transactions.	O	

## Process Credit Application

Field / Component	Description	R/O	Business Rule
AccountId	Identifies an account number or similiary identifier.	O	
AccountType	Identifies the type of account.	O	
AccountKey	Indicates the account checksum.	O	
AccountBalanceAmount	The bank account balance amount.	O	

### XML Instance Representation

```
<...>  
  <DefaultCurrency> DefaultCurrency </DefaultCurrency> [0..1]  
  <AccountId> AccountId </AccountId> [0..1]  
  <AccountType> AccountType </AccountType> [0..1]  
  <AccountKey> AccountKey </AccountKey> [0..1]  
  <AccountBalanceAmount> AccountBalanceAmount </AccountBalanceAmount> [0..1]  
</...>
```

## BankruptcyRepossession

These field(s) use this type: **BankruptcyRepossession, BankruptcyRepossession.**

<b>Name</b>	<b>BankruptcyRepossession</b>
<b>Abstract</b>	<b>no</b>

### Data Elements and Components

Field / Component	Description	R/O	Business Rule
BankruptcyInd	Indicates if the Business Partner has ever declared bankruptcy.	O	
BankruptcyDate	Date the Business Party declared bankruptcy.	O	
RepossessionInd	Indicates if the Business Partner has experienced repossession.	O	
RepossessionDate	Date the Business Party experienced repossession.	O	

### XML Instance Representation

## Process Credit Application

---

```
<...>
  <BankruptcyInd> BankruptcyInd </BankruptcyInd> [0..1]
  <BankruptcyDate> BankruptcyDate </BankruptcyDate> [0..*]
  <RepossessionInd> RepossessionInd </RepossessionInd> [0..1]
  <RepossessionDate> RepossessionDate </RepossessionDate> [0..*]
</...>
```

### BasePaymentAmount

These field(s) use this type: **BasePaymentAmount**.

Monthly payment amount before dealer add-ons (i.e., does not include fees, taxes, etc.)

<b>Name</b>	BasePaymentAmount
<b>Abstract</b>	no

### XML Instance Representation

```
<...
  currency="Currency [1]">
    Amount
  </...>
```

### BranchId

These field(s) use this type: **BranchId**.

Branch Identifier

<b>Name</b>	BranchId
<b>Abstract</b>	no

### XML Instance Representation

```
<...>
  Id
</...>
```



## Process Credit Application

### BrandedInfo

These field(s) use this type: **BrandedInfo**.

<b>Name</b>	BrandedInfo
<b>Abstract</b>	no

#### Data Elements and Components

Field / Component	Description	R/O	Business Rule
BrandedTitleInd	This tag indicates if a vehicle's title has been branded. (i.e., vehicle totaled and state registration title branded as such)	O	
BrandedTitleDate	Branding Date	O	Example: 2002-02-13
BrandingStateCode	Branding State Code	O	
BrandingStateReference	Branding State Reference Number	O	
BrandingSource	Branding source Ã#Â¢Ã#Â¢ (i.e., source who says that the vehicle is branded)	O	

#### XML Instance Representation

```
<...>
  <BrandedTitleInd> BrandedTitleInd </BrandedTitleInd> [0..1]
  <BrandedTitleDate> BrandedTitleDate </BrandedTitleDate> [0..1]
  <BrandingStateCode> BrandingStateCode </BrandingStateCode> [0..1]
  <BrandingStateReference> BrandingStateReference </BrandingStateReference> [0..1]
  <BrandingSource> BrandingSource </BrandingSource> [0..1]
</...>
```

### BrandingStateCode

These field(s) use this type: **BrandingStateCode**.

Branding State Code

## Process Credit Application

<b>Name</b>	BrandingStateCode
-------------	-------------------

<b>Abstract</b>	no
-----------------	----

### XML Instance Representation

```
<...>  
  StateOrProvince  
</...>
```

### BusinessObjectDocument

<b>Name</b>	BusinessObjectDocument
-------------	------------------------

<b>Abstract</b>	no
-----------------	----

### Attributes

Field / Component	Description	R/O	Business Rule
revision	This should contain the STAR repository version in the following recommended format. 4.2.1_M20080416. Where the first part indicates the version of the STAR repository and anything after the _ indicates the Milestone build that is being used. If referring to an official published version then only the STAR Repository version is required.	O	
release	Indicates the OAGIS release that this BOD belongs.	O	
environment	Indicates whether this BOD is being sent in a "Test" or a "Production" mode. If the BOD is being sent in a test mode, it's information should not affect the business operation. However, if the BOD is sent in "Production" mode it is assumed that all test has been complete and the contents of the BOD are to affect the operation of the receiving business application(s).	O	
lang	Indicates the language that the contents of the BOD is in unless otherwise stated.	O	

## Process Credit Application

Field / Component	Description	R/O	Business Rule
bodVersion	Deprecated as of STAR 4.2.2. It is recommended to use the revision attribute to identify the repository and the noun. May be removed in a new major version of the STAR repository. Indicates the version number of the BOD.	O	

### Data Elements and Components

Field / Component	Description	R/O	Business Rule
ApplicationArea	Provides the information that an application may need to know in order to communicate in an integration of two or more business applications. The ApplicationArea is used at the applications layer of communication. While the integration frameworks web services and middleware provide the communication layer that OAGIS operates on top of. Provides the information that an application may need to know in order to communicate in an integration of two or more business applications. The ApplicationArea is used at the applications layer of communication. While the integration frameworks web services and middleware provide the communication layer that OAGIS operates on top of.	R	

### XML Instance Representation

```
<...  
revision="Text [0..1]"  
release="8.1-Lite [0..1]"  
environment="Text [0..1]"  
lang="Language [0..1]"  
bodVersion="Text [0..1]">  
  <ApplicationArea> ... </ApplicationArea> [1]  
</...>
```

### CapitalAmount

These field(s) use this type: **CapitalAmount**.

The money and other property of a corporation or other enterprise used in transacting the business.

## Process Credit Application

---

<b>Name</b>	<b>CapitalAmount</b>
<b>Abstract</b>	no

### XML Instance Representation

```
<...  
currency="Currency [1]">  
  Amount  
</...>
```

## CashOutAmount

These field(s) use this type: **CashOutAmount.**

Amount of net trade paid out to customer as cash.

<b>Name</b>	<b>CashOutAmount</b>
<b>Abstract</b>	no

### XML Instance Representation

```
<...  
currency="Currency [1]">  
  Amount  
</...>
```

## Chassis

These field(s) use this type: **Chassis.**

A general term that refers to all of the mechanical parts of a car attached to a structural frame. In cars with unitized construction, the chassis comprises everything but the body of the car.

<b>Name</b>	<b>Chassis</b>
<b>Abstract</b>	no

## Data Elements and Components

## Process Credit Application

Field / Component	Description	R/O	Business Rule
ChassisMake	Make of the Chassis	R	
ChassisModel	Model of the Chassis	O	

### XML Instance Representation

```
<...>
  <ChassisMake> ChassisMake </ChassisMake> [1]
  <ChassisModel> ChassisModel </ChassisModel> [0..1]
</...>
```

### ChassisMake

These field(s) use this type: ChassisMake.

Make of the chassis.

<b>Name</b>	ChassisMake
<b>Abstract</b>	no

### XML Instance Representation

```
<...
language="Language [0..1]">
  Description
</...>
```

### ChassisModel

These field(s) use this type: ChassisModel.

Model of the chassis.

<b>Name</b>	ChassisModel
<b>Abstract</b>	no

## Process Credit Application

### XML Instance Representation

```
<...  
language="Language [0..1]">  
  Description  
</...>
```

### Co-ApplicantPartyExtended

These field(s) use this type: **Co-Applicant.**

<b>Name</b>	Co-ApplicantPartyExtended
<b>Abstract</b>	no

### Data Elements and Components

Field / Component	Description	R/O	Business Rule
PartyId	Party Identification Number	O	
AlternatePartyIds	Individual party alternate party Identification	O	
PersonName	Individual party name	R	If both the party component and Contact PersonName are the same, the Contact PersonName shall not be populated.
Address	Individual party address	R	
Contact	Individual party contact information	O	
RelationshipCode	Indicates the Business Party's relationship to the primary Party (e.g., mother, father, husband, etc.)	O	In the case of the Individual Applicant, this code is used in this component to define the primary party of the BOD.
RelationshipDescription	Free form text field describing the relationship of the business party to the primary party.	O	
Demographics	Individual party demographics	O	
MarketingMailInd	Indicates customers whom have requested no marketing mail	O	(INACTIVE)

## Process Credit Application

Field / Component	Description	R/O	Business Rule
Employer	Applicant's employment information	O	
NearestRelative	Individual identified as applicant's nearest relative	O	
Bank	Banking information for the Applicant.	O	
Co-Creditor	Applicant's other source of credit information.	O	
BankruptcyRepossession	Represents information regarding to the Applicant's history of bankruptcy and repossession	O	
MfgDealerInd	Indicators that the Business Party is an employed by a Manufacture or Dealer.	O	(INACTIVE)
PrimaryDriverInd	Identifies customer as primary driver.	O	(INACTIVE)
PaymentAmount	Monthly Payment Amount	O	(INACTIVE)
MortgageBalance	Business Partner's mortgage balance.	O	(INACTIVE)
OtherIncome	Income received from other sources such as child support, alimony, etc.	O	
Privacy	Any privacy rights the party has subscribed to or opted out of.	O	
EstimatedUsage	Communicates the party's estimated percent of usage of the vehicle.	O	(INACTIVE)
Reference	A financial or other form of reference for a co-applicant.	O	

### XML Instance Representation

```

<...>
  <PartyId> PartyId </PartyId> [0..1]
  <AlternatePartyIds> IndividualPartyAlternatePartyId </AlternatePartyIds> [0..*]
  <PersonName> IndividualApplicantPersonName </PersonName> [1]
  <Address> IndividualApplicantAddress </Address> [1..*]
  <Contact> IndividualApplicantContact </Contact> [0..1]
  <RelationshipCode> RelationshipCode </RelationshipCode> [0..1]
  <RelationshipDescription> RelationshipDescription </RelationshipDescription> [0..1]

```

## Process Credit Application

```
<Demographics> ApplicantDemographics </Demographics> [0..1]
<MarketingMailInd> MarketingMailInd </MarketingMailInd> [0..1]
<Employer> EmployerParty </Employer> [0..*]
<NearestRelative> NearestRelative </NearestRelative> [0..1]
<Bank> Bank </Bank> [0..*]
<Co-Creditor> Co-Creditor </Co-Creditor> [0..*]
<BankruptcyRepossession> BankruptcyRepossession </BankruptcyRepossession> [0..1]
<MfgDealerInd> MfgDealerInd </MfgDealerInd> [0..1]
<PrimaryDriverInd> PrimaryDriverInd </PrimaryDriverInd> [0..1]
<PaymentAmount> PaymentAmount </PaymentAmount> [0..1]
<MortgageBalance> MortgageBalance </MortgageBalance> [0..1]
<OtherIncome> OtherIncome </OtherIncome> [0..*]
<Privacy> Privacy </Privacy> [0..*]
<EstimatedUsage> EstimatedUsage </EstimatedUsage> [0..1]
<Reference> ReferenceApplicantParty </Reference> [0..*]
</...>
```

### Co-Creditor

These field(s) use this type: **Co-Creditor,Co-Creditor.**

<b>Name</b>	<b>Co-Creditor</b>
<b>Abstract</b>	<b>no</b>

### Data Elements and Components

Field / Component	Description	R/O	Business Rule
PartyId	Party Identification Number	O	
AlternatePartyIds	Alternate organizational party Identification	O	
Name	Company name of organizational party	O	
Address	Organizational Party address	O	
DBAName	Doing Business As name.	O	
Contact	Organizational Party contact information	O	



## Process Credit Application

Field / Component	Description	R/O	Business Rule
Co-CreditorFinancing	Represents applicants other finance information.	O	

### XML Instance Representation

```
<...>
  <PartyId> PartyId </PartyId> [0..1]
  <AlternatePartyIds> OrganizationalPartyAlternatePartyId </AlternatePartyIds> [0..*]
  <Name> CompanyName </Name> [0..1]
  <Address> OrganizationAddress </Address> [0..1]
  <DBAName> DBAName </DBAName> [0..1]
  <Contact> OrganizationContact </Contact> [0..1]
  <Co-CreditorFinancing> Co-CreditorFinancing </Co-CreditorFinancing> [0..1]
</...>
```

### Co-CreditorFinancing

These field(s) use this type: **Co-CreditorFinancing**.

<b>Name</b>	Co-CreditorFinancing
<b>Abstract</b>	no

### Data Elements and Components

Field / Component	Description	R/O	Business Rule
FinanceType	Type of financing Examples may be F- Finance, L - Lease, C-Cash, 1-Retail, 2-Lease, 3-Balloon, etc..	O	
PaymentAmount	Monthly Payment Amount	O	
BalanceAmount	Remaining balance on Current Vehicle	O	
FinalAmount	Last month payment amount	O	
ResidualAmount	Remaining residual on current vehicle	O	
Term	Number of months of contract term	O	
MaturityDate	Month and year of contract maturity	O	

## Process Credit Application

Field / Component	Description	R/O	Business Rule
FinanceCompanyName	Name of Finance Company	O	
WholesaleValueAmount	Actual wholesale value of the vehicle.	O	
TradeAllowanceAmount	Trade Allowance is the second component of the negotiated trade vehicle amount, the primary portion being the wholesale amount of the trade vehicle.	O	
AccountId	Identifies an account number or similary identifier.	O	

### XML Instance Representation

```
<...>
  <FinanceType> FinanceType </FinanceType> [0..1]
  <PaymentAmount> PaymentAmount </PaymentAmount> [0..1]
  <BalanceAmount> BalanceAmount </BalanceAmount> [0..1]
  <FinalAmount> FinalAmount </FinalAmount> [0..1]
  <ResidualAmount> ResidualAmount </ResidualAmount> [0..1]
  <Term> Term </Term> [0..1]
  <MaturityDate> MaturityDate </MaturityDate> [0..1]
  <FinanceCompanyName> FinanceCompanyName </FinanceCompanyName> [0..1]
  <WholesaleValueAmount> WholesaleValueAmount </WholesaleValueAmount> [0..1]
  <TradeAllowanceAmount> TradeAllowanceAmount </TradeAllowanceAmount> [0..1]
  <AccountId> AccountId </AccountId> [0..1]
</...>
```

### CodeType

Unique code name

Name	CodeType
Abstract	no

### Attributes

## Process Credit Application

Field / Component	Description	R/O	Business Rule
listID		O	
listName		O	
listAgencyID		O	
listAgencyName		O	
listVersionID		O	
listURI		O	

### XML Instance Representation

```
<...  
listID="xsd:token [0..1]"  
listName="xsd:string [0..1]"  
listAgencyID="xsd:token [0..1]"  
listAgencyName="xsd:string [0..1]"  
listVersionID="xsd:token [0..1]"  
listURI="xsd:anyURI [0..1]">  
  xsd:string  
</...>
```

### ConfirmableVerb

<b>Name</b>	ConfirmableVerb
<b>Abstract</b>	no

### Attributes

Field / Component	Description	R/O	Business Rule
confirm		R	

## Process Credit Application

### Data Elements and Components

Field / Component	Description	R/O	Business Rule
Verb		R	

### XML Instance Representation

```
<...  
confirm="ConfirmType [0..1]"/>
```

### ContactBase

<b>Name</b>	ContactBase
<b>Abstract</b>	no

### Data Elements and Components

Field / Component	Description	R/O	Business Rule
Telephone	Contact telephone numbers	O	
EMailAddress	Contact Email addresses	O	
Fax	Contact Fax numbers	O	
PreferredContactMethod	Preferred contact method	O	
ContactTime	Preferred contact time (i.e. Best day/time to reach the contact.	O	
PrimaryContactInd	Indicates if contact is primary contact	O	

### XML Instance Representation

```
<...>  
<Telephone> IndividualPartyContactTelephoneNumber </Telephone> [0..*]  
<EMailAddress> IndividualPartyContactEMail </EMailAddress> [0..*]  
<Fax> IndividualPartyContactFax </Fax> [0..*]  
<PreferredContactMethod> PreferredContactMethod </PreferredContactMethod> [0..1]  
<ContactTime> ContactTime </ContactTime> [0..1]
```

## Process Credit Application

---

```
<PrimaryContactInd> PrimaryContactInd </PrimaryContactInd> [0..1]
</...>
```

### ContractDeductible

These field(s) use this type: ContractDeductible.

Amount of Contract Deductible

<b>Name</b>	ContractDeductible
<b>Abstract</b>	no

### XML Instance Representation

```
<...
currency="Currency [1]">
  Amount
</...>
```

### ContractId

These field(s) use this type: ContractId.

Identification of Contract

<b>Name</b>	ContractId
<b>Abstract</b>	no

### XML Instance Representation

```
<...>
  Id
</...>
```

### ContractOrganizationContact

These field(s) use this type: Contact.

## Process Credit Application

<b>Name</b>	<b>ContractOrganizationContact</b>
<b>Abstract</b>	<b>no</b>

### Data Elements and Components

Field / Component	Description	R/O	Business Rule
PersonName	Contact name	O	
Telephone	Contact telephone numbers	O	If the address has a North American country code, the telephone number must be a minimum of 10 numbers.
EMailAddress	Contact Email address	O	Should conform to the Internet message format as set forth by RFC 8822.
Fax	Contact Fax number	O	If the address has a North American country code, the telephone number must be a minimum of 10 numbers.
PreferredContactMethod	Preferred contact method	O	
ContactTime	Preferred contact time (i.e. Best day/time to reach the contact).	O	

### XML Instance Representation

```
<...>
  <PersonName> OrganizationContactPersonNameExtended </PersonName> [0..1]
  <Telephone> OrganizationPartyTelephone </Telephone> [0..*]
  <EMailAddress> OrganizationPartyEmail </EMailAddress> [0..*]
  <Fax> OrganizationPartyFax </Fax> [0..*]
  <PreferredContactMethod> PreferredContactMethodOrganization </PreferredContactMethod> [0..1]
  <ContactTime> ContactTime </ContactTime> [0..1]
</...>
```

### ContractPlanDescription

These field(s) use this type: **ContractPlanDescription**.

## Process Credit Application

---

Description of contract plan. Example: 36 MONTH/36000 MILE"

<b>Name</b>	<b>ContractPlanDescription</b>
<b>Abstract</b>	no

### XML Instance Representation

```
<...  
language="Language [0..1]">  
  Description  
</...>
```

### ContractStartMileage

These field(s) use this type: **ContractStartMileage**.

Odometer reading when contract becomes effective

<b>Name</b>	<b>ContractStartMileage</b>
<b>Abstract</b>	no

### XML Instance Representation

```
<...  
uom="MileageMeasure [0..1]">  
  Mileage  
</...>
```

### ContractTermMileage

These field(s) use this type: **ContractTermMileage**.

Mileage allowed under terms of contract

<b>Name</b>	<b>ContractTermMileage</b>
<b>Abstract</b>	no

## Process Credit Application

---

### XML Instance Representation

```
<...  
uom="MileageMeasure [0..1]">  
  Mileage  
</...>
```

### CostPerMile

These field(s) use this type: CostPerMile.

The cost per mile in excess of the lease agreement.

Name	CostPerMile
Abstract	no

### XML Instance Representation

```
<...  
currency="Currency [1]">  
  Amount  
</...>
```

### Count

Simple quantity type with no attributes

Name	Count
Abstract	no

### XML Instance Representation

```
<...>  
  xsd:integer  
</...>
```

## CreditApplication



## Process Credit Application

---

These field(s) use this type: **CreditApplication**.

STAR Version 5.0 - Draft

STAR Version 4.0, STAR approved 04/20/2005; effective date 07/04/2005

STAR Version 3.0, STAR approved 05/07/2004; effective date 07/04/2004

STAR Version 2.0 STAR approved 04/09/2003; OAGI approved 3/15/2003; effective date 07/04/2003

STAR Version 1.0 STAR approved 01/10/2003; OAGI reviewed 11/08/2002 effective date 01/01/2003

<b>Name</b>	<b>CreditApplication</b>
<b>Abstract</b>	<b>no</b>

### Data Elements and Components

Field / Component	Description	R/O	Business Rule
Header		R	
Detail		R	

### XML Instance Representation

```
<...>  
  <Header> ... </Header> [1]  
  <Detail> ... </Detail> [1]  
</...>
```

## CreditApplicationDetail

These field(s) use this type: **Detail**.

<b>Name</b>	<b>CreditApplicationDetail</b>
<b>Abstract</b>	<b>no</b>

### Data Elements and Components

## Process Credit Application

Field / Component	Description	R/O	Business Rule
CreditVehicle	The vehicle that the Applicant is interested in purchasing	O	
IndividualApplicant	Business party who is applying for vehicle financing	O	
Co-Applicant	Business party who is applying for vehicle financing	O	
OrganizationalApplicant	Business party who is applying for vehicle financing	O	
PrimaryDriver	Primary driver of the vehicle	O	
Financing	represents information on the financing for the vehicle the applicant is interested in.	R	

### XML Instance Representation

```
<...>
  <CreditVehicle> CreditVehicle </CreditVehicle> [0..1]
  <IndividualApplicant> IndividualApplicantPartyExtended </IndividualApplicant> [0..1]
  <Co-Applicant> Co-ApplicantPartyExtended </Co-Applicant> [0..*]
  <OrganizationalApplicant> OrganizationalApplicantPartyExtended </OrganizationalApplicant> [0..1]
  <PrimaryDriver> CreditPrimaryDriver </PrimaryDriver> [0..1]
  <Financing> ApplicationFinancing </Financing> [1]
</...>
```

### CreditApplicationHeader

These field(s) use this type: **Header.**

<b>Name</b>	CreditApplicationHeader
<b>Abstract</b>	no

### Data Elements and Components

Field / Component	Description	R/O	Business Rule
DocumentDateTime	Is the date and time the document was last created. This is not the date and time that the BOD message instance was created.	O	

## Process Credit Application

Field / Component	Description	R/O	Business Rule
SecondaryPassword	Secondary password used to validate access to the dealer information	O	
SecondaryDealerNumber	Identifies secondary dealer number if different than primary "Dealer Number"	O	
DocumentId	The primary DocumentId of the document for the given content.	R	
FinanceCompany	Company receiving the credit application	R	
Dealer	Business party through which the Credit Application is being submitted	O	
ApplicationStatus	Status of credit application	R	
Privacy	Individual Privacy options	O	

### XML Instance Representation

```
<...>
  <DocumentDateTime> DocumentDateTime </DocumentDateTime> [0..1]
  <SecondaryPassword> SecondaryPassword </SecondaryPassword> [0..1]
  <SecondaryDealerNumber> SecondaryDealerNumber </SecondaryDealerNumber> [0..1]
  <DocumentId> DocumentId </DocumentId> [1]
  <FinanceCompany> ExpandedFinanceParty </FinanceCompany> [1]
  <Dealer> DealerParty </Dealer> [0..1]
  <ApplicationStatus> ApplicationStatus </ApplicationStatus> [1]
  <Privacy> Privacy </Privacy> [0..*]
</...>
```

### CreditDetailBase

.

<b>Name</b>	CreditDetailBase
<b>Abstract</b>	no

### Data Elements and Components

## Process Credit Application

Field / Component	Description	R/O	Business Rule
CreditVehicle	The vehicle that the Applicant is interested in purchasing	O	
IndividualApplicant	Business party who is applying for vehicle financing	O	
Co-Applicant	Business party who is applying for vehicle financing	O	
OrganizationalApplicant	Business party who is applying for vehicle financing	O	
PrimaryDriver	Primary driver of the vehicle	O	

### XML Instance Representation

```
<...>
  <CreditVehicle> CreditVehicle </CreditVehicle> [0..1]
  <IndividualApplicant> IndividualApplicantPartyExtended </IndividualApplicant> [0..1]
  <Co-Applicant> Co-ApplicantPartyExtended </Co-Applicant> [0..*]
  <OrganizationalApplicant> OrganizationalApplicantPartyExtended </OrganizationalApplicant> [0..1]
  <PrimaryDriver> CreditPrimaryDriver </PrimaryDriver> [0..1]
</...>
```

### CreditExpandedOption

These field(s) use this type: Option.

<b>Name</b>	CreditExpandedOption
<b>Abstract</b>	no

### Data Elements and Components

Field / Component	Description	R/O	Business Rule
OptionType	An option type for a vehicle or other component. Usually references an OEM supplied list of codes.	O	
OptionName	Name of vehicle option	O	
OptionStockNumber	Stock Number of Vehicle Option	O	
Manufacturer	Manufacturer of Vehicle Option	O	

## Process Credit Application

Field / Component	Description	R/O	Business Rule
OptionPrice	Price of Vehicle Option	O	(INACTIVE)
OptionSecurityCode	Security code to unlock option. (i.e, radio code)n	O	(INACTIVE)
ManufacturerInstalledInd	Indicates manufacturer-installed accessories	O	(INACTIVE)
OptionCost	Actual Dealer cost of option	O	(INACTIVE)
OptionMSRP	Option MSRP	O	(INACTIVE)
OptionOrigin	Identifies the option installer	O	(INACTIVE)
OptionSerialNumber	Serial number of Option	O	(INACTIVE)
ItemId	Part number identifier of Option	O	(INACTIVE)
PartType	Specifies whether the parts are indicated by manufacturer part code or Part Number	O	(INACTIVE)
OptionNotes	Free form text related to option	O	(INACTIVE)
DealerInstallationInd	Dealer installed accessories, before delivery of vehicle - Could be used for new or used vehicle, if applicable	O	
MiscellaneousCode	Miscellaneous codes relating to vehicle (i.e., sales codes)	O	
OptionPackageId	Option package number or identifier used as a method for grouping option package items from manufacturer(s) Ex: OptPkg1,cost,OptPkg1; Item1,nocost,OptPkg1; Item2,nocost,Optpkg1; Item3,cost,nullOptPkg; OptPkg2,cost,Optpkg2; Item5,nocost,OptPkg2Â#Â¢Â#Â#Â#Â#	O	(INACTIVE)
OptionSalesCode	Further definition of accessories and option packages - Indicates whether O ordered option, special package, standard, etc.	O	(INACTIVE)
PortInstalledInd	Indicates Port-installed accessories	O	(INACTIVE)

## Process Credit Application

Field / Component	Description	R/O	Business Rule
RemovedInd	Indicates if the option is removed from the vehicle.	O	
OptionPricingGroup	Grouped option price informationGrouped option price information	O	
OptionResidualValueAmount	Residual value of option.	O	

### XML Instance Representation

```

<...>
  <OptionType> OptionType </OptionType> [0..1]
  <OptionName> OptionName </OptionName> [0..1]
  <OptionStockNumber> OptionStockNumber </OptionStockNumber> [0..1]
  <Manufacturer> Manufacturer </Manufacturer> [0..1]
  <OptionPrice> OptionPrice </OptionPrice> [0..1]
  <OptionSecurityCode> OptionSecurityCode </OptionSecurityCode> [0..1]
  <ManufacturerInstalledInd> ManufacturerInstalledInd </ManufacturerInstalledInd> [0..1]
  <OptionCost> OptionCost </OptionCost> [0..1]
  <OptionMSRP> OptionMSRP </OptionMSRP> [0..1]
  <OptionOrigin> OptionOrigin </OptionOrigin> [0..1]
  <OptionSerialNumber> OptionSerialNumber </OptionSerialNumber> [0..1]
  <ItemId> ItemId </ItemId> [0..1]
  <PartType> PartType </PartType> [0..1]
  <OptionNotes> OptionNotes </OptionNotes> [0..1]
  <DealerInstallationInd> DealerInstallationInd </DealerInstallationInd> [0..1]
  <MiscellaneousCode> MiscellaneousCode </MiscellaneousCode> [0..*]
  <OptionPackageId> OptionPackageId </OptionPackageId> [0..1]
  <OptionSalesCode> OptionSalesCode </OptionSalesCode> [0..1]
  <PortInstalledInd> PortInstalledInd </PortInstalledInd> [0..1]
  <RemovedInd> RemovedInd </RemovedInd> [0..1]
  <OptionPricingGroup> OptionPricingGroup </OptionPricingGroup> [0..1]
  <OptionResidualValueAmount> OptionResidualValueAmount </OptionResidualValueAmount> [0..1]
</...>

```

### CreditHeaderBase

Name	CreditHeaderBase
------	------------------

## Process Credit Application

### Abstract

no

### Data Elements and Components

Field / Component	Description	R/O	Business Rule
DocumentDateTime	Is the date and time the document was last created. This is not the date and time that the BOD message instance was created.	O	
SecondaryPassword	Secondary password used to validate access to the dealer information	O	
SecondaryDealerNumber	Identifies secondary dealer number if different than primary "Dealer Number"	O	
DocumentId	The primary DocumentId of the document for the given content.	R	
FinanceCompany	Company receiving the credit application	R	
Dealer	Business party through which the Credit Application is being submitted	O	
ApplicationStatus	Status of credit application	R	

### XML Instance Representation

```
<...>
  <DocumentDateTime> DocumentDateTime </DocumentDateTime> [0..1]
  <SecondaryPassword> SecondaryPassword </SecondaryPassword> [0..1]
  <SecondaryDealerNumber> SecondaryDealerNumber </SecondaryDealerNumber> [0..1]
  <DocumentId> DocumentId </DocumentId> [1]
  <FinanceCompany> ExpandedFinanceParty </FinanceCompany> [1]
  <Dealer> DealerParty </Dealer> [0..1]
  <ApplicationStatus> ApplicationStatus </ApplicationStatus> [1]
</...>
```

### CreditLifePremiumAmount

These field(s) use this type: **CreditLifePremiumAmount**.

Indicates the amount of credit life premium insurance being purchased for the vehicle.

### Name

CreditLifePremiumAmount

## Process Credit Application

**Abstract** no

### XML Instance Representation

```
<...  
currency="Currency [1]">  
  Amount  
</...>
```

### CreditPrimaryDriver

These field(s) use this type: **PrimaryDriver**.

**Name** CreditPrimaryDriver

**Abstract** no

### Data Elements and Components

Field / Component	Description	R/O	Business Rule
PartyId	Party Identification Number	O	
AlternatePartyIds	Individual party alternate party Identification	O	
PersonName	Individual party name	O	
Address	Individual party address	O	
Contact	Individual party contact information	O	
RelationshipCode	Indicates the Business Party's relationship to the primary Party (e.g., mother, father, husband, etc.)	O	
RelationshipDescription	Free form text field describing the relationship of the business party to the primary party.	O	
Privacy	Any privacy rights the party has subscribed to or opted out of.	O	
PrimaryDriverInd	Identifies the customer as the primary driver.	O	(INACTIVE)



## Process Credit Application

Field / Component	Description	R/O	Business Rule
EstimatedUsage	Communicates the party's estimated percent of usage of the vehicle.	O	(INACTIVE)

### XML Instance Representation

```
<...>
  <PartyId> PartyId </PartyId> [0..1]
  <AlternatePartyIds> IndividualPartyAlternatePartyId </AlternatePartyIds> [0..*]
  <PersonName> IndividualApplicantPersonName </PersonName> [0..1]
  <Address> IndividualApplicantAddress </Address> [0..*]
  <Contact> IndividualApplicantContact </Contact> [0..1]
  <RelationshipCode> RelationshipCode </RelationshipCode> [0..1]
  <RelationshipDescription> RelationshipDescription </RelationshipDescription> [0..1]
  <Privacy> Privacy </Privacy> [0..*]
  <PrimaryDriverInd> PrimaryDriverInd </PrimaryDriverInd> [0..1]
  <EstimatedUsage> EstimatedUsage </EstimatedUsage> [0..1]
</...>
```

### CreditVehicle

These field(s) use this type: **CreditVehicle**.

<b>Name</b>	<b>CreditVehicle</b>
<b>Abstract</b>	<b>no</b>

### Data Elements and Components

Field / Component	Description	R/O	Business Rule
Model	Manufacturer-assigned model code of vehicle - Usually available in the VIN number (use NCIC code)	O	
ModelYear	Vehicle designated model year	O	
ModelDescription	Descriptive vehicle model name	O	

## Process Credit Application

Field / Component	Description	R/O	Business Rule
Make	Vehicle make code - Usually available in the VIN number (use NCIC code).	O	
SaleClass	Class of Sale	O	
Condition	Condition of Vehicle - Example: Excellent, Good, Fair, Poor, Unknown	O	
CertifiedPreownedInd	Identifies as a certified Pre-Owned Vehicle	O	
VehicleNote	Any vehicle related notes	O	
VIN	Federally defined 17 position vehicle identification number	O	
DeliveryMileage	Odometer reading of vehicle at time of delivery	O	
VehicleStock	Dealer assigned vehicle stock number	O	
TrimCode	Manufacturer assigned trim code	O	
DoorsQuantity	Number of doors on vehicle	O	
BodyStyle	Manufacturer-assigned vehicle body style	O	
InteriorColor	Vehicle Interior Color(s)	O	
ExteriorColor	Vehicle Exterior Color(s)	O	
TransmissionType	Vehicle Transmission type	O	
OdometerStatus	Status of odometer at trade-in. Example:: Replaced, Tampered, Miles> 90,000, etc.	O	
NonUSVehicleInd	Indicates whether the vehicle was produced for the United States or not	O	
VehicleDemoInd	Indicates whether vehicle was ever a demo	O	
LicenseNumber	State License plate number of vehicle	O	
BrandedInfo	Vehicle Branding Information	O	
RestrictionInd	Indication that vehicle has restrictions on its use	O	
RestrictionDescription	Description of vehicle use restrictions	O	

## Process Credit Application

Field / Component	Description	R/O	Business Rule
TelematicsServiceInd	Indication whether Telematics Service Subscription is turned on	O	
Option	Vehicle Options	O	
Pricing	Price of Vehicle	O	
CollateralType	Type used to classify a vehicle. EX: Auto, Light, Trailer, Motor Home, Conversion Van, Trailer (non-rec), Other, etc.	O	
NumberOfEngineCylinders	Represents the number of cylinders in the vehicle engine.	O	
VanConversionPercentage	Percentage of conversion package added to a vehicle.	O	
VanConversionCost	Cost of conversion package added to a vehicle.	O	
AuctionInd	Indicates that the used vehicle has come from an auction.	O	
InvoiceNumber	Invoice number of vehicle.	O	(INACTIVE)
VehicleWeight	Vehicle Weight	O	(INACTIVE)
VehicleUse	Indicates the use of the vehicle (i.e., Agricultural, Commercial, Personal, Other).	O	
NumberOfUnits	Number of units of described make and model being financed.	O	
EngineType	Describes the type of engine (diesel, gas, or other).	O	
IgnitionKeyNumber	Number of ignition key.	O	
SecondKeyNumber	Number of second key (e.g., trunk, valet, etc.).	O	
LicenseNumberStateOrProvince	State or province where vehicle is licensed.	O	
ReportOfSaleNumber	Auditable number used to track titling etc. This is an alphanumeric text field.	O	
OtherVehicleUseDescription	Text description of $\tilde{A}\# \hat{A} \zeta \hat{A} \# \hat{A} \# \text{Other} \tilde{A} \# \hat{A} ; \tilde{A} \# \hat{A} \frac{3}{4} \tilde{A} \# \hat{A} \zeta$ Vehicle Use.	O	
PublicConveyanceInd	Indicator of whether the vehicle is intended for public conveyance, e.g., taxi.	O	

## Process Credit Application

Field / Component	Description	R/O	Business Rule
SeriesName	OEM assigned series information of vehicle. EX: GSL, XLT, etc.	O	
TotalOptionsAmount	Total amount of options and accessories.	O	
UsedVehicleCertificationNumber	Certification number verifying certification.	O	
DefectDisclosureDescription	Identifies disclosures for known defects.	O	
TireDescription	This is a description of the tires on the vehicle. For example, number and O size tires.	O	
LoadCapacity	This is a description of the tires on the vehicle. For example, number and O size tires.	O	
RepairsAccessoriesOrderNumber	Customer's purchase order number for dealer's repairs and accessories on O the purchased vehicle.	O	
VehicleOwnership	Designation of actual owner(s) of the purchased vehicle. This may be different from the entity signing the contract.	O	
MileageValuationAdjustmentAmt	Positive or negative dollar amount indicating addition or subtraction to base value of the used vehicle.	O	
AirConditionInd	Indicates whether or not the vehicle has air condition	O	
PriorVehicleUseCode	Indicates the prior use of the vehicle.	O	
DealerProducts	Additional products and/or agreements added and/or sold by the dealer. Non-Residualized itemsthat are included in either total cash price, gross capitalized cost, or paid up front.	O	
VehicleLengthMeasure	Length of the vehicle.	O	
Chassis	A general term that refers to all of the mechanical parts of a car attached to a structural frame. In cars with unitized construction, the chassis comprises everything but the body of the car.	O	
BrakeType	Describes what type of brakes the vehicle has.	O	
SteeringSystem	System required to steer the engine.	O	

## XML Instance Representation

## Process Credit Application

```
<...>
<Model> Model </Model> [0..1]
<ModelYear> ModelYear </ModelYear> [0..1]
<ModelDescription> ModelDescription </ModelDescription> [0..1]
<Make> Make </Make> [0..1]
<SaleClass> SaleClass </SaleClass> [0..1]
<Condition> Condition </Condition> [0..1]
<CertifiedPreownedInd> CertifiedPreownedInd </CertifiedPreownedInd> [0..1]
<VehicleNote> VehicleNote </VehicleNote> [0..*]
<VIN> VIN </VIN> [0..1]
<DeliveryMileage> DeliveryMileage </DeliveryMileage> [0..1]
<VehicleStock> VehicleStock </VehicleStock> [0..1]
<TrimCode> TrimCode </TrimCode> [0..1]
<DoorsQuantity> DoorsQuantity </DoorsQuantity> [0..1]
<BodyStyle> BodyStyle </BodyStyle> [0..1]
<InteriorColor> InteriorColor </InteriorColor> [0..*]
<ExteriorColor> ExteriorColor </ExteriorColor> [0..*]
<TransmissionType> TransmissionType </TransmissionType> [0..1]
<OdometerStatus> OdometerStatus </OdometerStatus> [0..1]
<NonUSVehicleInd> NonUSVehicleInd </NonUSVehicleInd> [0..1]
<VehicleDemoInd> VehicleDemoInd </VehicleDemoInd> [0..1]
<LicenseNumber> LicenseNumber </LicenseNumber> [0..1]
<BrandedInfo> BrandedInfo </BrandedInfo> [0..1]
<RestrictionInd> RestrictionInd </RestrictionInd> [0..1]
<RestrictionDescription> RestrictionDescription </RestrictionDescription> [0..1]
<TelematicsServiceInd> TelematicsServiceInd </TelematicsServiceInd> [0..1]
<Option> CreditExpandedOption </Option> [0..*]
<Pricing> CreditVehiclePricing </Pricing> [0..*]
<CollateralType> CollateralType </CollateralType> [0..1]
<NumberOfEngineCylinders> NumberOfEngineCylinders </NumberOfEngineCylinders> [0..1]
<VanConversionPercentage> VanConversionPercentage </VanConversionPercentage> [0..1]
<VanConversionCost> VanConversionCost </VanConversionCost> [0..1]
<AuctionInd> AuctionInd </AuctionInd> [0..1]
<InvoiceNumber> InvoiceNumber </InvoiceNumber> [0..1]
<VehicleWeight> VehicleWeight </VehicleWeight> [0..1]
<VehicleUse> VehicleUse </VehicleUse> [0..1]
<NumberOfUnits> NumberOfUnits </NumberOfUnits> [0..1]
```

## Process Credit Application

```
<EngineType> EngineType </EngineType> [0..1]
<IgnitionKeyNumber> IgnitionKeyNumber </IgnitionKeyNumber> [0..1]
<SecondKeyNumber> SecondKeyNumber </SecondKeyNumber> [0..1]
<LicenseNumberStateOrProvince> LicenseNumberStateOrProvince </LicenseNumberStateOrProvince> [0..1]
<ReportOfSaleNumber> ReportOfSaleNumber </ReportOfSaleNumber> [0..1]
<OtherVehicleUseDescription> OtherVehicleUseDescription </OtherVehicleUseDescription> [0..1]
<PublicConveyanceInd> PublicConveyanceInd </PublicConveyanceInd> [0..1]
<SeriesName> SeriesName </SeriesName> [0..1]
<TotalOptionsAmount> TotalOptionsAmount </TotalOptionsAmount> [0..1]
<UsedVehicleCertificationNumber> UsedVehicleCertificationNumber </UsedVehicleCertificationNumber> [0..1]
<DefectDisclosureDescription> DefectDisclosureDescription </DefectDisclosureDescription> [0..*]
<TireDescription> TireDescription </TireDescription> [0..1]
<LoadCapacity> LoadCapacity </LoadCapacity> [0..1]
<RepairsAccessoriesOrderNumber> RepairsAccessoriesOrderNumber </RepairsAccessoriesOrderNumber> [0..1]
<VehicleOwnership> VehicleOwnership </VehicleOwnership> [0..1]
<MileageValuationAdjustmentAmt> MileageValuationAdjustmentAmt </MileageValuationAdjustmentAmt> [0..1]
<AirConditionInd> AirConditionInd </AirConditionInd> [0..1]
<PriorVehicleUseCode> PriorVehicleUseCode </PriorVehicleUseCode> [0..1]
<DealerProducts> DealerProducts </DealerProducts> [0..*]
<VehicleLengthMeasure> VehicleLengthMeasure </VehicleLengthMeasure> [0..1]
<Chassis> Chassis </Chassis> [0..1]
<BrakeType> BrakeType </BrakeType> [0..1]
<SteeringSystem> SteeringSystem </SteeringSystem> [0..1]
</...>
```

### CreditVehiclePricing

These field(s) use this type: **Pricing**.

<b>Name</b>	<b>CreditVehiclePricing</b>
<b>Abstract</b>	<b>no</b>

#### Data Elements and Components

Field / Component	Description	R/O	Business Rule
VehiclePrice	Customer price of vehicle	R	

## Process Credit Application

Field / Component	Description	R/O	Business Rule
PriceExplanation	Explanatory Note for Pricing Example: Anniversary Edition	O	
VehiclePricingType	Designates type of pricing for vehicle transaction	O	
PricingTypeSource	Source from which pricing type data originated (i.e. Blue Book, NADA, etc.) Deprecated: Use VehiclePricingTypeSource	O	
VehiclePricingTypeSource	Source from which pricing type data originated (i.e. Blue Book, NADA, etc.)	O	

### XML Instance Representation

```
<...>
  <VehiclePrice> VehiclePrice </VehiclePrice> [1]
  <PriceExplanation> PriceExplanation </PriceExplanation> [0..1]
  <VehiclePricingType> VehiclePricingType </VehiclePricingType> [0..1]
  <PricingTypeSource> PricingTypeSource </PricingTypeSource> [0..1]
  <VehiclePricingTypeSource> VehiclePricingTypeSource </VehiclePricingTypeSource> [0..1]
</...>
```

### CurrentAssetsAmount

These field(s) use this type: **CurrentAssetsAmount**.

Assets that a company has at its disposal that can be easily converted into cash within one operating cycle.

<b>Name</b>	<b>CurrentAssetsAmount</b>
<b>Abstract</b>	<b>no</b>

### XML Instance Representation

```
<...
currency="Currency [1]">
  Amount
</...>
```

### CurrentAssetsLiabilitiesRatio

## Process Credit Application

These field(s) use this type: CurrentAssetsLiabilitiesRatio.

Ratio of Current Assets to Liabilities of organization.

<b>Name</b>	<b>CurrentAssetsLiabilitiesRatio</b>
<b>Abstract</b>	<b>no</b>

### XML Instance Representation

```
<...>  
  Ratio  
</...>
```

## CurrentFinancing

<b>Name</b>	<b>CurrentFinancing</b>
<b>Abstract</b>	<b>no</b>

### Data Elements and Components

Field / Component	Description	R/O	Business Rule
FinanceType	Type of financing Examples may be F- Finance, L - Lease, C-Cash, 1-Retail, 2-Lease, 3-Balloon, etc..	O	
PaymentAmount	Monthly Payment Amount	O	
BalanceAmount	Remaining balance on Current Vehicle	O	
FinalAmount	Last month payment amount	O	
ResidualAmount	Remaining residual on current vehicle	O	
Term	Number of months of contract term	O	
MaturityDate	Month and year of contract maturity	O	
FinanceCompanyName	Name of Finance Company	O	
WholesaleValueAmount	Actual wholesale value of the vehicle.	O	



## Process Credit Application

Field / Component	Description	R/O	Business Rule
TradeAllowanceAmount	Trade Allowance is the second component of the negotiated trade vehicle O amount, the primary portion being the wholesale amount of the trade vehicle.		

### XML Instance Representation

```
<...>
  <FinanceType> FinanceType </FinanceType> [0..1]
  <PaymentAmount> PaymentAmount </PaymentAmount> [0..1]
  <BalanceAmount> BalanceAmount </BalanceAmount> [0..1]
  <FinalAmount> FinalAmount </FinalAmount> [0..1]
  <ResidualAmount> ResidualAmount </ResidualAmount> [0..1]
  <Term> Term </Term> [0..1]
  <MaturityDate> MaturityDate </MaturityDate> [0..1]
  <FinanceCompanyName> FinanceCompanyName </FinanceCompanyName> [0..1]
  <WholesaleValueAmount> WholesaleValueAmount </WholesaleValueAmount> [0..1]
  <TradeAllowanceAmount> TradeAllowanceAmount </TradeAllowanceAmount> [0..1]
</...>
```

### CurrentLiabilitiesAmount

These field(s) use this type: CurrentLiabilitiesAmount.

The liabilities to be paid within one year of the balance sheet date.

Name	CurrentLiabilitiesAmount
Abstract	no

### XML Instance Representation

```
<...
currency="Currency [1]">
  Amount
</...>
```

### DealerParty

## Process Credit Application

These field(s) use this type: **Dealer**.

<b>Name</b>	<b>DealerParty</b>
<b>Abstract</b>	<b>no</b>

### Data Elements and Components

Field / Component	Description	R/O	Business Rule
PartyId	Party Identification Number	O	
DealerName	Dealer name	O	
DistrictCode	Manufacturer Assigned District Code	O	
URI	Dealer URI	O	
ZoneCode	Manufacturer Assigned Zone Code	O	
Address	Dealer party address	O	
SalesContact	Dealer party contact information	O	
SalesPersonName	Name of Salesperson. Format for name should be "First Last" with no commas between first and last name	O	If the SalesPersonName and the Contact PersonName are the same, the Contact PersonName shall not be populated
DepartmentType	Identifies the internal department	O	(INACTIVE)
OrganizationId	Member Identification number of affiliate organization	O	
OrganizationName	OrganizationName	O	
SelectionMethod	Method used to select dealer Example: PF for preferred, PM for PMA, DI for distance, etc.	O	(INACTIVE)

### XML Instance Representation

```
<...>
  <PartyId> PartyId </PartyId> [0..1]
  <DealerName> DealerName </DealerName> [0..1]
```

## Process Credit Application

```
<DistrictCode> DistrictCode </DistrictCode> [0..1]
<URI> URI </URI> [0..1]
<ZoneCode> ZoneCode </ZoneCode> [0..1]
<Address> OrganizationAddress </Address> [0..1]
<SalesContact> OrganizationContact </SalesContact> [0..1]
<SalesPersonName> SalesPersonName </SalesPersonName> [0..1]
<DepartmentType> DepartmentType </DepartmentType> [0..1]
<OrganizationId> OrganizationId </OrganizationId> [0..1]
<OrganizationName> OrganizationName </OrganizationName> [0..1]
<SelectionMethod> SelectionMethod </SelectionMethod> [0..1]
</...>
```

### DealerPartyBase

<b>Name</b>	DealerPartyBase
<b>Abstract</b>	no

### Data Elements and Components

Field / Component	Description	R/O	Business Rule
PartyId	Party Identification Number	O	
DealerName	Dealer name	O	
DistrictCode	Manufacturer Assigned District Code	O	
URI	Dealer URI	O	
ZoneCode	Manufacturer Assigned Zone Code	O	

### XML Instance Representation

```
<...>
  <PartyId> PartyId </PartyId> [0..1]
  <DealerName> DealerName </DealerName> [0..1]
  <DistrictCode> DistrictCode </DistrictCode> [0..1]
  <URI> URI </URI> [0..1]
```

## Process Credit Application

```
<ZoneCode> ZoneCode </ZoneCode> [0..1]
</...>
```

### DealerProducts

These field(s) use this type: **DealerProducts**.

Additional products and/or agreements added and/or sold by the dealer. Non-Residualized items that are included in either total cash price, gross capitalized cost, or paid up front.

<b>Name</b>	<b>DealerProducts</b>
<b>Abstract</b>	<b>no</b>

### Data Elements and Components

Field / Component	Description	R/O	Business Rule
DealerProductsType	Describes the type of product	O	
DealerProductsAmount	Describes the amount of product	O	
DealerProductsPaidFor	Describes for whom the fee is to be paid	O	
DealerProductsPaidTo	Describes whom the fee is to be paid.	O	
DealerProductsCapitalizedInd	Indicates whether the item is capitalized or not capitalized if part of an lease.	O	
PreferredProviderInd	Indicates whether the provider is a preferred provider.	O	

### XML Instance Representation

```
<...>
  <DealerProductsType> DealerProductsType </DealerProductsType> [0..1]
  <DealerProductsAmount> DealerProductsAmount </DealerProductsAmount> [0..1]
  <DealerProductsPaidFor> DealerProductsPaidFor </DealerProductsPaidFor> [0..1]
  <DealerProductsPaidTo> DealerProductsPaidTo </DealerProductsPaidTo> [0..1]
  <DealerProductsCapitalizedInd> DealerProductsCapitalizedInd </DealerProductsCapitalizedInd> [0..1]
  <PreferredProviderInd> PreferredProviderInd </PreferredProviderInd> [0..1]
</...>
```

## Process Credit Application

---

### DealerProductsAmount

These field(s) use this type: DealerProductsAmount.

The amount for the dealer product

<b>Name</b>	DealerProductsAmount
<b>Abstract</b>	no

### XML Instance Representation

```
<...  
  currency="Currency [1]">  
    Amount  
</...>
```

### DealerRebateAmount

These field(s) use this type: DealerRebateAmount.

Dealer Rebate amount.

<b>Name</b>	DealerRebateAmount
<b>Abstract</b>	no

### XML Instance Representation

```
<...  
  currency="Currency [1]">  
    Amount  
</...>
```

### DebtNetWorthRatio

These field(s) use this type: DebtNetWorthRatio.

Ratio of Debt to Net Worth of organization.

## Process Credit Application

---

<b>Name</b>	DebtNetWorthRatio
<b>Abstract</b>	no

### XML Instance Representation

```
<...>  
  Ratio  
</...>
```

## DefaultCurrency

These field(s) use this type: DefaultCurrency.

Currency used for transactions

<b>Name</b>	DefaultCurrency
<b>Abstract</b>	no

### XML Instance Representation

```
<...>  
  Currency  
</...>
```

## DefectDisclosureDescription

These field(s) use this type: DefectDisclosureDescription.

Identifies disclosures for known defects.

<b>Name</b>	DefectDisclosureDescription
<b>Abstract</b>	no

### XML Instance Representation

```
<...  
  language="Language [0..1]">
```

## Process Credit Application

---

Description  
</...>

### DeferredDownPaymentAmount

These field(s) use this type: DeferredDownPaymentAmount.

Deferred Down Payment amount.

<b>Name</b>	DeferredDownPaymentAmount
<b>Abstract</b>	no

### XML Instance Representation

```
<...  
  currency="Currency [1]">  
    Amount  
</...>
```

### DeliveryMileage

These field(s) use this type: DeliveryMileage,DeliveryMileage.

Odometer reading of vehicle at time of delivery

<b>Name</b>	DeliveryMileage
<b>Abstract</b>	no

### XML Instance Representation

```
<...  
  uom="MileageMeasure [0..1]">  
    Mileage  
</...>
```

### Dependents

These field(s) use this type: Dependents.

## Process Credit Application

Name	Dependents
Abstract	no

### Data Elements and Components

Field / Component	Description	R/O	Business Rule
NumberOfDependents	Total number of dependents in household.	O	

### XML Instance Representation

```
<...>  
  <NumberOfDependents> NumberOfDependents </NumberOfDependents> [0..1]  
</...>
```

## Description

Description

Name	Description
Abstract	no

### Attributes

Field / Component	Description	R/O	Business Rule
language	The ISO language code that the description is written.	O	

### XML Instance Representation

```
<...  
language="Language [0..1]">  
  xsd:string  
</...>
```

## Destination



## Process Credit Application

These field(s) use this type: **Destination.**

<b>Name</b>	<b>Destination</b>
<b>Abstract</b>	<b>no</b>

### Data Elements and Components

Field / Component	Description	R/O	Business Rule
DestinationNameCode	Code for destination of file (i.e.Short Manufacturer or DSP code)	O	Must use a valid code from the ShortMfg/RSP list on <a href="http://www.starstandards.org">http://www.starstandards.org</a>
DestinationURI	Physical address of the destination	O	
DestinationSoftwareCode	Additional information about the destination application	O	
DestinationSoftware	For which software destination file is intended (may not be known).	O	
DealerNumber	Target Dealer Code receiving information	O	
StoreNumber	Dealer code store number (DMS assigned)	O	
AreaNumber	Dealer code area number (DMS vendor assigned)	O	
DealerCountry	Target Dealer country location	O	
PartyId	The Party Id field uniquely identifies the Receiver of the message. This element can be used for parties within the Automotive Community as well as external parties. Party Id is not intended as a replacement for the Dealer Number. Suggested formats for OEMs or other large institutions include: DUNs Number, ShortMfgCode + DUNs, or ShortMfgCode. The suggested format for Dealers is: ShortMfgCode+Dealer Number.	O	
LocationId	The Location Id field uniquely identifies the location of the Receiver of a O message. This Id may be aligned with a physical address or data centers. This field provides an additional level of granularity beyond the usage of the Party Id for additional routing and deliver of data.		
ServiceId	The Service Id field identifies the particular service to which a message is being sent, e.g., an inventory service.	O	

## Process Credit Application

### XML Instance Representation

```
<...>
  <DestinationNameCode> ShortMfg </DestinationNameCode> [0..1]
  <DestinationURI> URI </DestinationURI> [0..1]
  <DestinationSoftwareCode> Text </DestinationSoftwareCode> [0..1]
  <DestinationSoftware> Text </DestinationSoftware> [0..1]
  <DealerNumber> PartyId </DealerNumber> [0..1]
  <StoreNumber> Text </StoreNumber> [0..1]
  <AreaNumber> Text </AreaNumber> [0..1]
  <DealerCountry> Country </DealerCountry> [0..1]
  <PartyId> PartyId </PartyId> [0..1]
  <LocationId> LocationId </LocationId> [0..1]
  <ServiceId> ServiceId </ServiceId> [0..1]
</...>
```

### Dimension

Dimension measurement

Name	Dimension
Abstract	no

### Attributes

Field / Component	Description	R/O	Business Rule
uom		R	

### XML Instance Representation

```
<...
uom="DimensionMeasure [1]">
  xsd:decimal
</...>
```

### DisabilityPremiumAmount

## Process Credit Application

---

These field(s) use this type: **DisabilityPremiumAmount**.

Indicates amount of disability premium insurance being purchased for the vehicle.

<b>Name</b>	<b>DisabilityPremiumAmount</b>
<b>Abstract</b>	<b>no</b>

### XML Instance Representation

```
<...  
  currency="Currency [1]">  
    Amount  
</...>
```

## DocumentId

These field(s) use this type: **DocumentId**.

Is the identifier for the document.

<b>Name</b>	<b>DocumentId</b>
<b>Abstract</b>	<b>no</b>

### XML Instance Representation

```
<...>  
  Id  
</...>
```

## DoorsQuantity

These field(s) use this type: **DoorsQuantity**.

Number of doors on vehicle

<b>Name</b>	<b>DoorsQuantity</b>
<b>Abstract</b>	<b>no</b>

## Process Credit Application

---

### XML Instance Representation

```
<...>
  Count
</...>
```

### DownPaymentAmount

These field(s) use this type: **DownPaymentAmount**.

Down Payment amount or amount of cap cost reduction.

<b>Name</b>	<b>DownPaymentAmount</b>
<b>Abstract</b>	no

### XML Instance Representation

```
<...
currency="Currency [1]">
  Amount
</...>
```

### EarnedSurplusAmount

These field(s) use this type: **EarnedSurplusAmount**.

Prior years earnings not paid out as dividends, i.e., Retained Earnings.

<b>Name</b>	<b>EarnedSurplusAmount</b>
<b>Abstract</b>	no

### XML Instance Representation

```
<...
currency="Currency [1]">
  Amount
</...>
```

## Process Credit Application

### EmployerParty

These field(s) use this type: **Employer.**

<b>Name</b>	EmployerParty
<b>Abstract</b>	no

#### Data Elements and Components

Field / Component	Description	R/O	Business Rule
PartyId	Party Identification Number	O	
AlternatePartyIds	Alternate organizational party Identification	O	
Name	Company name of organizational party	O	
Address	Organizational Party address	O	
DBAName	Doing Business As name.	O	
Contact	Organizational Party contact information	O	
Income	Gross amount of income generated by party	O	
Occupation	Occupation of business party	R	
PeriodOfEmployment	Identifies the length of time a business party was employed.	O	
EmploymentCode	Code that indicates whether the employment information identified is for O current employment or pervious employment.		
EmploymentStatus	Identifies the business party's status of employment. EX: Full, part time, etc.	O	
SelfEmployedInd	Indicates whether or not the applicant is self-employed.	O	

#### XML Instance Representation

```
<...>
  <PartyId> PartyId </PartyId> [0..1]
  <AlternatePartyIds> OrganizationalPartyAlternatePartyId </AlternatePartyIds> [0..*]
```

## Process Credit Application

```
<Name> CompanyName </Name> [0..1]
<Address> OrganizationAddress </Address> [0..1]
<DBAName> DBAName </DBAName> [0..1]
<Contact> OrganizationContact </Contact> [0..1]
<Income> Income </Income> [0..*]
<Occupation> Occupation </Occupation> [1]
<PeriodOfEmployment> PeriodOfEmployment </PeriodOfEmployment> [0..*]
<EmploymentCode> EmploymentCode </EmploymentCode> [0..1]
<EmploymentStatus> EmploymentStatus </EmploymentStatus> [0..1]
<SelfEmployedInd> SelfEmployedInd </SelfEmployedInd> [0..1]
</...>
```

### EstimatedAnnualMileage

These field(s) use this type: EstimatedAnnualMileage.

Estimated annual mileage of the contract.

Name	EstimatedAnnualMileage
Abstract	no

### XML Instance Representation

```
<...
uom="MileageMeasure [0..1]">
  Mileage
</...>
```

### EstimatedUsage

These field(s) use this type: EstimatedUsage,EstimatedUsage,EstimatedUsage.

Communicates the party's estimated percent of usage of the vehicle.

Name	EstimatedUsage
Abstract	no

## Process Credit Application

---

### XML Instance Representation

```
<...>
  Percent
</...>
```

### ExcessMilesPerYear

These field(s) use this type: **ExcessMilesPerYear**.

Estimated number of miles above the contracted annual mileage.

<b>Name</b>	<b>ExcessMilesPerYear</b>
<b>Abstract</b>	no

### XML Instance Representation

```
<...
uom="MileageMeasure [0..1]">
  Mileage
</...>
```

### ExpandedFinanceParty

These field(s) use this type: **FinanceCompany**.

<b>Name</b>	<b>ExpandedFinanceParty</b>
<b>Abstract</b>	no

### Data Elements and Components

Field / Component	Description	R/O	Business Rule
PartyId	Party Identification Number	O	
AlternatePartyIds	Alternate organizational party Identification	O	
Name	Company name of organizational party	O	

## Process Credit Application

Field / Component	Description	R/O	Business Rule
Address	Organizational Party address	O	
DBAName	Doing Business As name.	O	
BranchCode	Manufacturer branch code.	O	
CompanyCode	Manufacturer company code.	O	
DivisionCode	Manufacturer division code.	O	
ServiceCenterCode	Manufacturer service center code.	O	
Contact	Organizational Party contact information	O	(INACTIVE)
HoldingCompany	The company that is securing or underwriting the loan.	O	
URI	Website of Finance Source. This is the consumer-facing URI.	O	

### XML Instance Representation

```
<...>
  <PartyId> PartyId </PartyId> [0..1]
  <AlternatePartyIds> OrganizationalPartyAlternatePartyId </AlternatePartyIds> [0..*]
  <Name> CompanyName </Name> [0..1]
  <Address> OrganizationAddress </Address> [0..1]
  <DBAName> DBAName </DBAName> [0..1]
  <BranchCode> BranchCode </BranchCode> [0..1]
  <CompanyCode> CompanyCode </CompanyCode> [0..1]
  <DivisionCode> DivisionCode </DivisionCode> [0..1]
  <ServiceCenterCode> ServiceCenterCode </ServiceCenterCode> [0..1]
  <Contact> ContractOrganizationContact </Contact> [0..*]
  <HoldingCompany> HoldingCompany </HoldingCompany> [0..1]
  <URI> URI </URI> [0..1]
</...>
```

### Fee

These field(s) use this type: **Fee**.



## Process Credit Application

<b>Name</b>	<b>Fee</b>
<b>Abstract</b>	<b>no</b>

### Data Elements and Components

Field / Component	Description	R/O	Business Rule
FeeType	Designates the type of fee being applied.	O	
FeeDescription	Describes the type of fee being applied.	O	
FeeAmount	Describes the type of fee being applied.	O	
FeePaidTo	Describes to whom the fee is to be paid.	O	

### XML Instance Representation

```
<...>
  <FeeType> FeeType </FeeType> [0..1]
  <FeeDescription> FeeDescription </FeeDescription> [0..1]
  <FeeAmount> FeeAmount </FeeAmount> [0..1]
  <FeePaidTo> FeePaidTo </FeePaidTo> [0..1]
</...>
```

### FeeAmount

These field(s) use this type: **FeeAmount**.

The amount of the fee being applied.

<b>Name</b>	<b>FeeAmount</b>
<b>Abstract</b>	<b>no</b>

### XML Instance Representation

```
<...
currency="Currency [1]">
  Amount
</...>
```

## Process Credit Application

---

### FeeDescription

These field(s) use this type: **FeeDescription**.

Describes the type of fee being applied.

<b>Name</b>	<b>FeeDescription</b>
<b>Abstract</b>	<b>no</b>

### XML Instance Representation

```
<...  
  language="Language [0..1]">  
    Description  
</...>
```

### FeePaidTo

These field(s) use this type: **FeePaidTo**.

Describes to whom the fee is to be paid.

<b>Name</b>	<b>FeePaidTo</b>
<b>Abstract</b>	<b>no</b>

### XML Instance Representation

```
<...  
  language="Language [0..1]">  
    Description  
</...>
```

### FinalAmount

These field(s) use this type: **FinalAmount,FinalAmount,FinalAmount**.

Last month payment amount

## Process Credit Application

<b>Name</b>	<b>FinalAmount</b>
<b>Abstract</b>	no

### XML Instance Representation

```
<...  
currency="Currency [1]">  
  Amount  
</...>
```

## FinanceParty

<b>Name</b>	<b>FinanceParty</b>
<b>Abstract</b>	no

### Data Elements and Components

Field / Component	Description	R/O	Business Rule
PartyId	Party Identification Number	O	
AlternatePartyIds	Alternate organizational party Identification	O	
Name	Company name of organizational party	O	
Address	Organizational Party address	O	
DBAName	Doing Business As name.	O	
BranchCode	Manufacturer branch code.	O	
CompanyCode	Manufacturer company code.	O	
DivisionCode	Manufacturer division code.	O	
ServiceCenterCode	Manufacturer service center code.	O	

### XML Instance Representation

## Process Credit Application

```
<...>
  <PartyId> PartyId </PartyId> [0..1]
  <AlternatePartyIds> OrganizationalPartyAlternatePartyId </AlternatePartyIds> [0..*]
  <Name> CompanyName </Name> [0..1]
  <Address> OrganizationAddress </Address> [0..1]
  <DBAName> DBAName </DBAName> [0..1]
  <BranchCode> BranchCode </BranchCode> [0..1]
  <CompanyCode> CompanyCode </CompanyCode> [0..1]
  <DivisionCode> DivisionCode </DivisionCode> [0..1]
  <ServiceCenterCode> ServiceCenterCode </ServiceCenterCode> [0..1]
</...>
```

### FinancialPosition

These field(s) use this type: **FinancialPosition**.

Name	FinancialPosition
Abstract	no

### Data Elements and Components

Field / Component	Description	R/O	Business Rule
CurrentAssetsAmount	Assets that a company has at its disposal that can be easily converted into cash within one operating cycle.		
IntangibleAssetsAmount	An asset that is not visible in the traditional balance sheet but still adds value to the company.	O	
FixedAssetsAmount	Fixed Assets of organization are those assets of a permanent nature required for the normal conduct of a business, and which will not normally be converted into cash during the ensuring fiscal period. For example, furniture, fixtures, land, and buildings are all fixed assets. However, accounts receivable and inventory are not.	O	
TotalAssetsAmount	The total of all assets; both current and fixed.	O	
CurrentLiabilitiesAmount	The liabilities to be paid within one year of the balance sheet date.	O	
LongTermDirectLiabilitiesAmt	Loans, debt or obligations with a maturity of longer than one year.	O	

## Process Credit Application

Field / Component	Description	R/O	Business Rule
TotalLiabilitiesAmount	The sum of all liability items.	O	
CapitalAmount	The money and other property of a corporation or other enterprise used in transacting the business.	O	
EarnedSurplusAmount	Prior years earnings not paid out as dividends, i.e., Retained Earnings.	O	
AnnualSalesAmount	Annual Sales of an organization.	O	
GrossProfitAmount	The net sales minus cost of sales.	O	
NetProfitAmount	The company's total earnings reflecting revenues adjusted for costs of doing business, depreciation, interest, taxes and other expenses.	O	
WorkingCapitalAmount	The difference between current assets and current liabilities. Measures the margin of protection for current creditors.	O	
TotalNetWorthAmount	The total assets minus the total liabilities.	O	
DebtNetWorthRatio	Ratio of Debt to Net Worth of organization.	O	
CurrentAssetsLiabilitiesRatio	Ratio of Current Assets to Liabilities of organization.	O	

### XML Instance Representation

```

<...>
  <CurrentAssetsAmount> CurrentAssetsAmount </CurrentAssetsAmount> [0..1]
  <IntangibleAssetsAmount> IntangibleAssetsAmount </IntangibleAssetsAmount> [0..1]
  <FixedAssetsAmount> FixedAssetsAmount </FixedAssetsAmount> [0..1]
  <TotalAssetsAmount> TotalAssetsAmount </TotalAssetsAmount> [0..1]
  <CurrentLiabilitiesAmount> CurrentLiabilitiesAmount </CurrentLiabilitiesAmount> [0..1]
  <LongTermDirectLiabilitiesAmt> LongTermDirectLiabilitiesAmt </LongTermDirectLiabilitiesAmt> [0..1]
  <TotalLiabilitiesAmount> TotalLiabilitiesAmount </TotalLiabilitiesAmount> [0..1]
  <CapitalAmount> CapitalAmount </CapitalAmount> [0..1]
  <EarnedSurplusAmount> EarnedSurplusAmount </EarnedSurplusAmount> [0..1]
  <AnnualSalesAmount> AnnualSalesAmount </AnnualSalesAmount> [0..1]
  <GrossProfitAmount> GrossProfitAmount </GrossProfitAmount> [0..1]
  <NetProfitAmount> NetProfitAmount </NetProfitAmount> [0..1]
  <WorkingCapitalAmount> WorkingCapitalAmount </WorkingCapitalAmount> [0..1]
  <TotalNetWorthAmount> TotalNetWorthAmount </TotalNetWorthAmount> [0..1]

```

## Process Credit Application

```
<DebtNetWorthRatio> DebtNetWorthRatio </DebtNetWorthRatio> [0..1]
<CurrentAssetsLiabilitiesRatio> CurrentAssetsLiabilitiesRatio </CurrentAssetsLiabilitiesRatio> [0..1]
</...>
```

### FixedAssetsAmount

These field(s) use this type: **FixedAssetsAmount**.

Fixed Assets of organization are those assets of a permanent nature required for the normal conduct of a business, and which will not normally be converted into cash during the ensuring fiscal period. For example, furniture, fixtures, land, and buildings are all fixed assets. However, accounts receivable and inventory are not.

<b>Name</b>	<b>FixedAssetsAmount</b>
<b>Abstract</b>	<b>no</b>

### XML Instance Representation

```
<...
currency="Currency [1]">
  Amount
</...>
```

### GrossProfitAmount

These field(s) use this type: **GrossProfitAmount**.

The net sales minus cost of sales.

<b>Name</b>	<b>GrossProfitAmount</b>
<b>Abstract</b>	<b>no</b>

### XML Instance Representation

```
<...
currency="Currency [1]">
  Amount
</...>
```

## Process Credit Application

---

### GrossTradeIn

These field(s) use this type: **GrossTradeIn**.

The negotiated value of the trade-in vehicle.

<b>Name</b>	GrossTradeIn
<b>Abstract</b>	no

### XML Instance Representation

```
<...  
  currency="Currency [1]">  
    Amount  
</...>
```

### HeaderBase

Used on all STAR BODs

<b>Name</b>	HeaderBase
<b>Abstract</b>	no

### Data Elements and Components

Field / Component	Description	R/O	Business Rule
DocumentDateTime	Is the date and time the document was last created. This is not the date and time that the BOD message instance was created.	O	
SecondaryPassword	Secondary password used to validate access to the dealer information	O	
SecondaryDealerNumber	Identifies secondary dealer number if different than primary "Dealer Number"	O	

### XML Instance Representation

```
<...>  
  <DocumentDateTime> DocumentDateTime </DocumentDateTime> [0..1]
```

## Process Credit Application

```
<SecondaryPassword> SecondaryPassword </SecondaryPassword> [0..1]
<SecondaryDealerNumber> SecondaryDealerNumber </SecondaryDealerNumber> [0..1]
</...>
```

### Id

These field(s) use this type: AuthorizationId,Id.

Party Identification number

<b>Name</b>	Id
<b>Abstract</b>	no

### XML Instance Representation

```
<...>
  xsd:string
</...>
```

### Income

These field(s) use this type: Income,Income.

Gross amount of income

<b>Name</b>	Income
<b>Abstract</b>	no

### Attributes

Field / Component	Description	R/O	Business Rule
currency		R	
period		R	

### XML Instance Representation



## Process Credit Application

```
<...  
currency="Currency [1]"  
period="IncomePeriod [1]">  
  xsd:decimal  
</...>
```

### IndividualApplicantAddress

These field(s) use this type: Address,Address,Address.

<b>Name</b>	IndividualApplicantAddress
<b>Abstract</b>	no

### Data Elements and Components

Field / Component	Description	R/O	Business Rule
AddressLine	Indicates the multiple lines of an address. The first line is typically the street name and number.	R	
City	Is the City of the Address.	R	
County	County in which the Address is in.	O	
StateOrProvince	Is the State or Province of a given Address.	R	
Country	Country in which the Address is in.	R	
PostalCode	Postal Code of the Address.	R	
UrbanizationCode	Geographic definition of a metropolitan or suburban area	O	
PeriodOfResidence	Communicates an applicant's period of residence	O	
ResidenceType	The type of residence (i.e. Rent, Own, etc)	O	

### XML Instance Representation

```
<...  
qualifier="AddressQualifier [0..1]">  
  <AddressLine> AddressLine </AddressLine> [1..*]  
</...>
```

## Process Credit Application

```
<City> City </City> [1]
<County> County </County> [0..1]
<StateOrProvince> StateOrProvince </StateOrProvince> [1]
<Country> Country </Country> [1]
<PostalCode> PostalCode </PostalCode> [1]
<UrbanizationCode> UrbanizationCode </UrbanizationCode> [0..1]
<PeriodOfResidence> PeriodOfResidence </PeriodOfResidence> [0..*]
<ResidenceType> ResidenceType </ResidenceType> [0..1]
</...>
```

### IndividualApplicantContact

These field(s) use this type: **Contact,Contact,Contact.**

<b>Name</b>	<b>IndividualApplicantContact</b>
<b>Abstract</b>	<b>no</b>

### Data Elements and Components

Field / Component	Description	R/O	Business Rule
Telephone	Contact telephone numbers	O	
EmailAddress	Contact Email addresses	O	
Fax	Contact Fax numbers	O	
PreferredContactMethod	Preferred contact method	O	
ContactTime	Preferred contact time (i.e. Best day/time to reach the contact.	O	
PrimaryContactInd	Indicates if contact is primary contact	O	
PersonName		O	If the parent component and Contact component PersonName are the same, this component shall not be used.
PrimaryDriverInd	Identifies customer as primary driver.	O	

## Process Credit Application

Field / Component	Description	R/O	Business Rule
OtherDescription	The text description of $\tilde{A}\#\hat{A}\hat{c}\hat{A}\#\hat{A}\#\text{Other}\tilde{A}\#\hat{A}\tilde{A}\#\hat{A}^{\frac{3}{4}}\tilde{A}\#\hat{A}_i$ value from telephone desc attribute.	O	

### XML Instance Representation

```
<...>
  <Telephone> IndividualPartyContactTelephoneNumber </Telephone> [0..*]
  <EMailAddress> IndividualPartyContactEMail </EMailAddress> [0..*]
  <Fax> IndividualPartyContactFax </Fax> [0..*]
  <PreferredContactMethod> PreferredContactMethod </PreferredContactMethod> [0..1]
  <ContactTime> ContactTime </ContactTime> [0..1]
  <PrimaryContactInd> PrimaryContactInd </PrimaryContactInd> [0..1]
  <PersonName> IndividualApplicantPersonName </PersonName> [0..1]
  <PrimaryDriverInd> PrimaryDriverInd </PrimaryDriverInd> [0..1]
  <OtherDescription> OtherDescription </OtherDescription> [0..1]
</...>
```

### IndividualApplicantParty

Name	IndividualApplicantParty
Abstract	no

### Data Elements and Components

Field / Component	Description	R/O	Business Rule
PartyId	Party Identification Number	O	
AlternatePartyIds	Individual party alternate party Identification	O	
PersonName	Individual party name	O	
Address	Individual party address	O	
Contact	Individual party contact information	O	

## Process Credit Application

### XML Instance Representation

```
<...>
  <PartyId> PartyId </PartyId> [0..1]
  <AlternatePartyIds> IndividualPartyAlternatePartyId </AlternatePartyIds> [0..*]
  <PersonName> IndividualApplicantPersonName </PersonName> [0..1]
  <Address> IndividualApplicantAddress </Address> [0..*]
  <Contact> IndividualApplicantContact </Contact> [0..1]
</...>
```

### IndividualApplicantPartyExtended

These field(s) use this type: **IndividualApplicant**.

<b>Name</b>	IndividualApplicantPartyExtended
<b>Abstract</b>	no

### Data Elements and Components

Field / Component	Description	R/O	Business Rule
PartyId	Party Identification Number	O	
AlternatePartyIds	Individual party alternate party Identification	O	
PersonName	Individual party name	R	If both the party component and Contact PersonName are the same, the Contact PersonName shall not be populated.
Address	Individual party address	R	
Contact	Individual party contact information	O	
RelationshipCode	Indicates the Business Party's relationship to the primary Party (e.g., mother, father, husband, etc.)	O	In the case of the Individual Applicant, this code is used in this component to define the primary party of the BOD.
RelationshipDescription	Free form text field describing the relationship of the business party to the primary party.	O	

## Process Credit Application

Field / Component	Description	R/O	Business Rule
Demographics	Individual party demographics	O	
MarketingMailInd	Indicates customers whom have requested no marketing mail	O	(INACTIVE)
Employer	Applicant's employment information	O	
NearestRelative	Individual identified as applicant's nearest relative	O	
Bank	Banking information for the Applicant.	O	
Co-Creditor	Applicant's other source of credit information.	O	
BankruptcyRepossession	Represents information regarding to the Applicant's history of bankruptcy and repossession	O	
MfgDealerInd	Indicators that the Business Party is an employed by a Manufacture or Dealer.	O	(INACTIVE)
PrimaryDriverInd	Identifies customer as primary driver.	O	(INACTIVE)
PaymentAmount	Monthly Payment Amount	O	(INACTIVE)
MortgageBalance	Business Partner's mortgage balance.	O	(INACTIVE)
OtherIncome	Income received from other sources such as child support, alimony, etc.	O	
Privacy	Any privacy rights the party has subscribed to or opted out of.	O	
EstimatedUsage	Communicates the party's estimated percent of usage of the vehicle.	O	(INACTIVE)
Reference	A financial or other form of reference for a co-applicant.	O	

### XML Instance Representation

```
<...>
  <PartyId> PartyId </PartyId> [0..1]
  <AlternatePartyIds> IndividualPartyAlternatePartyId </AlternatePartyIds> [0..*]
  <PersonName> IndividualApplicantPersonName </PersonName> [1]
```

## Process Credit Application

```
<Address> IndividualApplicantAddress </Address> [1..*]  
<Contact> IndividualApplicantContact </Contact> [0..1]  
<RelationshipCode> RelationshipCode </RelationshipCode> [0..1]  
<RelationshipDescription> RelationshipDescription </RelationshipDescription> [0..1]  
<Demographics> ApplicantDemographics </Demographics> [0..1]  
<MarketingMailInd> MarketingMailInd </MarketingMailInd> [0..1]  
<Employer> EmployerParty </Employer> [0..*]  
<NearestRelative> NearestRelative </NearestRelative> [0..1]  
<Bank> Bank </Bank> [0..*]  
<Co-Creditor> Co-Creditor </Co-Creditor> [0..*]  
<BankruptcyRepossession> BankruptcyRepossession </BankruptcyRepossession> [0..1]  
<MfgDealerInd> MfgDealerInd </MfgDealerInd> [0..1]  
<PrimaryDriverInd> PrimaryDriverInd </PrimaryDriverInd> [0..1]  
<PaymentAmount> PaymentAmount </PaymentAmount> [0..1]  
<MortgageBalance> MortgageBalance </MortgageBalance> [0..1]  
<OtherIncome> OtherIncome </OtherIncome> [0..*]  
<Privacy> Privacy </Privacy> [0..*]  
<EstimatedUsage> EstimatedUsage </EstimatedUsage> [0..1]  
<Reference> ReferenceApplicantParty </Reference> [0..*]  
</...>
```

### IndividualApplicantPersonName

These field(s) use this type: PersonName,PersonName,PersonName,PersonName.

Name	IndividualApplicantPersonName
Abstract	no

### Data Elements and Components

Field / Component	Description	R/O	Business Rule
Salutation	Title or greeting of business party	O	
GivenName	First Name of business party	R	
MiddleName	Middle Initial of business party	O	

## Process Credit Application

Field / Component	Description	R/O	Business Rule
FamilyName	Last Name of business party	R	
Suffix	Business Party name suffix designation if individual Ex: Sr, Jr, III, etc.	O	
FormattedName	Full Name of business party. Format for name should be "First Last" with no commas between first and last name	O	
SortName	Index name used as a sort for report purposes	O	
SecondFamilyName	Additional last name.	O	

### XML Instance Representation

```
<...>
  <Salutation> Salutation </Salutation> [0..1]
  <GivenName> GivenName </GivenName> [1]
  <MiddleName> MiddleName </MiddleName> [0..1]
  <FamilyName> FamilyName </FamilyName> [1]
  <Suffix> Suffix </Suffix> [0..1]
  <FormattedName> FormattedName </FormattedName> [0..1]
  <SortName> SortName </SortName> [0..1]
  <SecondFamilyName> FamilyName </SecondFamilyName> [0..1]
</...>
```

## IndividualPartyAddress

<b>Name</b>	<b>IndividualPartyAddress</b>
<b>Abstract</b>	no

### Data Elements and Components

Field / Component	Description	R/O	Business Rule
AddressLine	Indicates the multiple lines of an address. The first line is typically the street name and number.	R	
City	Is the City of the Address.	R	

## Process Credit Application

Field / Component	Description	R/O	Business Rule
County	County in which the Address is in.	O	
StateOrProvince	Is the State or Province of a given Address.	R	
Country	Country in which the Address is in.	R	
PostalCode	Postal Code of the Address.	R	
UrbanizationCode	Geographic definition of a metropolitan or suburban area	O	

### XML Instance Representation

```
<...  
  qualifier="AddressQualifier [0..1]">  
    <AddressLine> AddressLine </AddressLine> [1..*]  
    <City> City </City> [1]  
    <County> County </County> [0..1]  
    <StateOrProvince> StateOrProvince </StateOrProvince> [1]  
    <Country> Country </Country> [1]  
    <PostalCode> PostalCode </PostalCode> [1]  
    <UrbanizationCode> UrbanizationCode </UrbanizationCode> [0..1]  
  </...>
```

### IndividualPartyAlternatePartyId

These field(s) use this type: AlternatePartyIds,AlternatePartyIds,AlternatePartyIds.

<b>Name</b>	IndividualPartyAlternatePartyId
<b>Abstract</b>	no

### Data Elements and Components

Field / Component	Description	R/O	Business Rule
Id	Alternate Party Identification	R	
AssigningPartyId	Agency or entity that validates the Party Id	R	



## Process Credit Application

Field / Component	Description	R/O	Business Rule
IssuingState	Indicates that State where the license was issued.	O	
ExpirationDate	Expiration date of the alternate party id (e.g., Driver's License expiration date).	O	Example: 2003-11-09.

### XML Instance Representation

```
<...>
  <Id> Id </Id> [1]
  <AssigningPartyId> AssigningPartyId </AssigningPartyId> [1]
  <IssuingState> IssuingState </IssuingState> [0..1]
  <ExpirationDate> ExpirationDate </ExpirationDate> [0..1]
</...>
```

### IndividualPartyContactEmail

These field(s) use this type: **EEmailAddress**.

Individual Party email

<b>Name</b>	IndividualPartyContactEmail
<b>Abstract</b>	no

### Attributes

Field / Component	Description	R/O	Business Rule
desc		R	

### XML Instance Representation

```
<...
desc="HomeWork [0..1]">
  xsd:string
</...>
```

## Process Credit Application

---

### IndividualPartyContactFax

These field(s) use this type: Fax.

Individual Party Fax number

<b>Name</b>	IndividualPartyContactFax
<b>Abstract</b>	no

#### Attributes

Field / Component	Description	R/O	Business Rule
desc		R	

### XML Instance Representation

```
<...  
desc="HomeWork [0..1]">  
  xsd:string  
</...>
```

### IndividualPartyContactTelephoneNumber

These field(s) use this type: Telephone.

IndividualParty telephone number

<b>Name</b>	IndividualPartyContactTelephoneNumber
<b>Abstract</b>	no

#### Attributes

Field / Component	Description	R/O	Business Rule
desc		R	
exten		R	

## Process Credit Application

### XML Instance Representation

```
<...  
desc="ContactTelephoneNumberDescription [0..1]"  
exten="Note [0..1]">  
  xsd:string  
</...>
```

### IndividualPartyPersonName

<b>Name</b>	<b>IndividualPartyPersonName</b>
<b>Abstract</b>	<b>no</b>

### Data Elements and Components

Field / Component	Description	R/O	Business Rule
Salutation	Title or greeting of business party	O	
GivenName	First Name of business party	R	
MiddleName	Middle Initial of business party	O	
FamilyName	Last Name of business party	R	
Suffix	Business Party name suffix designation if individual Ex: Sr, Jr, III, etc.	O	
FormattedName	Full Name of business party. Format for name should be "First Last" with no commas between first and last name	O	
SortName	Index name used as a sort for report purposes	O	

### XML Instance Representation

```
<...>  
  <Salutation> Salutation </Salutation> [0..1]  
  <GivenName> GivenName </GivenName> [1]  
  <MiddleName> MiddleName </MiddleName> [0..1]  
  <FamilyName> FamilyName </FamilyName> [1]  
  <Suffix> Suffix </Suffix> [0..1]
```

## Process Credit Application

---

```
<FormattedName> FormattedName </FormattedName> [0..1]
<SortName> SortName </SortName> [0..1]
</...>
```

### InsuranceTotalExtendedWarrantyAmount

These field(s) use this type: **InsuranceTotalExtendedWarrantyAmount**.

Total of life, accidental and health insurance cost/extended warranty cost.

<b>Name</b>	InsuranceTotalExtendedWarrantyAmount
<b>Abstract</b>	no

#### XML Instance Representation

```
<...
currency="Currency [1]">
  Amount
</...>
```

### IntangibleAssetsAmount

These field(s) use this type: **IntangibleAssetsAmount**.

An asset that is not visible in the traditional balance sheet but still adds value to the company.

<b>Name</b>	IntangibleAssetsAmount
<b>Abstract</b>	no

#### XML Instance Representation

```
<...
currency="Currency [1]">
  Amount
</...>
```

### ItemId

## Process Credit Application

---

These field(s) use this type: **ItemId**.

Item part number

<b>Name</b>	ItemId
<b>Abstract</b>	no

### XML Instance Representation

```
<...>  
  Id  
</...>
```

## LeaseRatePercentage

These field(s) use this type: **LeaseRatePercentage**.

Percentage used to determine finance cost of a lease.

<b>Name</b>	LeaseRatePercentage
<b>Abstract</b>	no

### XML Instance Representation

```
<...>  
  Percent  
</...>
```

## LicenseNumberStateOrProvince

These field(s) use this type: **LicenseNumberStateOrProvince,LicenseNumberStateOrProvince**.

State or province where vehicle is licensed.

<b>Name</b>	LicenseNumberStateOrProvince
<b>Abstract</b>	no

## Process Credit Application

---

### XML Instance Representation

```
<...>
  StateOrProvince
</...>
```

### LoadCapacity

These field(s) use this type: **LoadCapacity**.

Identifies the load capacity for the vehicle, for example Ton.

Name	LoadCapacity
Abstract	no

### XML Instance Representation

```
<...
uom="UOM [1]">
  Quantity
</...>
```

### LocationId

These field(s) use this type: **LocationId,LocationId**.

Code identifying a physical location

Name	LocationId
Abstract	no

### XML Instance Representation

```
<...>
  Id
</...>
```

### LongTermDirectLiabilitiesAmt

## Process Credit Application

---

These field(s) use this type: **LongTermDirectLiabilitiesAmt.**

Loans, debt or obligations with a maturity of longer than one year.

<b>Name</b>	<b>LongTermDirectLiabilitiesAmt</b>
<b>Abstract</b>	<b>no</b>

### XML Instance Representation

```
<...  
  currency="Currency [1]">  
    Amount  
</...>
```

## ManufacturerRebateAmount

These field(s) use this type: **ManufacturerRebateAmount.**

Manufacturer rebate amount

<b>Name</b>	<b>ManufacturerRebateAmount</b>
<b>Abstract</b>	<b>no</b>

### XML Instance Representation

```
<...  
  currency="Currency [1]">  
    Amount  
</...>
```

## Measurement

Decimal measurement

<b>Name</b>	<b>Measurement</b>
<b>Abstract</b>	<b>no</b>

## Process Credit Application

---

### XML Instance Representation

```
<...>
  xsd:decimal
</...>
```

### Mileage

Mileage definition

<b>Name</b>	Mileage
<b>Abstract</b>	no

### Attributes

Field / Component	Description	R/O	Business Rule
uom		O	

### XML Instance Representation

```
<...
uom="MileageMeasure [0..1]">
  Count
</...>
```

### MileageValuationAdjustmentAmt

These field(s) use this type: MileageValuationAdjustmentAmt.

Positive or negative dollar amount indicating addition or subtraction to base value of the used vehicle.

<b>Name</b>	MileageValuationAdjustmentAmt
<b>Abstract</b>	no

### XML Instance Representation

```
<...
```



## Process Credit Application

---

```
currency="Currency [1]">
  Amount
</...>
```

### MonthlySalesTaxExemptionAmount

These field(s) use this type: MonthlySalesTaxExemptionAmount.

An sales tax amount that is exempted on a monthly basis.

<b>Name</b>	MonthlySalesTaxExemptionAmount
<b>Abstract</b>	no

#### XML Instance Representation

```
<...
currency="Currency [1]">
  Amount
</...>
```

### MortgageBalance

These field(s) use this type: MortgageBalance,MortgageBalance.

Business Partner's mortgage balance.

<b>Name</b>	MortgageBalance
<b>Abstract</b>	no

#### XML Instance Representation

```
<...
currency="Currency [1]">
  Amount
</...>
```

### MSRPGuidePercentage

## Process Credit Application

These field(s) use this type: **MSRPGuidePercentage**.

The ration of the amount financed compared to the value of the vehicle identified in a vehicle evaluation guide (EX: Nada Guide)

<b>Name</b>	<b>MSRPGuidePercentage</b>
<b>Abstract</b>	<b>no</b>

### XML Instance Representation

```
<...>
  Percent
</...>
```

## NearestRelative

These field(s) use this type: **NearestRelative**.

<b>Name</b>	<b>NearestRelative</b>
<b>Abstract</b>	<b>no</b>

### Data Elements and Components

Field / Component	Description	R/O	Business Rule
PartyId	Party Identification Number	O	
AlternatePartyIds	Individual party alternate party Identification	O	
PersonName	Individual party name	O	
Address	Individual party address	O	
Contact	Individual party contact information	O	
RelationshipCode	Indicates the Business Party's relationship to the primary Party (e.g., mother, father, husband, etc.)	O	(INACTIVE)
RelationshipDescription	Free form text field describing the relationship of the business party to the primary party.	O	

## Process Credit Application

---

### XML Instance Representation

```
<...>
  <PartyId> PartyId </PartyId> [0..1]
  <AlternatePartyIds> IndividualPartyAlternatePartyId </AlternatePartyIds> [0..*]
  <PersonName> IndividualApplicantPersonName </PersonName> [0..1]
  <Address> IndividualApplicantAddress </Address> [0..*]
  <Contact> IndividualApplicantContact </Contact> [0..1]
  <RelationshipCode> RelationshipCode </RelationshipCode> [0..1]
  <RelationshipDescription> RelationshipDescription </RelationshipDescription> [0..1]
</...>
```

### NetAmountFinanced

These field(s) use this type: NetAmountFinanced.

Total net financed amount after all trade-in, incentives, etc. The total amount of the loan.

<b>Name</b>	<b>NetAmountFinanced</b>
<b>Abstract</b>	<b>no</b>

### XML Instance Representation

```
<...
currency="Currency [1]">
  Amount
</...>
```

### NetCapitalizedCostAmount

These field(s) use this type: NetCapitalizedCostAmount.

Leasing value derived from the cash selling price.

<b>Name</b>	<b>NetCapitalizedCostAmount</b>
<b>Abstract</b>	<b>no</b>

### XML Instance Representation

## Process Credit Application

---

```
<...  
currency="Currency [1]">  
  Amount  
</...>
```

### NetProfitAmount

These field(s) use this type: NetProfitAmount.

The company's total earnings, reflecting revenues adjusted for costs of doing business, depreciation, interest, taxes and other expenses.

<b>Name</b>	<b>NetProfitAmount</b>
<b>Abstract</b>	no

### XML Instance Representation

```
<...  
currency="Currency [1]">  
  Amount  
</...>
```

### NetTradeAllowanceAmount

These field(s) use this type: NetTradeAllowanceAmount.

The gross trade-in amount minus the payoff amount.

<b>Name</b>	<b>NetTradeAllowanceAmount</b>
<b>Abstract</b>	no

### XML Instance Representation

```
<...  
currency="Currency [1]">  
  Amount  
</...>
```

## Process Credit Application

---

### NetTradeAmount

These field(s) use this type: NetTradeAmount.

The difference between the dollar value given by the dealer less the amount the customer still owes on the vehicle.

<b>Name</b>	NetTradeAmount
<b>Abstract</b>	no

### XML Instance Representation

```
<...  
currency="Currency [1]">  
  Amount  
</...>
```

### NonTaxableAmount

These field(s) use this type: NonTaxableAmount.

Total non-taxable price.

<b>Name</b>	NonTaxableAmount
<b>Abstract</b>	no

### XML Instance Representation

```
<...  
currency="Currency [1]">  
  Amount  
</...>
```

### NumberOfDependents

These field(s) use this type: NumberOfDependents.

Total number of dependents in household

<b>Name</b>	NumberOfDependents
-------------	--------------------

## Process Credit Application

---

<b>Abstract</b>	no
-----------------	----

### XML Instance Representation

```
<...>  
  Count  
</...>
```

### NumberOfEngineCylinders

These field(s) use this type: NumberOfEngineCylinders.

Represents the number of cylinders in the vehicle engine.

<b>Name</b>	NumberOfEngineCylinders
<b>Abstract</b>	no

### XML Instance Representation

```
<...>  
  Count  
</...>
```

### NumberOfTaxCreditMonths

These field(s) use this type: NumberOfTaxCreditMonths.

Number of months that the tax credit will cover.

<b>Name</b>	NumberOfTaxCreditMonths
<b>Abstract</b>	no

### XML Instance Representation

```
<...>  
  Count  
</...>
```

## Process Credit Application

---

### NumberOfUnits

These field(s) use this type: NumberOfUnits.

Number of units of described make and model being financed.

<b>Name</b>	NumberOfUnits
<b>Abstract</b>	no

### XML Instance Representation

```
<...>  
  Count  
</...>
```

### Option

These field(s) use this type: Option.

<b>Name</b>	Option
<b>Abstract</b>	no

### Data Elements and Components

Field / Component	Description	R/O	Business Rule
OptionType	An option type for a vehicle or other component. Usually references an OEM supplied list of codes.	O	
OptionName	Name of vehicle option	O	
OptionStockNumber	Stock Number of Vehicle Option	O	
Manufacturer	Manufacturer of Vehicle Option	O	
OptionPrice	Price of Vehicle Option	O	(INACTIVE)

### XML Instance Representation

## Process Credit Application

```
<...>
  <OptionType> OptionType </OptionType> [0..1]
  <OptionName> OptionName </OptionName> [0..1]
  <OptionStockNumber> OptionStockNumber </OptionStockNumber> [0..1]
  <Manufacturer> Manufacturer </Manufacturer> [0..1]
  <OptionPrice> OptionPrice </OptionPrice> [0..1]
</...>
```

### OptionBase

<b>Name</b>	<b>OptionBase</b>
<b>Abstract</b>	<b>no</b>

#### Data Elements and Components

Field / Component	Description	R/O	Business Rule
OptionType	An option type for a vehicle or other component. Usually references an OEM supplied list of codes.	O	
OptionName	Name of vehicle option	O	
OptionStockNumber	Stock Number of Vehicle Option	O	
Manufacturer	Manufacturer of Vehicle Option	O	

### XML Instance Representation

```
<...>
  <OptionType> OptionType </OptionType> [0..1]
  <OptionName> OptionName </OptionName> [0..1]
  <OptionStockNumber> OptionStockNumber </OptionStockNumber> [0..1]
  <Manufacturer> Manufacturer </Manufacturer> [0..1]
</...>
```

### OptionCost

These field(s) use this type: **OptionCost**.



## Process Credit Application

---

Actual Dealer cost of option

Name	OptionCost
Abstract	no

### XML Instance Representation

```
<...  
currency="Currency [1]">  
  Amount  
</...>
```

### OptionMSRP

These field(s) use this type: OptionMSRP.

Option MSRP

Name	OptionMSRP
Abstract	no

### XML Instance Representation

```
<...  
currency="Currency [1]">  
  Amount  
</...>
```

### OptionPackageId

These field(s) use this type: OptionPackageId.

Option package number or identifier used as a method for grouping option package items from manufacturer(s) Ex: OptPkg1,cost,

Name	OptionPackageId
Abstract	no

## Process Credit Application

---

### XML Instance Representation

```
<...>
  Id
</...>
```

### OptionPrice

These field(s) use this type: OptionPrice,OptionPrice.

Price of Vehicle Option

<b>Name</b>	OptionPrice
<b>Abstract</b>	no

### XML Instance Representation

```
<...
currency="Currency [1]">
  Amount
</...>
```

### OptionPricingDetail

These field(s) use this type: OptionPricingDetail.

Detail of OptionPriceGroup

<b>Name</b>	OptionPricingDetail
<b>Abstract</b>	no

### Data Elements and Components

Field / Component	Description	R/O	Business Rule
OptionPrice	Price of Vehicle Option	R	
OptionPricingType	Designates type of pricing for option.	O	

## Process Credit Application

---

### XML Instance Representation

```
<...>
  <OptionPrice> OptionPrice </OptionPrice> [1]
  <OptionPricingType> OptionPricingType </OptionPricingType> [0..1]
</...>
```

### OptionPricingGroup

These field(s) use this type: **OptionPricingGroup**.

Grouped option price information

<b>Name</b>	OptionPricingGroup
<b>Abstract</b>	no

### Data Elements and Components

Field / Component	Description	R/O	Business Rule
OptionPricingDetail	Detail of OptionPriceGroup	R	

### XML Instance Representation

```
<...>
  <OptionPricingDetail> OptionPricingDetail </OptionPricingDetail> [1..*]
</...>
```

### OptionResidualValueAmount

These field(s) use this type: **OptionResidualValueAmount**.

Residual value of option.

<b>Name</b>	OptionResidualValueAmount
<b>Abstract</b>	no

### XML Instance Representation

# Process Credit Application

```
<...
currency="Currency [1]">
  Amount
</...>
```

## OptionType

These field(s) use this type: OptionType.

Option Type from an OEM or other sources list of codes.

Name	OptionType
Abstract	no

## XML Instance Representation

```
<...
listID="xsd:token [0..1]"
listName="xsd:string [0..1]"
listAgencyID="xsd:token [0..1]"
listAgencyName="xsd:string [0..1]"
listVersionID="xsd:token [0..1]"
listURI="xsd:anyURI [0..1]">
  CodeType
</...>
```

## OrganizationAddress

These field(s) use this type: Address,Address,Address,Address.

Basic address used for organizations

Name	OrganizationAddress
Abstract	no

## Data Elements and Components

## Process Credit Application

Field / Component	Description	R/O	Business Rule
AddressLine	Indicates the multiple lines of an address. The first line is typically the street name and number.	R	
City	Is the City of the Address.	R	
County	County in which the Address is in.	O	
StateOrProvince	Is the State or Province of a given Address.	R	
Country	Country in which the Address is in.	R	
PostalCode	Postal Code of the Address.	R	
UrbanizationCode	Geographic definition of a metropolitan or suburban area	O	

### XML Instance Representation

```
<...>
  <AddressLine> AddressLine </AddressLine> [1..*]
  <City> City </City> [1]
  <County> County </County> [0..1]
  <StateOrProvince> StateOrProvince </StateOrProvince> [1]
  <Country> Country </Country> [1]
  <PostalCode> PostalCode </PostalCode> [1]
  <UrbanizationCode> UrbanizationCode </UrbanizationCode> [0..1]
</...>
```

### OrganizationalApplicantPartyAddress

These field(s) use this type: Address.

Name	OrganizationalApplicantPartyAddress
Abstract	no

### Data Elements and Components

## Process Credit Application

Field / Component	Description	R/O	Business Rule
AddressLine	Indicates the multiple lines of an address. The first line is typically the street name and number.	R	
City	Is the City of the Address.	R	
County	County in which the Address is in.	O	
StateOrProvince	Is the State or Province of a given Address.	R	
Country	Country in which the Address is in.	R	
PostalCode	Postal Code of the Address.	R	
UrbanizationCode	Geographic definition of a metropolitan or suburban area	O	
PeriodOfResidence	Communicates an applicant's period of residence	O	

### XML Instance Representation

```
<...>
  <AddressLine> AddressLine </AddressLine> [1..*]
  <City> City </City> [1]
  <County> County </County> [0..1]
  <StateOrProvince> StateOrProvince </StateOrProvince> [1]
  <Country> Country </Country> [1]
  <PostalCode> PostalCode </PostalCode> [1]
  <UrbanizationCode> UrbanizationCode </UrbanizationCode> [0..1]
  <PeriodOfResidence> PeriodOfResidence </PeriodOfResidence> [0..*]
</...>
```

### OrganizationalApplicantPartyExtended

These field(s) use this type: **OrganizationalApplicant**.

<b>Name</b>	<b>OrganizationalApplicantPartyExtended</b>
<b>Abstract</b>	<b>no</b>

## Process Credit Application

### Data Elements and Components

Field / Component	Description	R/O	Business Rule
PartyId	Party Identification Number	O	
AlternatePartyIds	Alternate organizational party Identification	O	
Name	Company name of organizational party	R	
Address	Organizational Party address	R	
DBAName	Doing Business As name.	O	
Contact	Organization applicant contact information	O	
MarketingMailInd	Indicates customers whom have requested no marketing mail	O	(INACTIVE)
OrganizationType	Identifies the type of business (i.e., Sole Proprietorship, Partnership, LLP, LLC, Not For Profit, etc.).	O	
RelationshipCode	Indicates the Business Party's relationship to the primary Party (e.g., mother, father, husband, etc.)	O	This code is used in this component to define the primary party of the BOD.
Bank	Banking information for the Applicant.	O	
Co-Creditor	Applicant's other source of credit information.	O	
BankruptcyRepossession	Represents information regarding to the Applicant's history of bankruptcy and repossession	O	
MfgDealerInd	Indicators that the Business Party is an employed by a Manufacture or Dealer.	O	(INACTIVE)
PrimaryDriverInd	Identifies customer as primary driver.	O	
YearsInBusines	Total number of number of years Business Partner has been in business.	O	
Privacy	Individual Privacy options	O	
EstimatedUsage	Communicates the party's estimated percent of usage of the vehicle.	O	(INACTIVE)

## Process Credit Application

Field / Component	Description	R/O	Business Rule
RelationshipDescription	Free form text field describing the relationship of the business party to the primary party.	O	
IndustryType	Area of work for the business, e.g. Manufacturing, Financial Services, etc.	O	
DateOfIncorporation	Year, month and date of incorporation.	O	
StateOfIncorporation	State in which incorporation was granted.	O	
InsuranceCompanyName	Insurance company name.	O	
Principal	The Owner, Director, or Manager of the Organizational Applicant Party.	O	
Accountant	The Accountant for the Organizational Applicant Party.	O	
FinancialPosition	The balance sheet information for the Organizational Applicant Party.	O	
ResidenceType	Business Party's type of residence (i.e., Own, Rent).	O	
PaymentAmount	Monthly payment amount.	O	(INACTIVE)
MortgageBalance	Business Partner's mortgage balance.	O	(INACTIVE)
Reference	A financial or other form of reference for a co-applicant.	O	

### XML Instance Representation

```

<...>
  <PartyId> PartyId </PartyId> [0..1]
  <AlternatePartyIds> OrganizationalPartyAlternatePartyId </AlternatePartyIds> [0..*]
  <Name> CompanyName </Name> [1]
  <Address> OrganizationalApplicantPartyAddress </Address> [1]
  <DBAName> DBAName </DBAName> [0..1]
  <Contact> OrganizationContact </Contact> [0..1]
  <MarketingMailInd> MarketingMailInd </MarketingMailInd> [0..1]
  <OrganizationType> OrganizationType </OrganizationType> [0..1]
  <RelationshipCode> RelationshipCode </RelationshipCode> [0..1]
  <Bank> Bank </Bank> [0..*]

```



## Process Credit Application

```
<Co-Creditor> Co-Creditor </Co-Creditor> [0..*]  
<BankruptcyRepossession> BankruptcyRepossession </BankruptcyRepossession> [0..1]  
<MfgDealerInd> MfgDealerInd </MfgDealerInd> [0..1]  
<PrimaryDriverInd> PrimaryDriverInd </PrimaryDriverInd> [0..1]  
<YearsInBusines> YearsInBusiness </YearsInBusines> [0..1]  
<Privacy> Privacy </Privacy> [0..*]  
<EstimatedUsage> EstimatedUsage </EstimatedUsage> [0..1]  
<RelationshipDescription> RelationshipDescription </RelationshipDescription> [0..1]  
<IndustryType> IndustryType </IndustryType> [0..1]  
<DateOfIncorporation> DateOfIncorporation </DateOfIncorporation> [0..1]  
<StateOfIncorporation> StateOfIncorporation </StateOfIncorporation> [0..1]  
<InsuranceCompanyName> InsuranceCompanyName </InsuranceCompanyName> [0..1]  
<Principal> PrincipalParty </Principal> [0..*]  
<Accountant> AccountantParty </Accountant> [0..1]  
<FinancialPosition> FinancialPosition </FinancialPosition> [0..1]  
<ResidenceType> ResidenceType </ResidenceType> [0..1]  
<PaymentAmount> PaymentAmount </PaymentAmount> [0..1]  
<MortgageBalance> MortgageBalance </MortgageBalance> [0..1]  
<Reference> ReferenceApplicantParty </Reference> [0..*]  
</...>
```

### OrganizationalPartyAlternatePartyId

These field(s) use this type: AlternatePartyIds,AlternatePartyIds,AlternatePartyIds.

Name	OrganizationalPartyAlternatePartyId
Abstract	no

### Data Elements and Components

Field / Component	Description	R/O	Business Rule
Id	Alternate Party Identification	R	
AssigningPartyId	Agency or entity that validates the Party Id	R	
IssuingState	Indicates that State where the license was issued.	O	

## Process Credit Application

Field / Component	Description	R/O	Business Rule
ExpirationDate	Expiration date of the alternate party id (e.g., Driver's License expiration date).	O	YYYY-MM-DD

### XML Instance Representation

```
<...>
  <Id> Id </Id> [1]
  <AssigningPartyId> AssigningOrganizationPartyId </AssigningPartyId> [1]
  <IssuingState> IssuingState </IssuingState> [0..1]
  <ExpirationDate> ExpirationDate </ExpirationDate> [0..1]
</...>
```

### OrganizationContact

These field(s) use this type: SalesContact,Contact,Contact,Contact,Contact,Contact.

<b>Name</b>	OrganizationContact
<b>Abstract</b>	no

### Data Elements and Components

Field / Component	Description	R/O	Business Rule
PersonName	Contact name	O	In the case of the Dealer, if the SalesPersonName and the Contact PersonName are the same, the Contact PersonName shall not be populated
Telephone	Contact telephone numbers	O	If the address has a North American country code, the telephone number must be a minimum of 10 numbers.
EMailAddress	Contact Email address	O	Should conform to the Internet message format as set forth by RFC 8822.

## Process Credit Application

Field / Component	Description	R/O	Business Rule
Fax	Contact Fax number	O	If the address has a North American country code, the telephone number must be a minimum of 10 numbers.
PreferredContactMethod	Preferred contact method	O	
ContactTime	Preferred contact time (i.e. Best day/time to reach the contact.	O	

### XML Instance Representation

```
<...>
  <PersonName> OrganizationContactPersonName </PersonName> [0..1]
  <Telephone> OrganizationPartyTelephone </Telephone> [0..*]
  <EMailAddress> OrganizationPartyEmail </EMailAddress> [0..*]
  <Fax> OrganizationPartyFax </Fax> [0..*]
  <PreferredContactMethod> PreferredContactMethodOrganization </PreferredContactMethod> [0..1]
  <ContactTime> ContactTime </ContactTime> [0..1]
</...>
```

### OrganizationContactPersonName

These field(s) use this type: **PersonName**.

Derived from oa:PersonName

<b>Name</b>	<b>OrganizationContactPersonName</b>
<b>Abstract</b>	<b>no</b>

### Data Elements and Components

Field / Component	Description	R/O	Business Rule
GivenName	First Name of business party	R	
FamilyName	Last Name of business party	R	
FormattedName	Full Name of business party. Format for name should be "First Last" with no commas between first and last name	O	

## Process Credit Application

### XML Instance Representation

```
<...>
  <GivenName> Name </GivenName> [1]
  <FamilyName> Name </FamilyName> [1]
  <FormattedName> Name </FormattedName> [0..1]
</...>
```

### OrganizationContactPersonNameExtended

These field(s) use this type: **PersonName**.

<b>Name</b>	OrganizationContactPersonNameExtended
<b>Abstract</b>	no

### Data Elements and Components

Field / Component	Description	R/O	Business Rule
GivenName	First Name of business party	R	
FamilyName	Last Name of business party	R	
FormattedName	Full Name of business party. Format for name should be "First Last" with no commas between first and last name	O	
EmployeeTitle	A formal appellation attached to the name of a person or family by virtue of office, rank, hereditary privilege, noble birth, or attainment or used as a mark of respect. EX: CIO, CEO, President, etc.		

### XML Instance Representation

```
<...>
  <GivenName> Name </GivenName> [1]
  <FamilyName> Name </FamilyName> [1]
  <FormattedName> Name </FormattedName> [0..1]
  <EmployeeTitle> EmployeeTitle </EmployeeTitle> [0..1]
</...>
```

## Process Credit Application

### OrganizationId

These field(s) use this type: **OrganizationId**.

Member Identification number of affiliate organization

<b>Name</b>	OrganizationId
<b>Abstract</b>	no

#### XML Instance Representation

```
<...>  
  Id  
</...>
```

### OrganizationPartyBase

<b>Name</b>	OrganizationPartyBase
<b>Abstract</b>	no

#### Data Elements and Components

Field / Component	Description	R/O	Business Rule
PartyId	Party Identification Number	O	
AlternatePartyIds	Alternate organizational party Identification	O	
Name	Company name of organizational party	O	
Address	Organizational Party address	O	
DBAName	Doing Business As name.	O	

#### XML Instance Representation

```
<...>  
  <PartyId> PartyId </PartyId> [0..1]  
  <AlternatePartyIds> OrganizationalPartyAlternatePartyId </AlternatePartyIds> [0..*]
```

## Process Credit Application

---

```
<Name> CompanyName </Name> [0..1]
<Address> OrganizationAddress </Address> [0..1]
<DBAName> DBAName </DBAName> [0..1]
</...>
```

### OrganizationPartyEmail

These field(s) use this type: EMailAddress,EMailAddress.

Organization email

<b>Name</b>	OrganizationPartyEmail
<b>Abstract</b>	no

### XML Instance Representation

```
<...>
  xsd:string
</...>
```

### OrganizationPartyFax

These field(s) use this type: Fax,Fax.

OrganizationFax number

<b>Name</b>	OrganizationPartyFax
<b>Abstract</b>	no

### XML Instance Representation

```
<...>
  xsd:string
</...>
```

### OrganizationPartyTelephone

These field(s) use this type: Telephone,Telephone.

## Process Credit Application

---

OrganizationParty telephone number

<b>Name</b>	<b>OrganizationPartyTelephone</b>
<b>Abstract</b>	<b>no</b>

### Attributes

Field / Component	Description	R/O	Business Rule
desc		R	
exten		R	

### XML Instance Representation

```
<...  
desc="ContactTelephoneNumberOrganizationDescription [0..1]"  
exten="Note [0..1]">  
  xsd:string  
</...>
```

### OtherDescription

These field(s) use this type: **OtherDescription**.

The text description of Other value from telephone desc attribute.

<b>Name</b>	<b>OtherDescription</b>
<b>Abstract</b>	<b>no</b>

### XML Instance Representation

```
<...  
language="Language [0..1]">  
  Description  
</...>
```

## Process Credit Application

### OtherIncome

These field(s) use this type: **OtherIncome.**

<b>Name</b>	<b>OtherIncome</b>
<b>Abstract</b>	no

#### Data Elements and Components

Field / Component	Description	R/O	Business Rule
OtherIncomeAmount	The gross amount of income received from other sources (e.g., child support, alimony, etc.)	O	
IncomeSource	Identifies the source of income (e.g., job, child support, alimony, etc.)	O	

#### XML Instance Representation

```
<...>  
  <OtherIncomeAmount> OtherIncomeAmount </OtherIncomeAmount> [0..*]  
  <IncomeSource> IncomeSource </IncomeSource> [0..1]  
</...>
```

### OtherIncomeAmount

These field(s) use this type: **OtherIncomeAmount.**

The gross amount of income received from other sources (e.g., child support, alimony, etc.)

<b>Name</b>	<b>OtherIncomeAmount</b>
<b>Abstract</b>	no

#### XML Instance Representation

```
<...  
  currency="Currency [1]"  
  period="IncomePeriod [1]">  
    Income
```



## Process Credit Application

```
</...>
```

### OtherVehicleUseDescription

These field(s) use this type: **OtherVehicleUseDescription**.

Text description of Other Vehicle Use.

<b>Name</b>	OtherVehicleUseDescription
<b>Abstract</b>	no

### XML Instance Representation

```
<...  
  language="Language [0..1]">  
    Description  
</...>
```

### PartyBase

Derived from oa:Party

<b>Name</b>	PartyBase
<b>Abstract</b>	no

### Data Elements and Components

Field / Component	Description	R/O	Business Rule
PartyId	Party Identification Number	O	

### XML Instance Representation

```
<...>  
  <PartyId> PartyId </PartyId> [0..1]  
</...>
```

### PartyId

## Process Credit Application

---

These field(s) use this type: DealerNumber,PartyId,DealerNumber,PartyId,PartyId.

Party Identification Number

<b>Name</b>	PartyId
<b>Abstract</b>	no

### XML Instance Representation

```
<...>  
  Id  
</...>
```

## PaymentAmount

These field(s) use this type: PaymentAmount,PaymentAmount,PaymentAmount,PaymentAmount,PaymentAmount.

Monthly Payment Amount

<b>Name</b>	PaymentAmount
<b>Abstract</b>	no

### XML Instance Representation

```
<...  
currency="Currency [1]">  
  Amount  
</...>
```

## PaymentsDeferredPeriodMeasure

These field(s) use this type: PaymentsDeferredPeriodMeasure.

The amount of time by which the vehicle payments have been deferred. HR = Hour, WK = Week, BiWK = Bi-Weekly, MO = Month, YR = Year, SmMO=SemiMonthly, SmAN=SemiAnnually

<b>Name</b>	PaymentsDeferredPeriodMeasure
<b>Abstract</b>	no

## Process Credit Application

### Attributes

Field / Component	Description	R/O	Business Rule
period		R	

### XML Instance Representation

```
<...  
period="IncomePeriod [0..1]">  
  Count  
</...>
```

### Percent

Percent

<b>Name</b>	Percent
<b>Abstract</b>	no

### XML Instance Representation

```
<...>  
  xsd:decimal  
</...>
```

### PercentOfOwnership

These field(s) use this type: **PercentOfOwnership**.

The percent of ownership an individual has in an organization.

<b>Name</b>	PercentOfOwnership
<b>Abstract</b>	no

### XML Instance Representation

```
<...>
```

## Process Credit Application

```
Percent
</...>
```

### PeriodAsPrincipal

These field(s) use this type: **PeriodAsPrincipal**.

Period of time serving in a capacity as principal noted.

<b>Name</b>	PeriodAsPrincipal
<b>Abstract</b>	no

#### Attributes

Field / Component	Description	R/O	Business Rule
period		R	

### XML Instance Representation

```
<...
period="IncomePeriod [0..1]">
  Count
</...>
```

### PeriodOfEmployment

These field(s) use this type: **PeriodOfEmployment**.

Identifies the length of time a business party was employed.

<b>Name</b>	PeriodOfEmployment
<b>Abstract</b>	no

#### Attributes

## Process Credit Application

---

Field / Component	Description	R/O	Business Rule
period		R	

### XML Instance Representation

```
<...  
period="IncomePeriod [0..1]">  
  Count  
</...>
```

### PeriodOfOwnership

These field(s) use this type: **PeriodOfOwnership**.

The period of time an individual has been owning/operating an organization.

<b>Name</b>	PeriodOfOwnership
<b>Abstract</b>	no

### Attributes

Field / Component	Description	R/O	Business Rule
period		R	

### XML Instance Representation

```
<...  
period="IncomePeriod [0..1]">  
  Count  
</...>
```

### PeriodOfResidence

These field(s) use this type: **PeriodOfResidence,PeriodOfResidence**.

Period of time Business Party has lived at residence.

## Process Credit Application

<b>Name</b>	PeriodOfResidence
<b>Abstract</b>	no

### Attributes

Field / Component	Description	R/O	Business Rule
period		R	

### XML Instance Representation

```
<...  
period="IncomePeriod [0..1]">  
  Count  
</...>
```

## Pricing

These field(s) use this type: **Pricing**.

<b>Name</b>	Pricing
<b>Abstract</b>	no

### Data Elements and Components

Field / Component	Description	R/O	Business Rule
VehiclePrice	Customer price of vehicle	R	Note: the VehiclePrice field does not necessarily represent the customer's price of the vehicle. The VehiclePrice is built by PriceType and PriceExplanation.
PriceExplanation	Explanatory Note for Pricing Example: Anniversary Edition	O	

## Process Credit Application

Field / Component	Description	R/O	Business Rule
PricingType	Designates type of pricing for vehicle transaction. Examples could be: QUOTE, MSRP, INVOICE, BLUEBOOK, TOTALFIGURE, OVERINVOICE, UNDERINVOICE, UNDERMSRP, OVERMSRP, CALL, NA, or OTHER	O	

### XML Instance Representation

```
<...>  
  <VehiclePrice> VehiclePrice </VehiclePrice> [1]  
  <PriceExplanation> PriceExplanation </PriceExplanation> [0..1]  
  <PricingType> PricingType </PricingType> [0..1]  
</...>
```

### PrincipalParty

These field(s) use this type: **Principal**.

<b>Name</b>	<b>PrincipalParty</b>
<b>Abstract</b>	<b>no</b>

### Data Elements and Components

Field / Component	Description	R/O	Business Rule
PartyId	Party Identification Number	O	
AlternatePartyIds	Individual party alternate party Identification	O	
PersonName	Individual party name	O	
Address	Individual party address	O	
Contact	Individual party contact information	O	
Title	Identifies an individual's business title.	O	
Income	Gross amount of income generated by party	O	
BusinessRelationship	Identifies an individual's business title.	O	

## Process Credit Application

Field / Component	Description	R/O	Business Rule
PercentOfOwnership	The percent of ownership an individual has in an organization.	O	
PeriodOfOwnership	The period of time an individual has been owning/operating an organization.	O	
PeriodAsPrincipal	Period of time serving in a capacity as principal noted.	O	

### XML Instance Representation

```
<...>
  <PartyId> PartyId </PartyId> [0..1]
  <AlternatePartyIds> IndividualPartyAlternatePartyId </AlternatePartyIds> [0..*]
  <PersonName> IndividualApplicantPersonName </PersonName> [0..1]
  <Address> IndividualApplicantAddress </Address> [0..*]
  <Contact> IndividualApplicantContact </Contact> [0..1]
  <Title> EmployeeTitle </Title> [0..1]
  <Income> Income </Income> [0..*]
  <BusinessRelationship> RelationshipDescription </BusinessRelationship> [0..1]
  <PercentOfOwnership> PercentOfOwnership </PercentOfOwnership> [0..1]
  <PeriodOfOwnership> PeriodOfOwnership </PeriodOfOwnership> [0..*]
  <PeriodAsPrincipal> PeriodAsPrincipal </PeriodAsPrincipal> [0..*]
</...>
```

### PriorCreditOrLeaseOwedOnTrade

These field(s) use this type: **PriorCreditOrLeaseOwedOnTrade**.

The balance owed on lease that is being terminated. This balance is amount being financed.

<b>Name</b>	<b>PriorCreditOrLeaseOwedOnTrade</b>
<b>Abstract</b>	no

### XML Instance Representation

```
<...
currency="Currency [1]">
  Amount
```



## Process Credit Application

```
</...>
```

### PriorVehicleUseCode

These field(s) use this type: PriorVehicleUseCode.

The prior use of the vehicle

<b>Name</b>	PriorVehicleUseCode
<b>Abstract</b>	no

### XML Instance Representation

```
<...>
  VehicleUseCode
</...>
```

### Privacy

These field(s) use this type: Privacy,Privacy,Privacy,Privacy.

<b>Name</b>	Privacy
<b>Abstract</b>	no

### Data Elements and Components

Field / Component	Description	R/O	Business Rule
PrivacyInd	Indicator to note that Business Party has requested to share or to not share information with third parties	O	
PrivacyType	Code identifying a Party's authorized privacy rights. (i.e., Financial, Demographics, etc.)	O	

### XML Instance Representation

```
<...>
  <PrivacyInd> PrivacyInd </PrivacyInd> [0..1]
</...>
```

## Process Credit Application

```
<PrivacyType> PrivacyType </PrivacyType> [0..1]
</...>
```

### Process

These field(s) use this type: **Process**.

<b>Name</b>	Process
<b>Abstract</b>	no

### Data Elements and Components

Field / Component	Description	R/O	Business Rule
Verb		R	
Criteria		O	

### XML Instance Representation

```
<...
confirm="ConfirmType [0..1]"
acknowledge="AcknowledgementType [0..1]">
  <Criteria> ActionExpressionCriteria </Criteria> [0..1]
</...>
```

## ProcessCreditApplication

These field(s) use this type: **ProcessCreditApplication**.

<b>Name</b>	ProcessCreditApplication
<b>Abstract</b>	no

### Data Elements and Components

## Process Credit Application

Field / Component	Description	R/O	Business Rule
ApplicationArea	Provides the information that an application may need to know in order to communicate in an integration of two or more business applications. The ApplicationArea is used at the applications layer of communication. While the integration frameworks web services and middleware provide the communication layer that OAGIS operates on top of. Provides the information that an application may need to know in order to communicate in an integration of two or more business applications. The ApplicationArea is used at the applications layer of communication. While the integration frameworks web services and middleware provide the communication layer that OAGIS operates on top of.	R	
DataArea		R	

### XML Instance Representation

```
<...  
revision="Text [0..1]"  
release="8.1-Lite [0..1]"  
environment="Text [0..1]"  
lang="Language [0..1]"  
bodVersion="Text [0..1]">  
  <ApplicationArea> ... </ApplicationArea> [1]  
  <DataArea> ProcessCreditApplicationDataArea </DataArea> [1]  
</...>
```

### ProcessCreditApplicationDataArea

These field(s) use this type: **DataArea**.

Name	ProcessCreditApplicationDataArea
Abstract	no

### Data Elements and Components

## Process Credit Application

Field / Component	Description	R/O	Business Rule
Process	The Process verb is used to request processing of the associated noun by the receiving application or business to party. In a typical external exchange scenario a Process BOD is considered to be a legally binding message. For example, if a customer sends a ProcessPurchaseOrder BOD to a supplier and the supplier acknowledges with a positive AcknowledgePurchaseOrder, then the customer is obligated to fulfill the agreement, unless of course other BODs are allowed to cancel or change the original order.	R	
CreditApplication		R	

### XML Instance Representation

```
<...>
  <Process> ... </Process> [1]
  <CreditApplication> ... </CreditApplication> [1..*]
</...>
```

## PurchasePrice

These field(s) use this type: **PurchasePrice**.

Purchase Price or Gross Cap cost specified in deal. Total payments at end of purchase

Name	PurchasePrice
Abstract	no

### XML Instance Representation

```
<...
currency="Currency [1]">
  Amount
</...>
```

## Quantity

A decimal value with uom

## Process Credit Application

Name	Quantity
Abstract	no

### Attributes

Field / Component	Description	R/O	Business Rule
uom		R	

### XML Instance Representation

```
<...  
uom="UOM [1]">  
  xsd:decimal  
</...>
```

## Rating

Standing or position on a scale, e.g. credit score.

Name	Rating
Abstract	no

### Attributes

Field / Component	Description	R/O	Business Rule
score		O	

### XML Instance Representation

```
<...  
score="Decimal [0..1]">  
  xsd:string  
</...>
```

## Process Credit Application

---

### RatingIndex

These field(s) use this type: **RatingIndex**.

Rating Index Used for Credit Approval

<b>Name</b>	RatingIndex
<b>Abstract</b>	no

### XML Instance Representation

```
<...  
  score="Decimal [0..1]">  
  Rating  
</...>
```

### Ratio

The relation between two similar magnitudes with respect to the number of times the first contains the second.

<b>Name</b>	Ratio
<b>Abstract</b>	no

### XML Instance Representation

```
<...>  
  xsd:decimal  
</...>
```

### ReferenceApplicantParty

These field(s) use this type: **Reference,Reference**.

<b>Name</b>	ReferenceApplicantParty
<b>Abstract</b>	no

## Process Credit Application

### Data Elements and Components

Field / Component	Description	R/O	Business Rule
PartyId	Party Identification Number	O	
AlternatePartyIds	Individual party alternate party Identification	O	
PersonName	Individual party name	O	
Address	Individual party address	O	
Contact	Individual party contact information	O	
RelationshipCode	A free form code that identifies the relationship of the reference.	O	
RelationshipDescription	A detailed description of the relationship code.	O	

### XML Instance Representation

```
<...>
  <PartyId> PartyId </PartyId> [0..1]
  <AlternatePartyIds> IndividualPartyAlternatePartyId </AlternatePartyIds> [0..*]
  <PersonName> IndividualApplicantPersonName </PersonName> [0..1]
  <Address> IndividualApplicantAddress </Address> [0..*]
  <Contact> IndividualApplicantContact </Contact> [0..1]
  <RelationshipCode> RelationshipCode </RelationshipCode> [0..1]
  <RelationshipDescription> RelationshipDescription </RelationshipDescription> [0..*]
</...>
```

### RelationshipDescription

These field(s) use this type:

**RelationshipDescription,RelationshipDescription,RelationshipDescription,RelationshipDescription,RelationshipDescription,BusinessRelationship.**

Free form text describing the relationship of the Business Party to the primary Party.

<b>Name</b>	<b>RelationshipDescription</b>
<b>Abstract</b>	<b>no</b>

## Process Credit Application

---

### XML Instance Representation

```
<...  
language="Language [0..1]">  
  Description  
</...>
```

### ResidualAmount

These field(s) use this type: **ResidualAmount,ResidualAmount,ResidualAmount.**

Remaining residual on current vehicle

Name	ResidualAmount
Abstract	no

### XML Instance Representation

```
<...  
currency="Currency [1]">  
  Amount  
</...>
```

### RestrictionDescription

These field(s) use this type: **RestrictionDescription.**

Description of vehicle use restrictions

Name	RestrictionDescription
Abstract	no

### XML Instance Representation

```
<...  
language="Language [0..1]">  
  Description  
</...>
```



## Process Credit Application

---

### SalesTaxExemptionAmount

These field(s) use this type: SalesTaxExemptionAmount.

An amount that is exempted from a sales tax.

<b>Name</b>	SalesTaxExemptionAmount
<b>Abstract</b>	no

#### XML Instance Representation

```
<...  
  currency="Currency [1]">  
    Amount  
</...>
```

### SecondaryDealerNumber

These field(s) use this type: SecondaryDealerNumber.

Identifies secondary dealer number if different than primary "Dealer Number"

<b>Name</b>	SecondaryDealerNumber
<b>Abstract</b>	no

#### XML Instance Representation

```
<...>  
  Id  
</...>
```

### SecurityDepositAmount

These field(s) use this type: SecurityDepositAmount.

Security deposit is the amount paid to cover damage, excess mileage or excess wear and tear on a leased vehicle.

<b>Name</b>	SecurityDepositAmount
-------------	-----------------------

## Process Credit Application

<b>Abstract</b>	no
-----------------	----

### XML Instance Representation

```
<...  
currency="Currency [1]">  
  Amount  
</...>
```

### Sender

These field(s) use this type: Sender.

<b>Name</b>	Sender
<b>Abstract</b>	no

### Data Elements and Components

Field / Component	Description	R/O	Business Rule
LogicalId	Provides the logical location of the server and applications from which the Business Object Document originated. It can be used to establish a logical to physical mapping, however its use is optional. Each system or combination of systems should maintain an external central reference table containing the logical names or logical addresses of the application systems in the integration configuration. This enables the logical names to be mapped to the physical network addresses of the resources needed on the network. Note: The technical implementation of this Domain Naming Service is not dictated by this specification. This logical to physical mapping may be done at execution time by the application itself or by a middleware transport mechanism, depending on the integration architecture used. This provides for a simple but effective directory access capability while maintaining application independence from the physical location of those resources on the network	O	
Component	Provides a finer level of control than Logical Identifier and represents the business application that issued the Business Object Document. Its use is optional. For STAR's use this is the DCS Software code name		

## Process Credit Application

Field / Component	Description	R/O	Business Rule
Task	Describes the business event that initiated the need for the Business Object Document to be created. For STAR, the task is defined in the Implementation Guidelines for each BOD. It is usually a short description of the BOD. Ex: SalesLead, CreditDecision, etc.	R	
ReferenceId	Enables the sending application to indicate the instance identifier of the event or task that caused the BOD to be created. This is used to correlate a response BOD to an originating BOD	O	
AuthorizationId	Identifies the authorization level of the user or application that is sending the Business Object Document Message. This authorization level being recognized by the receiving system indicates what can be done on the receiving system. For STAR, this is the User ID.	O	
CreatorNameCode	DCS Software Creator Code	R	
SenderNameCode	Additional information about the sending platform (i.e., Short MFG or DSP code).	R	Must use a valid code from the ShortMfg/RSP list on <a href="http://www.starstandards.org">http://www.starstandards.org</a>
SenderURI	Physical address of the sender	O	
DealerNumber	Dealer Code of source of information	O	
StoreNumber	Dealer code store number (DMS assigned)	O	
AreaNumber	Dealer code area number (DMS vendor assigned)	O	
DealerCountry	Source Dealer country location	O	
Language	This code is used to define the language of the data used in this transaction	O	
DeliverPendingMailInd	Indicates if the user requests to receive pending mail that has been stored and has yet not been delivered yet. By selecting 0, the user will only receive the response for the current transaction the user is performing.	O	
Password	Token for application specific authentication. Used to authenticate dealership/users through application specific security	O	
SystemVersion	The sender's software version number.	O	

## Process Credit Application

Field / Component	Description	R/O	Business Rule
PartyId	The Party Id field uniquely identifies the Sender of the message. This element can be used for parties within the Automotive Community as well as external parties. Party Id is not intended as a replacement for the Dealer Number. Suggested formats for OEMs or other large institutions include: DUNs Number, ShortMfgCode + DUNs, or ShortMfgCode. The suggested format for Dealers is: ShortMfgCode+Dealer Number.	O	
LocationId	The Location Id field uniquely identifies the location of the Sender of a message. This Id may be aligned with a physical address or data centers. This field provides an additional level of granularity beyond the usage of the Party Id for additional routing and deliver of data.	O	
ServiceId	The Service Id field identifies the particular service from which a message is being sent, e.g., an inventory service.	O	

### XML Instance Representation

```

<...>
  <LogicalId> Text </LogicalId> [0..1]
  <Component> Text </Component> [1]
  <Task> Text </Task> [1]
  <ReferenceId> Reference </ReferenceId> [0..1]
  <AuthorizationId> Id </AuthorizationId> [0..1]
  <CreatorNameCode> Text </CreatorNameCode> [1]
  <SenderNameCode> ShortMfg </SenderNameCode> [1]
  <SenderURI> URI </SenderURI> [0..1]
  <DealerNumber> PartyId </DealerNumber> [0..1]
  <StoreNumber> Text </StoreNumber> [0..1]
  <AreaNumber> Text </AreaNumber> [0..1]
  <DealerCountry> Country </DealerCountry> [0..1]
  <Language> Language </Language> [0..1]
  <DeliverPendingMailInd> Indicator </DeliverPendingMailInd> [0..1]
  <Password> Text </Password> [0..1]
  <SystemVersion> SystemVersion </SystemVersion> [0..1]
  <PartyId> PartyId </PartyId> [0..1]
  <LocationId> LocationId </LocationId> [0..1]
  <ServiceId> ServiceId </ServiceId> [0..1]

```

## Process Credit Application

</...>

### SenderBase

**Name** SenderBase

**Abstract** no

### Data Elements and Components

Field / Component	Description	R/O	Business Rule
LogicalId	Provides the logical location of the server and applications from which the Business Object Document originated. It can be used to establish a logical to physical mapping, however its use is optional. Each system or combination of systems should maintain an external central reference table containing the logical names or logical addresses of the application systems in the integration configuration. This enables the logical names to be mapped to the physical network addresses of the resources needed on the network. Note: The technical implementation of this Domain Naming Service is not dictated by this specification. This logical to physical mapping may be done at execution time by the application itself or by a middleware transport mechanism, depending on the integration architecture used. This provides for a simple but effective directory access capability while maintaining application independence from the physical location of those resources on the network	O	
Component	Provides a finer level of control than Logical Identifier and represents the business application that issued the Business Object Document. Its use is optional. For STAR's use this is the DCS Software code name		
Task	Describes the business event that initiated the need for the Business Object Document to be created. For STAR, the task is defined in the Implementation Guidelines for each BOD. It is usually a short description of the BOD. Ex: SalesLead, CreditDecision, etc.	R	
ReferenceId	Enables the sending application to indicate the instance identifier of the event or task that caused the BOD to be created. This is used to correlate a response BOD to an originating BOD	O	

## Process Credit Application

Field / Component	Description	R/O	Business Rule
AuthorizationId	Identifies the authorization level of the user or application that is sending the Business Object Document Message. This authorization level being recognized by the receiving system indicates what can be done on the receiving system. For STAR, this is the User ID.	O	

### XML Instance Representation

```
<...>  
  <LogicalId> Text </LogicalId> [0..1]  
  <Component> Text </Component> [1]  
  <Task> Text </Task> [1]  
  <ReferenceId> Reference </ReferenceId> [0..1]  
  <AuthorizationId> Id </AuthorizationId> [0..1]  
</...>
```

### ServiceContractBase

These field(s) use this type: **ServiceContract**.

<b>Name</b>	<b>ServiceContractBase</b>
<b>Abstract</b>	<b>no</b>

### Data Elements and Components

Field / Component	Description	R/O	Business Rule
ContractCompanyName	Service contract company name	O	
ContractId	Identification of Service Contract	O	
ContractPlanCode	Service Contract Plan Code	O	
ContractType	Service contract type and/or area of coverage	O	
ContractPlanDescription	Description of service plan. Example: 36 MONTH/36000 MILE"	O	
Term	Number of months in contract plan	O	
ContractStartDate	Service Contract sale Date	O	

## Process Credit Application

Field / Component	Description	R/O	Business Rule
ContractDeductible	Amount of Deductible at time of service Eg:\$50.00	O	
ContractExpirationDate	Date the Service contract expires	O	
ContractStartMileage	Odometer reading when contract becomes effective	O	
ContractTermMileage	Mileage allowed under terms of service contract	O	
ContractOwnerName	Name on service Contract (i.e., full name - First Last)	O	
InsuranceCompanyName	Memo Field for carrier covering extended service contract	O	
TotalContractAmount	Total amount of the service contract.	O	
ContractNote	Free form comments that relate to the contract	O	

### XML Instance Representation

```
<...>
  <ContractCompanyName> ContractCompanyName </ContractCompanyName> [0..1]
  <ContractId> ContractId </ContractId> [0..1]
  <ContractPlanCode> ContractPlanCode </ContractPlanCode> [0..1]
  <ContractType> ContractType </ContractType> [0..1]
  <ContractPlanDescription> ContractPlanDescription </ContractPlanDescription> [0..1]
  <Term> Term </Term> [0..1]
  <ContractStartDate> ContractStartDate </ContractStartDate> [0..1]
  <ContractDeductible> ContractDeductible </ContractDeductible> [0..1]
  <ContractExpirationDate> ContractExpirationDate </ContractExpirationDate> [0..1]
  <ContractStartMileage> ContractStartMileage </ContractStartMileage> [0..1]
  <ContractTermMileage> ContractTermMileage </ContractTermMileage> [0..1]
  <ContractOwnerName> ContractOwnerName </ContractOwnerName> [0..1]
  <InsuranceCompanyName> InsuranceCompanyName </InsuranceCompanyName> [0..1]
  <TotalContractAmount> TotalContractAmount </TotalContractAmount> [0..1]
  <ContractNote> ContractNote </ContractNote> [0..1]
</...>
```

### ServiceId

These field(s) use this type: **ServiceId,ServiceId.**

## Process Credit Application

---

The Service Id field identifies the particular service to or from which a message is being sent, e.g., an inventory service.

<b>Name</b>	<b>ServiceId</b>
<b>Abstract</b>	<b>no</b>

### XML Instance Representation

```
<...>  
  Id  
</...>
```

### Signature

These field(s) use this type: Signature.

<b>Name</b>	<b>Signature</b>
<b>Abstract</b>	<b>no</b>

### Attributes

Field / Component	Description	R/O	Business Rule
qualifyingAgency		O	

### Data Elements and Components

Field / Component	Description	R/O	Business Rule
-------------------	-------------	-----	---------------

### XML Instance Representation

```
<...  
qualifyingAgency="Text [0..1]">  
Allow any elements from any namespace (strict validation). [0..1]  
</...>
```

### Tax



## Process Credit Application

These field(s) use this type: **Tax**.

<b>Name</b>	<b>Tax</b>
<b>Abstract</b>	<b>no</b>

### Data Elements and Components

Field / Component	Description	R/O	Business Rule
TaxType	Identifies the type tax.	R	Total
TaxDescription	Free form text description of tax amount.	O	
TaxAmount	Actual amount of tax paid.	O	
UnitSalesTaxAmount	Unit amount of sales tax.	O	
TaxRate	Tax Percentage Rate	O	
TotalTaxableAmount	Total taxable price	O	
NonTaxableAmount	Total non-taxble price	O	
TaxTypeId	Tax type identification	O	CS = City CP = County ST = State OT = Other EX = Excise RT = Rental
TaxabilityInd	Determines whether the dealer wants to claim tax on the cost.	O	

### XML Instance Representation

```
<...>
  <TaxType> TaxType </TaxType> [1]
  <TaxDescription> TaxDescription </TaxDescription> [0..1]
```

# Process Credit Application

```
<TaxAmount> TaxAmount </TaxAmount> [0..1]
<UnitSalesTaxAmount> UnitSalesTaxAmount </UnitSalesTaxAmount> [0..1]
<TaxRate> TaxRate </TaxRate> [0..1]
<TotalTaxableAmount> TotalTaxableAmount </TotalTaxableAmount> [0..1]
<NonTaxableAmount> NonTaxableAmount </NonTaxableAmount> [0..1]
<TaxTypeId> TaxTypeId </TaxTypeId> [0..1]
<TaxabilityInd> TaxabilityInd </TaxabilityInd> [0..1]
</...>
```

## TaxAmount

These field(s) use this type: TaxAmount.

Actual amount of tax paid.

Name	TaxAmount
Abstract	no

## XML Instance Representation

```
<...
currency="Currency [1]">
  Amount
</...>
```

## TaxDescription

These field(s) use this type: TaxDescription.

Free form text description of tax amount.

Name	TaxDescription
Abstract	no

## XML Instance Representation

```
<...
language="Language [0..1]">
```

## Process Credit Application

Description  
</...>

### TaxRate

These field(s) use this type: **TaxRate**.

Tax Percentage rate.

<b>Name</b>	TaxRate
<b>Abstract</b>	no

### XML Instance Representation

```
<...>
  Percent
</...>
```

### Term

These field(s) use this type: **Term,Term,Term,Term**.

Number of months of contract term

<b>Name</b>	Term
<b>Abstract</b>	no

### Attributes

Field / Component	Description	R/O	Business Rule
length		R	

### XML Instance Representation

```
<...
length="TermLength [0..1]">
  Count
```

## Process Credit Application

---

```
</...>
```

### TireDescription

These field(s) use this type: **TireDescription.**

This is a description of the tires on the vehicle. For example, number and size tires.

<b>Name</b>	<b>TireDescription</b>
<b>Abstract</b>	no

### XML Instance Representation

```
<...  
language="Language [0..1]">  
  Description  
</...>
```

### TotalAssetsAmount

These field(s) use this type: **TotalAssetsAmount.**

The total of all assets; both current and fixed.

<b>Name</b>	<b>TotalAssetsAmount</b>
<b>Abstract</b>	no

### XML Instance Representation

```
<...  
currency="Currency [1]">  
  Amount  
</...>
```

### TotalContractAmount

These field(s) use this type: **TotalContractAmount.**

## Process Credit Application

---

Total amount of the contract.

<b>Name</b>	<b>TotalContractAmount</b>
<b>Abstract</b>	no

### XML Instance Representation

```
<...  
currency="Currency [1]">  
  Amount  
</...>
```

### TotalLiabilitiesAmount

These field(s) use this type: TotalLiabilitiesAmount.

The sum of all liability items.

<b>Name</b>	<b>TotalLiabilitiesAmount</b>
<b>Abstract</b>	no

### XML Instance Representation

```
<...  
currency="Currency [1]">  
  Amount  
</...>
```

### TotalNetWorthAmount

These field(s) use this type: TotalNetWorthAmount.

The total assets minus the total liabilities.

<b>Name</b>	<b>TotalNetWorthAmount</b>
<b>Abstract</b>	no

## Process Credit Application

---

### XML Instance Representation

```
<...  
currency="Currency [1]">  
  Amount  
</...>
```

### TotalOptionsAmount

These field(s) use this type: **TotalOptionsAmount**.

Total amount of options and accessories.

Name	TotalOptionsAmount
Abstract	no

### XML Instance Representation

```
<...  
currency="Currency [1]">  
  Amount  
</...>
```

### TotalReductionsAmount

These field(s) use this type: **TotalReductionsAmount**.

Sum of Down Payment, Dealer Rebates, and any other cash payments that reduce the amount financed.

Name	TotalReductionsAmount
Abstract	no

### XML Instance Representation

```
<...  
currency="Currency [1]">  
  Amount  
</...>
```

## Process Credit Application

---

### TotalTaxableAmount

These field(s) use this type: TotalTaxableAmount.

Total taxable price.

<b>Name</b>	TotalTaxableAmount
<b>Abstract</b>	no

### XML Instance Representation

```
<...  
currency="Currency [1]">  
  Amount  
</...>
```

### TradeAllowanceAmount

These field(s) use this type: TradeAllowanceAmount.

Trade Allowance is the second component of the negotiated trade vehicle amount, the primary portion being the wholesale amount of the trade vehicle.

<b>Name</b>	TradeAllowanceAmount
<b>Abstract</b>	no

### XML Instance Representation

```
<...  
currency="Currency [1]">  
  Amount  
</...>
```

### TradeInFinancing

These field(s) use this type: TradeInFinancing.

<b>Name</b>	TradeInFinancing
-------------	------------------

## Process Credit Application

### Abstract

no

### Data Elements and Components

Field / Component	Description	R/O	Business Rule
FinanceType	Type of financing Examples may be F- Finance, L - Lease, C-Cash, 1-Retail, 2-Lease, 3-Balloon, etc..	O	(INACTIVE)
PaymentAmount	Monthly Payment Amount	O	(INACTIVE)
BalanceAmount	Remaining balance on Current Vehicle	O	
FinalAmount	Last month payment amount	O	(INACTIVE)
ResidualAmount	Remaining residual on current vehicle	O	(INACTIVE)
Term	Number of months of contract term	O	(INACTIVE)
MaturityDate	Month and year of contract maturity	O	(INACTIVE)
FinanceCompanyName	Name of Finance Company	O	
WholesaleValueAmount	Actual wholesale value of the vehicle.	O	
NetTradeAllowanceAmount	The gross trade-in amount minus the payoff amount.	O	
GrossTradeIn	The gross trade-in amount minus the payoff.	O	
PriorCreditOrLeaseOwedOnTrade	The balance owed on lease that is being terminated. This balance is amount being financed.	O	(INACTIVE)
TradeInSalesTaxCredit	Rebate on sales tax previously paid on the vehicle.	O	
LeaseMaturityDate	The date that the lease matures.	O	
UpfrontNetTradePayoffAmount	The balance owed on lease that is being terminated. This balance is amount being paid upfront. This is the amount paid upfront to cover negative equity on a trade-in.	O	
MonthlySalesTaxExemptionAmount	A sales tax amount that is exempted on a monthly basis.	O	



## Process Credit Application

Field / Component	Description	R/O	Business Rule
SalesTaxExemptionAmount	An amount that is exempted from a sales tax.	O	
NumberOfTaxCreditMonths	Number of months that the tax credit will cover.	O	
CashOutAmount	Amount of net trade paid out to customer as cash.	O	

### XML Instance Representation

```
<...>
  <FinanceType> FinanceType </FinanceType> [0..1]
  <PaymentAmount> PaymentAmount </PaymentAmount> [0..1]
  <BalanceAmount> BalanceAmount </BalanceAmount> [0..1]
  <FinalAmount> FinalAmount </FinalAmount> [0..1]
  <ResidualAmount> ResidualAmount </ResidualAmount> [0..1]
  <Term> Term </Term> [0..1]
  <MaturityDate> MaturityDate </MaturityDate> [0..1]
  <FinanceCompanyName> FinanceCompanyName </FinanceCompanyName> [0..1]
  <WholesaleValueAmount> WholesaleValueAmount </WholesaleValueAmount> [0..1]
  <NetTradeAllowanceAmount> NetTradeAllowanceAmount </NetTradeAllowanceAmount> [0..1]
  <GrossTradeIn> GrossTradeIn </GrossTradeIn> [0..1]
  <PriorCreditOrLeaseOwedOnTrade> PriorCreditOrLeaseOwedOnTrade </PriorCreditOrLeaseOwedOnTrade> [0..1]
  <TradeInSalesTaxCredit> TradeInSalesTaxCredit </TradeInSalesTaxCredit> [0..1]
  <LeaseMaturityDate> LeaseMaturityDate </LeaseMaturityDate> [0..1]
  <UpfrontNetTradePayoffAmount> UpfrontNetTradePayoffAmount </UpfrontNetTradePayoffAmount> [0..1]
  <MonthlySalesTaxExemptionAmount> MonthlySalesTaxExemptionAmount </MonthlySalesTaxExemptionAmount> [0..1]
  <SalesTaxExemptionAmount> SalesTaxExemptionAmount </SalesTaxExemptionAmount> [0..1]
  <NumberOfTaxCreditMonths> NumberOfTaxCreditMonths </NumberOfTaxCreditMonths> [0..1]
  <CashOutAmount> CashOutAmount </CashOutAmount> [0..1]
</...>
```

### TradeInSalesTaxCredit

These field(s) use this type: **TradeInSalesTaxCredit**.

Rebate on sales tax previously paid on the vehicle.

Name	TradeInSalesTaxCredit
------	-----------------------

## Process Credit Application

**Abstract** no

### XML Instance Representation

```
<...  
currency="Currency [1]">  
  Amount  
</...>
```

### TradeInVehicleCredit

These field(s) use this type: TradeIn.

**Name** TradeInVehicleCredit

**Abstract** no

### Data Elements and Components

Field / Component	Description	R/O	Business Rule
Model	Manufacturer-assigned model code of vehicle - Usually available in the VIN number (use NCIC code)	O	
ModelYear	Vehicle designated model year	O	
ModelDescription	Descriptive vehicle model name	O	
Make	Vehicle make code - Usually available in the VIN number (use NCIC code).	O	
SaleClass	Class of sale	O	(INACTIVE)
SalesPersonName	name of salesperson. Format for name should be "First Last" with no commas between first and last name	O	(INACTIVE)
TradeInInd	Identifies vehicle being traded-in	O	(INACTIVE)
PurchaseDate	Vehicle Purchase/Lease Date	O	(INACTIVE)

## Process Credit Application

Field / Component	Description	R/O	Business Rule
TradeInFinancing	Financing for Trade In Vehicle	O	
OwnedType	Type of vehicle for which information is being collected	O	(INACTIVE)
SalesStockNumber	Dealer assigned vehicle stock number of the sale.	O	(INACTIVE)
Option	Represents options and replacements associated with the vehicle.	O	
Pricing	Price of Vehicle	O	(INACTIVE)
DeliveryMileage	the odometer mileage of a vehicle	O	(INACTIVE)
BodyStyle	Manufacturer-assigned vehicle body style.	O	
VIN	Federally defined 17 position vehicle identification number of the trade in.	O	
LicenseNumber	State License plate number of vehicle.	O	
LicenseNumberStateOrProvince	State where vehicle is licensed.	O	
IndebtednessResponsibility	Specifies whether the buyer or the seller will pay the indebtedness on the trade in vehicle.	O	
LeaseMaturityDate	The date that the lease matures.	O	
IndebtednessResponsibilityDesc	Textual description specifying the amount the buyer and the amount the seller will pay of the indebtedness on the trade in vehicle.	O	
CollateralType	Type used to classify a vehicle. EX: Auto, Light, Trailer, Motor Home, Conversion Van, Trailer (non-rec), Other, etc.	O	
SeriesName	OEM assigned series information of vehicle. EX: GSL, XLT, etc.	O	

### XML Instance Representation

```
<...>
  <Model> Model </Model> [0..1]
  <ModelYear> ModelYear </ModelYear> [0..1]
```

# Process Credit Application

```
<ModelDescription> ModelDescription </ModelDescription> [0..1]
<Make> Make </Make> [0..1]
<SaleClass> SaleClass </SaleClass> [0..1]
<SalesPersonName> SalesPersonName </SalesPersonName> [0..1]
<TradeInInd> TradeInInd </TradeInInd> [0..1]
<PurchaseDate> PurchaseDate </PurchaseDate> [0..1]
<TradeInFinancing> TradeInFinancing </TradeInFinancing> [0..1]
<OwnedType> OwnedType </OwnedType> [0..1]
<SalesStockNumber> SalesStockNumber </SalesStockNumber> [0..1]
<Option> Option </Option> [0..*]
<Pricing> Pricing </Pricing> [0..*]
<DeliveryMileage> DeliveryMileage </DeliveryMileage> [0..1]
<BodyStyle> BodyStyle </BodyStyle> [0..1]
<VIN> VIN </VIN> [0..1]
<LicenseNumber> LicenseNumber </LicenseNumber> [0..1]
<LicenseNumberStateOrProvince> LicenseNumberStateOrProvince </LicenseNumberStateOrProvince> [0..1]
<IndebtednessResponsibility> IndebtednessResponsibility </IndebtednessResponsibility> [0..1]
<LeaseMaturityDate> LeaseMaturityDate </LeaseMaturityDate> [0..1]
<IndebtednessResponsibilityDesc> IndebtednessResponsibilityDesc </IndebtednessResponsibilityDesc> [0..*]
<CollateralType> CollateralType </CollateralType> [0..1]
<SeriesName> SeriesName </SeriesName> [0..1]
</...>
```

## UnitSalesTaxAmount

These field(s) use this type: UnitSalesTaxAmount.

Unit amount of sales tax.

Name	UnitSalesTaxAmount
Abstract	no

## XML Instance Representation

```
<...
currency="Currency [1]">
  Amount
```

## Process Credit Application

---

```
</...>
```

### UpfrontNetTradePayoffAmount

These field(s) use this type: UpfrontNetTradePayoffAmount.

The balance owed on lease that is being terminated. This balance is amount being paid upfront. This is the amount paid upfront to cover negative equity on a trade-in.

<b>Name</b>	UpfrontNetTradePayoffAmount
<b>Abstract</b>	no

### XML Instance Representation

```
<...  
  currency="Currency [1]">  
    Amount  
</...>
```

### VanConversionCost

These field(s) use this type: VanConversionCost.

COst of a van conversion package added to a vehicle.

<b>Name</b>	VanConversionCost
<b>Abstract</b>	no

### XML Instance Representation

```
<...  
  currency="Currency [1]">  
    Amount  
</...>
```

### VanConversionPercentage

These field(s) use this type: VanConversionPercentage.

## Process Credit Application

Percentage of conversion package added to a vehicle.

<b>Name</b>	<b>VanConversionPercentage</b>
<b>Abstract</b>	<b>no</b>

### XML Instance Representation

```
<...>
  Percent
</...>
```

## Vehicle

<b>Name</b>	<b>Vehicle</b>
<b>Abstract</b>	<b>no</b>

### Data Elements and Components

Field / Component	Description	R/O	Business Rule
Model	Manufacturer-assigned model code of vehicle - Usually available in the VIN number (use NCIC code)	O	
ModelYear	Vehicle designated model year	O	
ModelDescription	Descriptive vehicle model name	O	
Make	Vehicle make code - Usually available in the VIN number (use NCIC code).	O	

### XML Instance Representation

```
<...>
  <Model> Model </Model> [0..1]
  <ModelYear> ModelYear </ModelYear> [0..1]
  <ModelDescription> ModelDescription </ModelDescription> [0..1]
  <Make> Make </Make> [0..1]
</...>
```

## Process Credit Application

### VehicleBase

<b>Name</b>	VehicleBase
<b>Abstract</b>	no

#### Data Elements and Components

Field / Component	Description	R/O	Business Rule
Model	Manufacturer-assigned model code of vehicle - Usually available in the VIN number (use NCIC code)	O	
ModelYear	Vehicle designated model year	O	
ModelDescription	Descriptive vehicle model name	O	
Make	Vehicle make code - Usually available in the VIN number (use NCIC code).	O	
SaleClass	Class of Sale	O	
Condition	Condition of Vehicle - Example: Excellent, Good, Fair, Poor, Unknown	O	
CertifiedPreownedInd	Identifies as a certified Pre-Owned Vehicle	O	
VehicleNote	Any vehicle related notes	O	
VIN	Federally defined 17 position vehicle identification number	O	
DeliveryMileage	Odometer reading of vehicle at time of delivery	O	
VehicleStock	Dealer assigned vehicle stock number	O	
TrimCode	Manufacturer assigned trim code	O	
DoorsQuantity	Number of doors on vehicle	O	
BodyStyle	Manufacturer-assigned vehicle body style	O	
InteriorColor	Vehicle Interior Color(s)	O	

## Process Credit Application

Field / Component	Description	R/O	Business Rule
ExteriorColor	Vehicle Exterior Color(s)	O	
TransmissionType	Vehicle Transmission type	O	
OdometerStatus	Status of odometer at trade-in. Example:: Replaced, Tampered, Miles> 90,000, etc.	O	
NonUSVehicleInd	Indicates whether the vehicle was produced for the United States or not	O	
VehicleDemoInd	Indicates whether vehicle was ever a demo	O	
LicenseNumber	State License plate number of vehicle	O	
BrandedInfo	Vehicle Branding Information	O	
RestrictionInd	Indication that vehicle has restrictions on its use	O	
RestrictionDescription	Description of vehicle use restrictions	O	
TelematicsServiceInd	Indication whether Telematics Service Subscription is turned on	O	

### XML Instance Representation

```

<...>
  <Model> Model </Model> [0..1]
  <ModelYear> ModelYear </ModelYear> [0..1]
  <ModelDescription> ModelDescription </ModelDescription> [0..1]
  <Make> Make </Make> [0..1]
  <SaleClass> SaleClass </SaleClass> [0..1]
  <Condition> Condition </Condition> [0..1]
  <CertifiedPreownedInd> CertifiedPreownedInd </CertifiedPreownedInd> [0..1]
  <VehicleNote> VehicleNote </VehicleNote> [0..*]
  <VIN> VIN </VIN> [0..1]
  <DeliveryMileage> DeliveryMileage </DeliveryMileage> [0..1]
  <VehicleStock> VehicleStock </VehicleStock> [0..1]
  <TrimCode> TrimCode </TrimCode> [0..1]
  <DoorsQuantity> DoorsQuantity </DoorsQuantity> [0..1]
  <BodyStyle> BodyStyle </BodyStyle> [0..1]
  <InteriorColor> InteriorColor </InteriorColor> [0..*]

```



## Process Credit Application

```
<ExteriorColor> ExteriorColor </ExteriorColor> [0..*]  
<TransmissionType> TransmissionType </TransmissionType> [0..1]  
<OdometerStatus> OdometerStatus </OdometerStatus> [0..1]  
<NonUSVehicleInd> NonUSVehicleInd </NonUSVehicleInd> [0..1]  
<VehicleDemoInd> VehicleDemoInd </VehicleDemoInd> [0..1]  
<LicenseNumber> LicenseNumber </LicenseNumber> [0..1]  
<BrandedInfo> BrandedInfo </BrandedInfo> [0..1]  
<RestrictionInd> RestrictionInd </RestrictionInd> [0..1]  
<RestrictionDescription> RestrictionDescription </RestrictionDescription> [0..1]  
<TelematicsServiceInd> TelematicsServiceInd </TelematicsServiceInd> [0..1]  
</...>
```

### VehicleLengthMeasure

These field(s) use this type: VehicleLengthMeasure.

Length of the credit vehicle.

<b>Name</b>	VehicleLengthMeasure
<b>Abstract</b>	no

### XML Instance Representation

```
<...  
  uom="DimensionMeasure [1]">  
    Dimension  
</...>
```

### VehiclePrice

These field(s) use this type: VehiclePrice,VehiclePrice.

Customer price of vehicle

<b>Name</b>	VehiclePrice
<b>Abstract</b>	no

## Process Credit Application

---

### XML Instance Representation

```
<...  
  currency="Currency [1]">  
    Amount  
</...>
```

### VehiclePricingTypeSource

These field(s) use this type: VehiclePricingTypeSource.

Source from which pricing type data originated (i.e. Blue Book, NADA, etc.).

<b>Name</b>	VehiclePricingTypeSource
<b>Abstract</b>	no

### XML Instance Representation

```
<...  
  listID="xsd:token [0..1]"  
  listName="xsd:string [0..1]"  
  listAgencyID="xsd:token [0..1]"  
  listAgencyName="xsd:string [0..1]"  
  listVersionID="xsd:token [0..1]"  
  listURI="xsd:anyURI [0..1]">  
    CodeType  
</...>
```

### VehicleWeight

These field(s) use this type: VehicleWeight.

Vehicle Weight

<b>Name</b>	VehicleWeight
<b>Abstract</b>	no

### XML Instance Representation

## Process Credit Application

```
<...>
  Measurement
</...>
```

### Verb

These field(s) use this type: Verb.

<b>Name</b>	Verb
<b>Abstract</b>	no

### Data Elements and Components

Field / Component	Description	R/O	Business Rule
-------------------	-------------	-----	---------------

### XML Instance Representation

```
<.../>
```

### WholesaleValueAmount

These field(s) use this type: WholesaleValueAmount,WholesaleValueAmount.

Actual wholesale value of a used vehicle.

<b>Name</b>	WholesaleValueAmount
<b>Abstract</b>	no

### XML Instance Representation

```
<...
currency="Currency [1]">
  Amount
</...>
```

### WorkingCapitalAmount

## Process Credit Application

---

These field(s) use this type: **WorkingCapitalAmount**.

The difference between current assets and current liabilities. Measures the margin of protection for current creditors.

<b>Name</b>	<b>WorkingCapitalAmount</b>
<b>Abstract</b>	no

### XML Instance Representation

```
<...  
  currency="Currency [1]">  
    Amount  
</...>
```

## YearsInBusiness

These field(s) use this type: **YearsInBusiness**.

Total number of number of years Business Partner has been in business.

<b>Name</b>	<b>YearsInBusiness</b>
<b>Abstract</b>	no

### XML Instance Representation

```
<...>  
  Count  
</...>
```

## AccountantName

These field(s) use this type: **AccountantName**.

Name of accountant.

<b>Name</b>	<b>AccountantName</b>
-------------	-----------------------

\*Base XSD Type: string

## Process Credit Application

---

### AccountingDate

Month and year accounting date conforms to ISO 8601 format rules Ex: \d\d\d\d-\d\d

Name	AccountingDate
------	----------------

\*Base XSD Type: gYearMonth

### AccountKey

These field(s) use this type: AccountKey.

Indicates the account checksum.

Name	AccountKey
------	------------

\*Base XSD Type: string

### AccountType

These field(s) use this type: AccountType.

Identifies the type of account.

Name	AccountType
------	-------------

\*Base XSD Type: string

### AcknowledgementType

Name	AcknowledgementType
------	---------------------

\*Base XSD Type: NMTOKEN

Code Value	Description
Always	
OnChange	

## Process Credit Application

Code Value	Description
Never	

### Action

Name	Action
*Base XSD Type: string	
Code Value	Description
Add	
Delete	
Change	
Replace	
A	
D	
C	
R	

### AddressLine

These field(s) use this type: **AddressLine**.

Indicates the multiple lines of an address. The first line is typically the street name and number.

Name	AddressLine
*Base XSD Type: string	

## Process Credit Application

---

### AddressQualifier

Address Qualifier

Name	AddressQualifier
*Base XSD Type: string	
Code Value	Description
WorkAddress	Work Address
SeasonalAddress	Seasonal Address
DeliveryAddress	Delivery Address
HomeAddress	Home Address
PreviousAddress	Previous Address
Other	Other
Garage	Garage
Billing	Billing
NonSigningSpouseAddress	Non Signing Spouse Address
N/A	Not Applicable

### AirConditionInd

These field(s) use this type: **AirConditionInd**.

Indicates whether or not the vehicle has air conditioning.

Name	AirConditionInd
*Base XSD Type: string	
Code Value	Description
0	

## Process Credit Application

Code Value	Description
1	

### ApplicationStatus

These field(s) use this type: **ApplicationStatus**.

Status of credit application - P = Pending, A = Approved, C = Approved with Conditions, D = Denied, B = Booked, N = New, M = Modified, R = Preliminary, I = Withdrawn, L = Canceled, O = Condition, E = Error, RO = Reopened

Name	ApplicationStatus
*Base XSD Type: string	
Code Value	Description
P	"P" = Pending
A	"A" = Approved
C	"C" = Approved with Conditions
D	"D" = Denied
B	"B" = Booked
N	"N" = New
M	"M" = Modified
R	"R" = Preliminary
I	"I" = Withdrawn
L	"L" = Canceled
O	"O" = Condition
E	"E" = Error
RO	"RO" = Reopened



## Process Credit Application

Code Value	Description
OT	"OT" = Other
Pre-Approved	Pre-Approved
More Information Required	More Information Required
Not Submitted	Not Submitted

### ApplicationType

These field(s) use this type: **ApplicationType**.

Type of application being submitted for financing (e.g., individual, individual + co-applicant, business, business + coapplicant, employee).

Name	ApplicationType
------	-----------------

\*Base XSD Type: string

### ApprovedInd

These field(s) use this type: **ApprovedInd**.

Approved Indicator

Name	ApprovedInd
------	-------------

\*Base XSD Type: string

Code Value	Description
0	
1	

### AssigningOrganizationPartyId

## Process Credit Application

These field(s) use this type: **AssigningPartyId**.

Assigning Organization Party Id

Name	AssigningOrganizationPartyId
------	------------------------------

\*Base XSD Type: string

Code Value	Description
LegalId	Legal ID
NationalId	Government-assigned ID such as a social security Number
Other	Other
DUNS	Dun and Bradstreet
MotorDealerRegistrationId	Department of Motor Vehicle Registration number for a dealer. This is the dealer's license number to do business.
GSTRegistrationId	Canadian Goods and Services Tax Id.
HSTRegistrationId	Canadian HarmonizedTax Id.
Certification Of Registration Id	Id of the certificate of registration assigned to a business to allow that business to collect and remit certain taxes or fees to a state.
QSTRegistrationId	Quebec sales tax id.

## AssigningPartyId

These field(s) use this type: **AssigningPartyId**.

Agency or entity that validates the Party Id

Name	AssigningPartyId
------	------------------

\*Base XSD Type: string

Code Value	Description
LegalId	Legal ID

## Process Credit Application

Code Value	Description
DriversLicense	Drivers License
NationalId	Government-assigned ID such as a social security Number
Other	Other
GSTRegistrationId	Canadian Goods and Services Tax Id.
HSTRegistrationId	Canadian HarmonizedTax Id.
PreviousAccountNumber	
QSTRegistrationId	Quebec sales tax id.

## AuctionInd

These field(s) use this type: **AuctionInd.**

Indicates that the used vehicle has come from an auction.

Name	AuctionInd
*Base XSD Type: string	
Code Value	Description
0	
1	

## BankCode

These field(s) use this type: **BankCode.**

Code assigned to banking institution.

Name	BankCode
------	----------

## Process Credit Application

---

\*Base XSD Type: string

### BankIdType

These field(s) use this type: **BankIdType**.

The identifier standard used for Bank ID, e.g., ABA, SortCode, etc.

Name	BankIdType
------	------------

\*Base XSD Type: string

### BankName

These field(s) use this type: **BankName**.

Name of bank.

Name	BankName
------	----------

\*Base XSD Type: string

### BankruptcyDate

These field(s) use this type: **BankruptcyDate**.

Date the Business Party declared bankruptcy.

Name	BankruptcyDate
------	----------------

\*Base XSD Type: date

### BankruptcyInd

These field(s) use this type: **BankruptcyInd**.

Indicates if the Business Partner has ever declared bankruptcy.

## Process Credit Application

---

Name	BankruptcyInd
------	---------------

\*Base XSD Type: string

Code Value	Description
0	
1	

### BirthDate

These field(s) use this type: **BirthDate**.

Birth date of party

Name	BirthDate
------	-----------

\*Base XSD Type: date

### BodyStyle

These field(s) use this type: **BodyStyle,BodyStyle**.

Manufacturer-assigned vehicle body style

Name	BodyStyle
------	-----------

\*Base XSD Type: string

### BrakeType

These field(s) use this type: **BrakeType**.

Describes what type of brakes the vehicle has.

Name	BrakeType
------	-----------

\*Base XSD Type: string

## Process Credit Application

---

Code Value	Description
Manual	Manual Brakes
Power	Power Brakes

### BranchCode

These field(s) use this type: **BranchCode**.

Manufacture branch code.

<b>Name</b>	<b>BranchCode</b>
-------------	-------------------

\*Base XSD Type: string

### BranchName

These field(s) use this type: **BranchName**.

Name of the bank branch.

<b>Name</b>	<b>BranchName</b>
-------------	-------------------

\*Base XSD Type: string

### BrandedTitleDate

These field(s) use this type: **BrandedTitleDate**.

Branding Date

<b>Name</b>	<b>BrandedTitleDate</b>
-------------	-------------------------

\*Base XSD Type: date

### BrandedTitleInd

## Process Credit Application

---

These field(s) use this type: **BrandedTitleInd.**

This tag indicates if a vehicle's title has been branded. (i.e., vehicle totaled and state registration title branded as such)

Name	BrandedTitleInd
------	-----------------

\*Base XSD Type: string

Code Value	Description
0	
1	

## BrandingSource

These field(s) use this type: **BrandingSource.**

Branding source (i.e., source who says that the vehicle is branded)

Name	BrandingSource
------	----------------

\*Base XSD Type: string

## BrandingStateReference

These field(s) use this type: **BrandingStateReference.**

Branding State Reference Number

Name	BrandingStateReference
------	------------------------

\*Base XSD Type: string

## CertifiedPreownedInd

These field(s) use this type: **CertifiedPreownedInd.**

Identifies as a certified Pre-Owned Vehicle

## Process Credit Application

Name	CertifiedPreownedInd
*Base XSD Type: string	
Code Value	Description
0	
1	

### City

These field(s) use this type: City.

City of the Address.

Name	City
*Base XSD Type: string	

### Code

These field(s) use this type: BODId.

Unique code name

Name	Code
*Base XSD Type: string	

### CollateralType

These field(s) use this type: CollateralType,CollateralType.

Type used to classify a vehicle. EX: Auto, Light, Trailer, Motor Home, Conversion Van, Trailer (non-rec), Other, etc.

Name	CollateralType
*Base XSD Type: string	



## Process Credit Application

---

### CompanyCode

These field(s) use this type: CompanyCode.

Manufacture company code..

Name	CompanyCode
------	-------------

\*Base XSD Type: string

### CompanyName

These field(s) use this type: Name,Name.

Company name of customer

Name	CompanyName
------	-------------

\*Base XSD Type: string

### Condition

These field(s) use this type: Condition.

Condition of Vehicle - Example: Excellent, Good, Fair, Poor, Unknown

Name	Condition
------	-----------

\*Base XSD Type: string

### ConfirmType

Name	ConfirmType
------	-------------

\*Base XSD Type: NMTOKEN

---

Code Value	Description
------------	-------------

Always	
--------	--

---

## Process Credit Application

Code Value	Description
OnChange	
Never	

## ContactTelephoneNumberDescription

Contact Telephone Number Description

Name	ContactTelephoneNumberDescription
*Base XSD Type: string	
Code Value	Description
Evening Phone	Evening Phone
Day Phone	Day Phone
Cell Phone	Cell Phone
Pager	Pager
Other	Other

## ContactTelephoneNumberOrganizationDescription

Contact Telephone Number Organization Description

Name	ContactTelephoneNumberOrganizationDescription
*Base XSD Type: string	
Code Value	Description
Day Phone	Day Phone
Cell Phone	Cell Phone
Pager	Pager

## Process Credit Application

---

Code Value	Description
Other	Other

### ContactTime

These field(s) use this type: **ContactTime,ContactTime,ContactTime.**

Preferred contact time (i.e. Best day/time to reach the contact).

Name	ContactTime
------	-------------

\*Base XSD Type: string

### ContractCompanyName

These field(s) use this type: **ContractCompanyName.**

Contract company name

Name	ContractCompanyName
------	---------------------

\*Base XSD Type: string

### ContractExpirationDate

These field(s) use this type: **ContractExpirationDate.**

Date the contract expires

Name	ContractExpirationDate
------	------------------------

\*Base XSD Type: date

### ContractNote

These field(s) use this type: **ContractNote.**

# Process Credit Application

---

Free form comments that relate to the contract

<b>Name</b>	<b>ContractNote</b>
-------------	---------------------

\*Base XSD Type: string

## ContractOwnerName

These field(s) use this type: ContractOwnerName.

Name on service Contract (i.e., full name - First Last)

<b>Name</b>	<b>ContractOwnerName</b>
-------------	--------------------------

\*Base XSD Type: string

## ContractPlanCode

These field(s) use this type: ContractPlanCode.

Contract Plan Code

<b>Name</b>	<b>ContractPlanCode</b>
-------------	-------------------------

\*Base XSD Type: string

## ContractStartDate

These field(s) use this type: ContractStartDate.

Contract sale Date

<b>Name</b>	<b>ContractStartDate</b>
-------------	--------------------------

\*Base XSD Type: date

## ContractType

## Process Credit Application

These field(s) use this type: **ContractType**.

Contract type and/or area of coverage

Name	ContractType
------	--------------

\*Base XSD Type: string

## Country

These field(s) use this type: **DealerCountry,DealerCountry,Country**.

Country in which the Address is in. Conforms to ISO 3166-2. AF -AFGHANISTAN AL -ALBANIA DZ -ALGERIA AS -AMERICAN SAMOA AD -ANDORRA AO -ANGOLA AI -ANGUILLA AQ -ANTARCTICA AG -ANTIGUA AND BARBUDA AR -ARGENTINA AM -ARMENIA AW -ARUBA AU -AUSTRALIA AT -AUSTRIA AZ -AZERBAIJAN BS -BAHAMAS BH -BAHRAIN BD -BANGLADESH BB -BARBADOS BY -BELARUS BE -BELGIUM BZ -BELIZE BJ -BENIN BM -BERMUDA BT -BHUTAN BO -BOLIVIA BA -BOSNIA AND HERZEGOVINA BW -BOTSWANA BV -BOUVET ISLAND BR -BRAZIL IO-BRITISH INDIAN OCEAN TERRITORY BN -BRUNEI DARUSSALAM BG -BULGARIA BF -BURKINA FASO BI -BURUNDI KH -CAMBODIA CM -CAMEROON CA -CANADA CV -CAPE VERDE KY -CAYMAN ISLANDS CF -CENTRAL AFRICAN REPUBLIC TD -CHAD CL -CHILE CN -CHINA CX -CHRISTMAS ISLAND CC -COCOS (KEELING) ISLANDS CO -COLOMBIA KM -COMOROS CG -CONGO CD -CONGO, THE DEMOCRATIC REPUBLIC OF THE CK -COOK ISLANDS CR -COSTA RICA CI -CÔTE D'IVOIRE HR -CROATIA CU -CUBA CY -CYPRUS CZ -CZECH REPUBLIC DK -DENMARK DJ -DJIBOUTI DM -DOMINICA DO -DOMINICAN REPUBLIC EC -ECUADOR EG -EGYPT SV -EL SALVADOR GQ -EQUATORIAL GUINEA ER -ERITREA EE -ESTONIA ET -ETHIOPIA FK -FALKLAND ISLANDS (MALVINAS) FO -FAROE ISLANDS FJ -FIJI FI -FINLAND FR -FRANCE GF -FRENCH GUIANA PF -FRENCH POLYNESIA TF -FRENCH SOUTHERN TERRITORIES GA -GABON GM -GAMBIA GE -GEORGIA DE -GERMANY GH -GHANA GI -GIBRALTAR GR -GREECE GL -GREENLAND GD -GRENADA GP -GUADELOUPE GU -GUAM GT -GUATEMALA GN -GUINEA GW -GUINEA-BISSAU GY -GUYANA HT -HAITI HM -HEARD ISLAND AND MCDONALD ISLANDS VA -HOLY SEE (VATICAN CITY STATE) HN -HONDURAS HK -HONG KONG HU -HUNGARY IS -ICELAND IN -INDIA ID -INDONESIA IR -IRAN, ISLAMIC REPUBLIC OF IQ -IRAQ IE -IRELAND IL -ISRAEL IT -ITALY JM -JAMAICA JP -JAPAN JO -JORDAN KZ -KAZAKHSTAN KE -KENYA KI -KIRIBATI KP -KOREA, DEMOCRATIC PEOPLE'S REPUBLIC OF KR -KOREA, REPUBLIC OF KW -KUWAIT KG -KYRGYZSTAN LA -LAO PEOPLE'S DEMOCRATIC REPUBLIC LV -LATVIA LB -LEBANON LS -LESOTHO LR -LIBERIA LY -LIBYAN ARAB JAMAHIRIYA LI -LIECHTENSTEIN LT -LITHUANIA LU -LUXEMBOURG MO -MACAO MK -MACEDONIA, THE FORMER YUGOSLAV REPUBLIC OF MG -MADAGASCAR MW -MALAWI MY -MALAYSIA MV -MALDIVES ML -MALI MT -MALTA MH -MARSHALL ISLANDS MQ -MARTINIQUE MR -MAURITANIA MU -MAURITIUS YT -MAYOTTE MX -MEXICO FM -MICRONESIA, FEDERATED STATES OF MD -MOLDOVA, REPUBLIC OF MC -MONACO MN -MONGOLIA MS -MONTSERRAT MA -MOROCCO MZ -MOZAMBIQUE MM -MYANMAR NA -NAMIBIA NR -NAURU NP -NEPAL NL -NETHERLANDS AN -NETHERLANDS ANTILLES NC -NEW CALEDONIA NZ -NEW ZEALAND NI -NICARAGUA NE -NIGER NG -NIGERIA NU -NIUE NF -NORFOLK ISLAND MP -NORTHERN MARIANA ISLANDS NO -NORWAY OM -OMAN PK -PAKISTAN PW -PALAU PS -PALESTINIAN TERRITORY, OCCUPIED PA -PANAMA PG -PAPUA NEW GUINEA PY -PARAGUAY PE -PERU PH -PHILIPPINES

## Process Credit Application

PN -PITCAIRN PL -POLAND PT -PORTUGAL PR -PUERTO RICO QA -QATAR RE -RÅ#Â#UNION RO -ROMANIA RU -RUSSIAN  
 FEDERATION RW -RWANDA SH -SAINT HELENA KN -SAINT KITTS AND NEVIS LC -SAINT LUCIA PM -SAINT PIERRE AND MIQUELON  
 VC -SAINT VINCENT AND THE GRENADINES WS -SAMOA SM -SAN MARINO ST -SAO TOME AND PRINCIPE SA -SAUDI ARABIA SN  
 -SENEGAL CS -SERBIA AND MONTENEGRO SC -SEYCHELLES SL -SIERRA LEONE SG -SINGAPORE SK -SLOVAKIA SI -SLOVENIA SB  
 -SOLOMON ISLANDS SO -SOMALIA ZA -SOUTH AFRICA GS -SOUTH GEORGIA AND THE SOUTH SANDWICH ISLANDS ES -SPAIN LK  
 -SRI LANKA SD -SUDAN SR -SURINAME SJ -SVALBARD AND JAN MAYEN SZ -SWAZILAND SE -SWEDEN CH -SWITZERLAND SY  
 -SYRIAN ARAB REPUBLIC TW -TAIWAN, PROVINCE OF CHINA TJ -TAJIKISTAN TZ -TANZANIA, UNITED REPUBLIC OF TH -THAILAND  
 TL -TIMOR-LESTE TG - TOGO TK -TOKELAU TO -TONGA TT -TRINIDAD AND TOBAGO TN -TUNISIA TR -TURKEY TM  
 -TURKMENISTAN TC -TURKS AND CAICOS ISLANDS TV -TUVALU UG -UGANDA UA -UKRAINE AE -UNITED ARAB EMIRATES GB  
 -UNITED KINGDOM US -UNITED STATES UM -UNITED STATES MINOR OUTLYING ISLANDS UY -URUGUAY UZ -UZBEKISTAN VU  
 -VANUATU VE -VENEZUELA VN -VIET NAM VG -VIRGIN ISLANDS, BRITISH VI -VIRGIN ISLANDS, U.S. WF -WALLIS AND FUTUNA EH  
 -WESTERN SAHARA YE -YEMEN ZM -ZAMBIA ZW -ZIMBABWE

Name	Country
*Base XSD Type: string	
Code Value	Description
US	
AF	
AL	
DZ	
AS	
AD	
AO	
AI	
AQ	
AG	
AR	
AM	

## Process Credit Application

---

Code Value	Description
AW	
AU	
AT	
AZ	
BS	
BH	
BD	
BB	
BY	
BE	
BZ	
BJ	
BM	
BT	
BO	
BA	
BW	
BV	
BR	
IO	
BN	
BG	

## Process Credit Application

---

Code Value	Description
BF	
BI	
KH	
CM	
CA	
CV	
KY	
CF	
TD	
CL	
CN	
CX	
CC	
CO	
KM	
CG	
CD	
CK	
CR	
CI	
HR	
CU	



## Process Credit Application

---

Code Value	Description
CY	
CZ	
DK	
DJ	
DM	
DO	
EC	
EG	
SV	
GQ	
ER	
EE	
ET	
FK	
FO	
FJ	
FI	
FR	
GF	
PF	
TF	
GA	

## Process Credit Application

---

Code Value	Description
GM	
GE	
DE	
GH	
GI	
GR	
GL	
GD	
GP	
GU	
GT	
GN	
GW	
GY	
HT	
HM	
VA	
HN	
HK	
HU	
IS	
IN	

## Process Credit Application

---

Code Value	Description
ID	
IR	
IQ	
IE	
IL	
IT	
JM	
JP	
JO	
KZ	
KE	
KI	
KP	
KR	
KW	
KG	
LA	
LV	
LB	
LS	
LR	
LY	

## Process Credit Application

---

Code Value	Description
LI	
LT	
LU	
MO	
MK	
MG	
MW	
MY	
MV	
ML	
MT	
MH	
MQ	
MR	
MU	
YT	
MX	
FM	
MD	
MC	
MN	
MS	

## Process Credit Application

---

Code Value	Description
MA	
MZ	
MM	
NA	
NR	
NP	
NL	
AN	
NC	
NZ	
NI	
NE	
NG	
NU	
NF	
MP	
NO	
OM	
PK	
PW	
PS	
PA	

## Process Credit Application

---

Code Value	Description
PG	
PY	
PE	
PH	
PN	
PL	
PT	
PR	
QA	
RE	
RO	
RU	
RW	
SH	
KN	
LC	
PM	
VC	
WS	
SM	
ST	
SA	

## Process Credit Application

---

Code Value	Description
SN	
CS	
SC	
SL	
SG	
SK	
SI	
SB	
SO	
ZA	
GS	
ES	
LK	
SD	
SR	
SJ	
SZ	
SE	
CH	
SY	
TW	
TJ	

## Process Credit Application

---

Code Value	Description
TZ	
TH	
TL	
TG	
TK	
TO	
TT	
TN	
TR	
TM	
TC	
TV	
UG	
UA	
AE	
GB	
UM	
UY	
UZ	
VU	
VE	
VN	



## Process Credit Application

Code Value	Description
VG	
VI	
WF	
EH	
YE	
ZM	
ZW	

### County

These field(s) use this type: **County**.

Business party county location

Name	County
------	--------

\*Base XSD Type: string

### Currency

The ISO code identifying the type of currency in use.

Name	Currency
------	----------

\*Base XSD Type: string

Code Value	Description
USD	
ADP	
AED	

## Process Credit Application

---

Code Value	Description
AFA	
ALL	
ANG	
AOK	
ARA	
ATS	
AUD	
AWG	
BBD	
BDT	
BEF	
BGL	
BHD	
BIF	
BMD	
BND	
BOB	
BRC	
BSD	
BTN	
BUK	
BWP	

## Process Credit Application

---

Code Value	Description
BZD	
CAD	
CHF	
CLF	
CLP	
CNY	
COP	
CRC	
CSK	
CUP	
CVE	
CYP	
DDM	
DEM	
DJF	
DKK	
DOP	
DZD	
ECS	
EGP	
ESP	
ETB	

## Process Credit Application

---

Code Value	Description
EUR	
FIM	
FKP	
FRF	
GBP	
GHC	
GIP	
GMD	
GNF	
GRD	
GTQ	
GWP	
GYD	
HKD	
HNL	
HTG	
HUF	
IDR	
IEP	
ILS	
INR	
IQD	

## Process Credit Application

---

Code Value	Description
IRR	
ISK	
ITL	
JMD	
JOD	
JPY	
KES	
KHR	
KMF	
KPW	
KRW	
KWD	
KYD	
LAK	
LBP	
LKR	
LRD	
LSL	
LUF	
LYD	
MAD	
MGF	

## Process Credit Application

---

Code Value	Description
MNT	
MOP	
MRO	
MTL	
MUR	
MVR	
MWK	
MXN	
MYR	
MZM	
NGN	
NIC	
NLG	
NOK	
NPR	
NZD	
OMR	
PAB	
PEI	
PGK	
PHP	
PKR	

## Process Credit Application

---

Code Value	Description
PLZ	
PTE	
PYG	
QAR	
ROL	
RWF	
SAR	
SBD	
SCR	
SDP	
SEK	
SGD	
SHP	
SLL	
SKK	
SOS	
SRG	
STD	
SUR	
SVC	
SYP	
SZL	

## Process Credit Application

---

Code Value	Description
THB	
TND	
TOP	
TPE	
TRL	
TTD	
TWD	
TZS	
UGS	
UYP	
VEB	
VND	
VUV	
WST	
YDD	
YER	
YUD	
ZAR	
ZRZ	
ZWD	
Other	



## Process Credit Application

---

### Date

Date conforms to ISO 8601 format rules EX: \d\d\d\d-\d\d-\d\d

Name	Date
------	------

\*Base XSD Type: date

### DateOfIncorporation

These field(s) use this type: DateOfIncorporation.

Year, month and date of incorporation.

Name	DateOfIncorporation
------	---------------------

\*Base XSD Type: date

### DateTime

These field(s) use this type: CreationDateTime.

Date and time conforms to ISO 8601format rules without offset EX:2003-11-05T13:15:30Z

Name	DateTime
------	----------

\*Base XSD Type: dateTime

### DBAName

These field(s) use this type: DBAName,DBAName.

Doing Business As name.

Name	DBAName
------	---------

\*Base XSD Type: string

## Process Credit Application

---

### DealerInstallationInd

These field(s) use this type: DealerInstallationInd.

Indicates whether or not the dealership installed the part

Name	DealerInstallationInd
------	-----------------------

\*Base XSD Type: string

Code Value	Description
------------	-------------

0	
---	--

1	
---	--

### DealerName

These field(s) use this type: DealerName.

Dealer name

Name	DealerName
------	------------

\*Base XSD Type: string

### DealerProductsCapitalizedInd

These field(s) use this type: DealerProductsCapitalizedInd.

Indicates whether the item is capitalized or not capitalized if part of an lease

Name	DealerProductsCapitalizedInd
------	------------------------------

\*Base XSD Type: string

Code Value	Description
------------	-------------

0	
---	--

1	
---	--

## Process Credit Application

---

### DealerProductsPaidFor

These field(s) use this type: DealerProductsPaidFor.

Describes for whom the fee is to be paid

<b>Name</b>	<b>DealerProductsPaidFor</b>
-------------	------------------------------

\*Base XSD Type: string

### DealerProductsPaidTo

These field(s) use this type: DealerProductsPaidTo.

Describes for whom the fee is to be paid

<b>Name</b>	<b>DealerProductsPaidTo</b>
-------------	-----------------------------

\*Base XSD Type: string

### DealerProductsType

These field(s) use this type: DealerProductsType.

Describes the type of product

<b>Name</b>	<b>DealerProductsType</b>
-------------	---------------------------

\*Base XSD Type: string

Code Value	Description
Etching	Theft deterrent item where the VIN is etched into the window of a vehicle
Theft Deterrent	A device sold by the dealer used to deter theft of a vehicle.
Surface Protection	Paint and/or undercoating protection applied to a vehicle
Used Vehicle Contract Cancellation Option Agreement	Agreement that allows the customer to cancel the contract under certain conditions
Other	Products sold but actual type is unable to be determined

## Process Credit Application

---

### Decimal

Decimal

Name	Decimal
------	---------

\*Base XSD Type: decimal

### Department

Department

Name	Department
------	------------

\*Base XSD Type: string

### DepartmentType

These field(s) use this type: DepartmentType.

Identifies the type of department

Name	DepartmentType
------	----------------

\*Base XSD Type: string

### DimensionMeasure

Dimension measurements, i.e. height, width, length, depth, etc.

Name	DimensionMeasure
------	------------------

\*Base XSD Type: string

Code Value	Description
ft	ft = feet
yd	yd = yard

## Process Credit Application

---

Code Value	Description
in	in = inch
m	m = meter
cm	cm = centimeter

### DistrictCode

These field(s) use this type: **DistrictCode**.

Manufacturer Assigned District Code

<b>Name</b>	<b>DistrictCode</b>
-------------	---------------------

\*Base XSD Type: string

### DivisionCode

These field(s) use this type: **DivisionCode**.

Manufacture division code.

<b>Name</b>	<b>DivisionCode</b>
-------------	---------------------

\*Base XSD Type: string

### DocumentDateTime

These field(s) use this type: **DocumentDateTime**.

Is the date and time the document was last created. This is not the date and time that the BOD message instance was created.

<b>Name</b>	<b>DocumentDateTime</b>
-------------	-------------------------

\*Base XSD Type: dateTime

## Process Credit Application

---

### EducationLevel

These field(s) use this type: EducationLevel.

Last Year of education completed>

Name	EducationLevel
------	----------------

\*Base XSD Type: string

### EmployeeTitle

These field(s) use this type: Title,EmployeeTitle.

Employee Title

Name	EmployeeTitle
------	---------------

\*Base XSD Type: string

### EmploymentCode

These field(s) use this type: EmploymentCode.

Code that indicates whether the employment information identified is for current employment or pervious employment.

Name	EmploymentCode
------	----------------

\*Base XSD Type: string

### EmploymentStatus

These field(s) use this type: EmploymentStatus.

Identifies the business party's status of employment. EX: Full, part time, etc.

Name	EmploymentStatus
------	------------------

\*Base XSD Type: string

## Process Credit Application

---

### EngineType

These field(s) use this type: **EngineType**.

Manufacturer-assigned code to designate vehicle engine type (ie: 1EZ

Name	EngineType
------	------------

\*Base XSD Type: string

### ExpirationDate

These field(s) use this type: **ExpirationDate,ExpirationDate,ExpirationDate**.

Expiration Date

Name	ExpirationDate
------	----------------

\*Base XSD Type: date

### Expression

Name	Expression
------	------------

\*Base XSD Type: string

### ExpressionLanguage

Name	ExpressionLanguage
------	--------------------

\*Base XSD Type: string

### ExteriorColor

These field(s) use this type: **ExteriorColor**.

## Process Credit Application

---

Vehicle Exterior Color(s)

Name	ExteriorColor
------	---------------

\*Base XSD Type: string

### FamilyName

These field(s) use this type: SecondFamilyName,FamilyName.

Last Name of business party

Name	FamilyName
------	------------

\*Base XSD Type: string

### FeeType

These field(s) use this type: FeeType.

Designates the type of fee being applied

Name	FeeType
------	---------

\*Base XSD Type: string

Code Value	Description
------------	-------------

DocumentPreparationFee	
------------------------	--

SmogCertificateFeePaidToState	
-------------------------------	--

DocumentationFee	
------------------	--

FloridaDocumentFee	
--------------------	--

FilingFee	
-----------	--

TitleFee	
----------	--

RegistrationFee	
-----------------	--



## Process Credit Application

---

Code Value	Description
LicenseFee	
TireFee	
MotorVehicleInspectionFee	
BatteryFee	
WarrantyRightsFee	
CanadaFilingFee	
OfficialFeesPaidToGovtAgencies	
DocumentaryStampFee	
GAP	
LoanOriginationFee	
DeputyServiceFeePaidToDealer	
SmogCertificateFeePaidToSeller	
SmogImpactFee	
ServiceContract	
PlateFee	
LienNotationFee	
WasteTire	
ArbitrationFee	
NotaryFee	
SecurityInterestChargesFilingFee	
ElectronicTitleFee	
SafetyInspectionFee	

## Process Credit Application

Code Value	Description
ProcessingFee	
EmergencyMedicalServiceAdministrationFee	
EmissionInspectionFee	
AcquisitionFee	
Other	Other
DispositionFee	
TurnInFee	
UDriveItPermit	
SellPaidSmogFee	
TemporaryTagFee	
TransferFee	
SmogExemptionDonationFee	
LienFee	
WeightFee	
PostageFee	
N/A	Not Applicable
PurchaseOptionFee	
MonthlyLocalFee	
SPVFee	
OnlineRegistrationFee	
FloridaMVWEAFee	
ExemptionFee	

## Process Credit Application

Code Value	Description
LemonLawFeePaidToGovernmentAgency	
TerminationFee	
PublicSafetyFee	
VehicleTheftRecoveryFee	
RearEndDeterrentSafetyFee	
NonFilingInsuranceFee	Non filing insurance fee is property insurance utilized in connection with credit transactions in lieu of the actual recording, filing, or releasing of a security instrument or finance statement.
EnvironmentalProtectionFee	Environmental protection fee is a fee imposed on the consumers to protect and clean up the environment. This fee can be applied to clean up of underground storage tank site studies and clean up as well as other environmental protections.
FreightFee	Freight charges are the fee for hauling a vehicle to a dealership.
DealerProcessingFee	Dealer processing charge.
VendorSingleInterestFee	A fee charged by the Creditor to protect the creditor for loss or damage to the vehicle during the initial term of the contract.
AutoClubMembershipFee	Fee for membership to auto club such as AAA.
DPSHandlingFee	Fee for Louisiana. Department of Public Service Handling fee.
ElectronicFilingFee	Electronic Filing Fee for online system filing.
ConvenienceFee	Fee for Louisiana. Additional fee charged by the dealer.
PPSAFee	Personal Property Security Act - Fee charged to customer for registration of the vehicle contract (VIN) with the Government.
AdministrationFee	Fee charged for administration of records.
ERTFee	State regulated electronic registration and titling fee.
GasFee	State regulated gas fee.
TitlePrepFee	Fee charged for preparation of title.

## Process Credit Application

Code Value	Description
SupplementalTitleFee	State regulated supplemental title fee.
GeorgiaMotorVehicleWarrantyRightsActFee	Companies that sell or lease new motor vehicles to consumers have certain responsibilities under the law. Pursuant to the Georgia Motor Vehicle Warranty Rights Act [O.C.G.A. Section 10-1-789(a)], a fee of \$3.00 shall be collected by every dealer, lessor or distributor from each consumer at the completion of the sale or lease of a new motor vehicle.
RoadandBridgeFee	A fee on motor vehicle registrations to fund costs associated with road improvements. - Texas
MotorVehicleWarrantyTrustFundFee	The \$2 fee is collected by the motor vehicle dealer when a new motor vehicle is sold or leased for one year or more. The fee is reported and paid by the selling dealer to the county tax collector or private tag agency when the dealer applies for title. The fees are transferred monthly by the Florida Department of Revenue to the Department of Legal Affairs for deposit into the Motor Vehicle Warranty Trust Fund. - Florida
InspectionStickerFees	A fee charged by the dealer for inspection purposes to protect unsafe vehicles from being operated on the road. The fee is used to inspect the vehicle ensuring it is mechanically sound and safe. - Mississippi
EmergencyMedicalServiceFees	Fee charged for EMS services for all drivers. - Washington
Smog Abatement Fee	The Smog Abatement Fee is the annual fee that must be paid upon registration renewal in lieu of the bi-annual smog inspection.
Greenhouse Gas Reduction	A fee that is placed on the registration or renewal of a vehicle that uses fossil fuels for propulsion.
Rental Car Surcharge Fee	Rental Car Surcharge is imposed upon a lease or rented motor vehicle
Messenger Fee	Messenger Fee pass through charge by dealers to have an outside company provide a public service of delivering and obtaining documents to and from the Department of Motor Vehicle
Encumbrance Fee	The Encumbrance Fee is charged to establish a claim against property. This fee is charged by the Dealer but handle by a third party.
Title and Registration Processing Fee	A fee charged to process the title and registration of a vehicle
DEQ Certification Fee	Air and qualify certification fee.

## Process Credit Application

Code Value	Description
Motor Vehicle Processing Fee	States like New Jersey that charge the consumer a processing fee for the Motor Vehicle.
Department of Motor Vehicle Fee	A fee charged by the department of motor vehicles.
New Tag Fee	A fee to obtain a new plate tag.
Duplicate of Registration Fee	A fee to obtain a copy of an existing registration if lost, stolen, or destroyed.
Vehicle Theft Registration Fee	A fee charged to register theft deterrent products.
Total Annual Fees	Total of Annual Fees
Total Initial Fees	Total of Initial Fees
Document Service Fee	Fee charged to a buyer/lessee for the handling of documents and the performing of services related to the sale /lease and may include dealer profit.
Service and Handling Fee	Fee charged to a buyer/lessee for the performing services and handling related to the closing of a sale /lease and may include dealer profit.
Delivery and Handling Fee	Fee charged to a buyer/lessee for the handling related to the closing of a sale /lease and may include dealer profit.
Recording Fee	Fee charged to a buyer/lessee for the recording of the title (part of the title fee that must be disclosed separately) and is related to the closing of a sale /lease.
Air Quality Fee	Air Quality Fee
Lender and Member Fee	Lender's and Members's Fee
Mobility Fee	Fee paid to Texas Mobility Fund
Acquisition Fee Markup	An amount added to the finance company Acquisition Fee that is retained by the dealer.
Courtesy Delivery Fee	Fee for delivery of ordered vehicle(s) to multiple destinations.
Electronic Temp Tag Processing Fee	Electronic temporary tag processing fee paid to a vendor (not the state).
Assignment Fee	Fee paid to the dealer from the finance source for assignment of the contract. This fee is separate from an acquisition fee.

## Process Credit Application

---

Code Value	Description
Special Monthly Fee	Finance source-specific monthly fee on a lease. This differs from "Monthly Local Fee" which is generally a monthly property tax that the vehicle owner (which is the lender in the case of a lease) passes on to the lessee. "Special Monthly Fee" is a fee that the lender collects and pays into a fund for a special purpose--for example, in New York, the fund is used to pay parking tickets that are by law the responsibility of the vehicle owner (the lender). Not all lenders handle this the same way, but those that do require that these two fees be accounted for differently.

### FinanceCompanyName

These field(s) use this type: FinanceCompanyName,FinanceCompanyName,FinanceCompanyName.

Name of Finance Company

<b>Name</b>	<b>FinanceCompanyName</b>
-------------	---------------------------

\*Base XSD Type: string

### FinanceType

These field(s) use this type: FinanceType,FinanceType,FinanceType.

Type of financing Examples may be F- Finance, L - Lease, C-Cash, 1-Retail, 2-Lease, 3-Balloon, etc.

<b>Name</b>	<b>FinanceType</b>
-------------	--------------------

\*Base XSD Type: string

### FirstTimeBuyerInd

These field(s) use this type: FirstTimeBuyerInd.

Identifies customer as first time buyer

<b>Name</b>	<b>FirstTimeBuyerInd</b>
-------------	--------------------------

## Process Credit Application

---

\*Base XSD Type: string

Code Value	Description
0	
1	

### FormattedName

These field(s) use this type: **FormattedName**.

Full Name of business party. Format for name should be "First Last" with no commas between first and last name

Name	FormattedName
------	---------------

\*Base XSD Type: string

### GivenName

These field(s) use this type: **GivenName**.

First Name of business party

Name	GivenName
------	-----------

\*Base XSD Type: string

### HoldingCompany

These field(s) use this type: **HoldingCompany**.

The company that is securing or underwriting the loan.

Name	HoldingCompany
------	----------------

\*Base XSD Type: string

## Process Credit Application

---

### HomeWork

Home or Work

Name	HomeWork
*Base XSD Type: string	
Code Value	Description
Home	Home
Work	Work
Other	Other

### IgnitionKeyNumber

These field(s) use this type: **IgnitionKeyNumber**.

Vehicle Ignition Key Number

Name	IgnitionKeyNumber
*Base XSD Type: string	

### IncomePeriod

HR = Hour, WK = Week, BiWK = Bi-Weekly, MO = Month, YR = Year, SmMO=SemiMonthly, SmAN=SemiAnnually

Name	IncomePeriod
*Base XSD Type: string	
Code Value	Description
HR	Hour
WK	Week
BiWK	Bi-Weekly



## Process Credit Application

Code Value	Description
MO	Monthly
YR	Year
SmMO	Semi-Monthly
SmAN	Semi-Annually. Semi-Annually is twice per year
Q	Quarterly

### IncomeSource

These field(s) use this type: **IncomeSource**.

Identifies the source of income (e.g., job, child support, alimony, etc.)

Name	IncomeSource
*Base XSD Type: string	

### IndebtednessResponsibility

These field(s) use this type: **IndebtednessResponsibility**.

Specifies whether the buyer or the seller will pay the indebtedness on the trade in vehicle.

Name	IndebtednessResponsibility
*Base XSD Type: string	

Code Value	Description
Buyer Paid	Indicates that the buyer will pay the indebtedness on the trade in vehicle.
Seller Paid	Indicates that the seller will pay the indebtedness on the trade in vehicle.
Other	Other
N/A	Not Applicable

## Process Credit Application

---

### IndebtednessResponsibilityDesc

These field(s) use this type: IndebtednessResponsibilityDesc.

Textual description specifying the amount the buyer and the amount the seller will pay of the indebtedness on the trade in vehicle.

Name	IndebtednessResponsibilityDesc
------	--------------------------------

\*Base XSD Type: string

### Indicator

These field(s) use this type: DeliverPendingMailInd.

0 = No, 1 = Yes

Name	Indicator
------	-----------

\*Base XSD Type: string

Code Value	Description
------------	-------------

0	
---	--

1	
---	--

### IndustryType

These field(s) use this type: IndustryType.

Area of work for the business, e.g. Manufacturing, Financial Services, etc.

Name	IndustryType
------	--------------

\*Base XSD Type: string

### InsuranceCompanyName

These field(s) use this type: InsuranceCompanyName,InsuranceCompanyName.

## Process Credit Application

---

Insurance company name

Name	InsuranceCompanyName
------	----------------------

\*Base XSD Type: string

### InteriorColor

These field(s) use this type: InteriorColor.

Vehicle Interior Color(s)

Name	InteriorColor
------	---------------

\*Base XSD Type: string

### InvoiceNumber

These field(s) use this type: InvoiceNumber.

Invoice number

Name	InvoiceNumber
------	---------------

\*Base XSD Type: string

### IssuingState

These field(s) use this type: IssuingState,IssuingState.

Indicates that State where the license was issued.

Name	IssuingState
------	--------------

\*Base XSD Type: string

### Language

## Process Credit Application

These field(s) use this type: **Language**.

Language conforms to ISO 639-2 rules. Note the format for this field is language-Country (see Country data type for the list of countries with definitions). AA "Afar", AB "Abkhazian", AF "Afrikaans", AM "Amharic", AR "Arabic", AS "Assamese", AY "Aymara", AZ "Azerbaijani", BA "Bashkir", BE "Byelorussian", BG "Bulgarian", BH "Bihari", BI "Bislama", BN "Bengali", BO "Tibetan", BR "Breton", CA "Catalan", CO "Corsican", CS "Czech", CY "Welsh", DA "Danish", DE "German", DZ "Bhutani", EL "Greek", EN "English", ES "Spanish", ET "Estonian", EU "Basque", FA "Persian", FI "Finnish", FJ "Fiji", FO "Faeroese", FR "French", FY "Frisian", GA "Irish", GD "Gaelic", GL "Galician", GN "Guarani", GU "Gujarati", HA "Hausa", HI "Hindi", HR "Croatian", HU "Hungarian", HY "Armenian", IK "Inupiak", IN "Indonesian", IS "Icelandic", IT "Italian", IW "Hebrew", JA "Japanese", JI "Yiddish", JW "Javanese", KA "Georgian", KK "Kazakh", KL "Greenlandic", KM "Cambodian", KN "Kannada", KO "Korean", KS "Kashmiri", KU "Kurdish", KY "Kirghiz", LA "Latin", LN "Lingala", LO "Laothian", LT "Lithuanian", LV "Latvian", MG "Malagasy", MI "Maori", MK "Macedonian", ML "Malayalam", MN "Mongolian", MO "Moldavian", MR "Marathi", MS "Malay", MT "Maltese", MY "Burmese", NA "Nauru", NE "Nepali", NL "Dutch", NO "Norwegian", OC "Occitan", OM "Oromo", OR "Oriya", PA "Punjabi", PL "Polish", PS "Pashto", PT "Portuguese", QU "Quechua", RM "Rhaeto-Romance", RN "Kirundi", RO "Romanian", RU "Russian", RW "Kinyarwanda", SA "Sanskrit", SD "Sindhi", SG "Sangro", SH "Serbo-Croatian", SI "Singhalese", SK "Slovak", SL "Slovenian", SM "Samoan", SN "Shona", SO "Somali", SQ "Albanian", SR "Serbian", SS "Siswati", ST "Sesotho", SU "Sudanese", SV "Swedish", SW "Swahili", TA "Tamil", TE "Tegulu", TG "Tajik", TH "Thai", TI "Tigrinya", TK "Turkmen", TL "Tagalog", TN "Setswana", TO "Tonga", TR "Turkish", TS "Tsonga", TT "Tatar", TW "Twi", UK "Ukrainian", UR "Urdu", UZ "Uzbek", VI "Vietnamese", WO "Wolof", XH "Xhosa", YO "Yoruba", ZH "Chinese", ZU "Zulu"

Name	Language
*Base XSD Type: string	
Code Value	Description
en-US	
en-CA	
aa-ET	
ab-GE	
af-ZA	
am-ET	
ar-SA	
as-IN	
ay-BO	

## Process Credit Application

---

Code Value	Description
az-AZ	
ba-RU	
be-BY	
bg-BG	
bh-IN	
bi-VU	
bn-BD	
bo-BT	
br-FR	
ca-ES	
co-FR	
cs-CZ	
cy-GB	
da-DE	
de-DE	
dz-BT	
el-GR	
es-ES	
et-EE	
eu-ES	
fa-AF	
fi-FI	

## Process Credit Application

---

Code Value	Description
fj-FJ	
fo-FO	
fr-CA	
fr-FR	
fy-NL	
ga-IE	
gd-GB	
gl-ES	
gn-PY	
gu-IN	
ha-NG	
hi-IN	
hr-HR	
hu-HU	
hy-AM	
ik-GL	
in-ID	
is-IS	
it-IT	
iw-IL	
ja-JP	
ji-IL	

## Process Credit Application

---

Code Value	Description
jw-ID	
ka-GE	
kk-KZ	
kl-GL	
km-KH	
kn-IN	
ko-KP	
ko-KR	
ks-IN	
ku-IQ	
ky-CN	
la-VA	
ln-CD	
lo-LA	
lt-LT	
lv-LV	
mg-MG	
mi-NZ	
mk-MK	
ml-IN	
mn-MN	
mo-MO	

## Process Credit Application

---

Code Value	Description
mr-IN	
ms-MY	
mt-MH	
my-MM	
na-NR	
ne-NP	
nl-NL	
no-NO	
oc-FR	
om- ET	
or-IN	
pa-IN	
pl-PL	
ps-PK	
pt-PT	
qu-PE	
rm-CH	
rn-BI	
ro-RO	
ru-RU	
rw-RW	
sa-IN	



## Process Credit Application

---

Code Value	Description
sd-PK	
sg-CF	
sh-HR	
si-LK	
sk-SK	
sl-SI	
sm-WS	
sn-ZW	
so-SO	
sq-AL	
sr-CS	
ss-ZA	
st-ZA	
su-SD	
sv-SE	
sw-TL	
ta-IN	
te-IN	
tg-TJ	
th-TH	
ti-ET	
tk-TM	

## Process Credit Application

Code Value	Description
tl-PH	
tn-ZA	
to-TO	
tr-TR	
ts-ZA	
tt-RU	
tw-GH	
uk-UA	
ur-PK	
uz-UZ	
vi-VN	
wo-SN	
xh-ZA	
yo-NG	
zh-CN	
zu-ZA	

### LeaseMaturityDate

These field(s) use this type: LeaseMaturityDate,LeaseMaturityDate.

The date that the lease matures.

Name	LeaseMaturityDate
------	-------------------

\*Base XSD Type: date

## Process Credit Application

---

### LeaseRateMoneyFactor

These field(s) use this type: LeaseRateMoneyFactor.

Money factor multiplier used to determine finance costs for a lease.

Name	LeaseRateMoneyFactor
------	----------------------

\*Base XSD Type: string

### LicenseNumber

These field(s) use this type: LicenseNumber,LicenseNumber.

State License plate number of vehicle

Name	LicenseNumber
------	---------------

\*Base XSD Type: string

### Make

These field(s) use this type: Make.

Vehicle make code - Usually available in the VIN number (use NCIC code).

Name	Make
------	------

\*Base XSD Type: string

### Manufacturer

These field(s) use this type: Manufacturer.

Manufacturer Name

Name	Manufacturer
------	--------------

\*Base XSD Type: string

## Process Credit Application

---

### ManufacturerInstalledInd

These field(s) use this type: ManufacturerInstalledInd.

Indicates manufacturer-installed accessories

Name	ManufacturerInstalledInd
------	--------------------------

\*Base XSD Type: string

Code Value	Description
------------	-------------

0	
---	--

1	
---	--

### MaritalStatus

These field(s) use this type: MaritalStatus.

Identifies marital status of business party - M = Married, U = Unmarried, S = Separated, O = Other

Name	MaritalStatus
------	---------------

\*Base XSD Type: string

Code Value	Description
------------	-------------

M	"M" = Modified
---	----------------

U	Unmarried
---	-----------

S	Sell
---	------

O	"O" = Condition
---	-----------------

### MarketingMailInd

These field(s) use this type: MarketingMailInd,MarketingMailInd.

## Process Credit Application

---

Indicates customers whom have requested no marketing mail

Name	MarketingMailInd
------	------------------

\*Base XSD Type: string

Code Value	Description
0	
1	

### MaturityDate

These field(s) use this type: MaturityDate,MaturityDate,MaturityDate.

Month and year of contract maturity

Name	MaturityDate
------	--------------

\*Base XSD Type: gYearMonth

### MfgDealerInd

These field(s) use this type: MfgDealerInd,MfgDealerInd.

Indicators that the Business Party is an employed by a Manufacture or Dealer.

Name	MfgDealerInd
------	--------------

\*Base XSD Type: string

Code Value	Description
0	
1	

## Process Credit Application

---

### MiddleName

These field(s) use this type: MiddleName.

Middle Initial of business party

Name	MiddleName
------	------------

\*Base XSD Type: string

### MileageMeasure

M = Miles, K = Kilometers

Name	MileageMeasure
------	----------------

\*Base XSD Type: string

Code Value	Description
M	"M" = Modified
K	Kilometers

### MilitaryInd

These field(s) use this type: MilitaryInd.

Indicates whether or not the applicant is a current member of the military.

Name	MilitaryInd
------	-------------

\*Base XSD Type: string

Code Value	Description
0	
1	

## Process Credit Application

---

### MiscellaneousCode

These field(s) use this type: MiscellaneousCode.

Miscellaneous code

Name	MiscellaneousCode
------	-------------------

\*Base XSD Type: string

### MiscellaneousNotes

These field(s) use this type: MiscellaneousNotes.

Free form miscellaneous comments

Name	MiscellaneousNotes
------	--------------------

\*Base XSD Type: string

### Model

These field(s) use this type: Model.

Manufacturer-assigned model code of vehicle - Usually available in the VIN number (use NCIC code)

Name	Model
------	-------

\*Base XSD Type: string

### ModelDescription

These field(s) use this type: ModelDescription.

Descriptive vehicle model name

Name	ModelDescription
------	------------------

\*Base XSD Type: string

## Process Credit Application

---

### ModelYear

These field(s) use this type: ModelYear.

Vehicle designated model year

Name	ModelYear
------	-----------

\*Base XSD Type: gYear

### Name

These field(s) use this type: GivenName,FamilyName,FormattedName.

Name of the Party.

Name	Name
------	------

\*Base XSD Type: string

### NonUSVehicleInd

These field(s) use this type: NonUSVehicleInd.

Indicates whether the vehicle was produced for the United States or not

Name	NonUSVehicleInd
------	-----------------

\*Base XSD Type: string

Code Value	Description
0	
1	

### Note

A free form note.



## Process Credit Application

---

Name	Note
------	------

\*Base XSD Type: string

### Occupation

These field(s) use this type: Occupation.

Occupation of business party

Name	Occupation
------	------------

\*Base XSD Type: string

### OdometerStatus

These field(s) use this type: OdometerStatus.

Status of odometer at trade-in. Example:: Replaced, Tampered, Miles> 90,000, etc.

Name	OdometerStatus
------	----------------

\*Base XSD Type: string

### OfferingType

These field(s) use this type: OfferingType.

Source type of credit contract being offered.

Name	OfferingType
------	--------------

\*Base XSD Type: string

### OptionName

These field(s) use this type: OptionName.

## Process Credit Application

---

Name of vehicle option

Name	OptionName
------	------------

\*Base XSD Type: string

### OptionNotes

These field(s) use this type: OptionNotes.

Free form text related to option

Name	OptionNotes
------	-------------

\*Base XSD Type: string

### OptionOrigin

These field(s) use this type: OptionOrigin.

Identifies the option installer

Name	OptionOrigin
------	--------------

\*Base XSD Type: string

### OptionPricingType

These field(s) use this type: OptionPricingType.

Designates type of pricing for option.

Name	OptionPricingType
------	-------------------

\*Base XSD Type: string

---

Code Value	Description
Retail	

---

## Process Credit Application

---

Code Value	Description
Loan	Amount lenders typically loan on the listed vehicle.
Trade-In	Amount allowed by dealers on a trade.

### OptionSalesCode

These field(s) use this type: OptionSalesCode.

Further definition of accessories and option packages - Indicates whether ordered option, special package, standard, etc.

Name	OptionSalesCode
------	-----------------

\*Base XSD Type: string

### OptionSecurityCode

These field(s) use this type: OptionSecurityCode.

Security code to unlock option. (i.e, radio code)

Name	OptionSecurityCode
------	--------------------

\*Base XSD Type: string

### OptionSerialNumber

These field(s) use this type: OptionSerialNumber.

Serial number of Option

Name	OptionSerialNumber
------	--------------------

\*Base XSD Type: string

### OptionStockNumber

## Process Credit Application

---

These field(s) use this type: **OptionStockNumber**.

Stock Number of Vehicle Option

<b>Name</b>	<b>OptionStockNumber</b>
-------------	--------------------------

\*Base XSD Type: string

### OrganizationName

These field(s) use this type: **OrganizationName**.

OrganizationName

<b>Name</b>	<b>OrganizationName</b>
-------------	-------------------------

\*Base XSD Type: string

### OrganizationType

These field(s) use this type: **OrganizationType**.

Identifies the type of business (i.e., Sole Proprietorship, Partnership, LLP, LLC, Not For Profit, etc.).

<b>Name</b>	<b>OrganizationType</b>
-------------	-------------------------

\*Base XSD Type: string

### OwnedType

These field(s) use this type: **OwnedType**.

Type of vehicle for which information is being collected

<b>Name</b>	<b>OwnedType</b>
-------------	------------------

\*Base XSD Type: string

## Process Credit Application

Code Value	Description
Current	Vehicle information related to the current vehicle
Previous	Vehicle information related to the previous vehicle
Household	Vehicle information related to the household vehicle
Other	Other

### PartType

These field(s) use this type: **PartType**.

Specifies whether the parts are indicated by manufacturer part code or Part Number - H = Manufacturer Part Code, P = Part Number

Name	PartType
*Base XSD Type: string	
Code Value	Description
H	Manufacturer Part Code
P	"P" = Pending

### PortInstalledInd

These field(s) use this type: **PortInstalledInd**.

Indicates Port-installed accessories

Name	PortInstalledInd
*Base XSD Type: string	
Code Value	Description
0	

## Process Credit Application

Code Value	Description
1	

### PostalCode

These field(s) use this type: **PostalCode**.

Postal Code of the Address.

<b>Name</b>	<b>PostalCode</b>
-------------	-------------------

\*Base XSD Type: string

### PreApprovedProgramName

These field(s) use this type: **PreApprovedProgramName**.

A text description of preapproval codes.

<b>Name</b>	<b>PreApprovedProgramName</b>
-------------	-------------------------------

\*Base XSD Type: string

### PreferredContactMethod

These field(s) use this type: **PreferredContactMethod**.

Preferred contact method

<b>Name</b>	<b>PreferredContactMethod</b>
-------------	-------------------------------

\*Base XSD Type: string

Code Value	Description
Day Phone	Day Phone
Evening Phone	Evening Phone

## Process Credit Application

Code Value	Description
Cell Phone	Cell Phone
Work Fax	Work Fax
Home Fax	Home Fax
Pager	Pager
Work Email	Work Email
Home Email	Home Email
US Mail	US Mail
Other	Other
N/A	Not Applicable

## PreferredContactMethodOrganization

These field(s) use this type: **PreferredContactMethod,PreferredContactMethod.**

Preferred Contact Method Organization

Name	PreferredContactMethodOrganization
*Base XSD Type: string	
Code Value	Description
Day Phone	Day Phone
Cell Phone	Cell Phone
Work Fax	Work Fax
Pager	Pager
Work Email	Work Email
US Mail	US Mail

## Process Credit Application

Code Value	Description
Other	Other

### PreferredProviderInd

These field(s) use this type: **PreferredProviderInd**.

Whether the provider is a preferred provider.

Name	PreferredProviderInd
*Base XSD Type: string	
Code Value	Description
0	
1	

### PriceExplanation

These field(s) use this type: **PriceExplanation,PriceExplanation**.

Explanatory Note for Pricing

Name	PriceExplanation
*Base XSD Type: string	

### PricingType

These field(s) use this type: **PricingType**.

Designates type of pricing for vehicle transaction. Examples could be: QUOTE, MSRP, INVOICE, BLUEBOOK, TOTALFIGURE, OVERINVOICE, UNDERINVOICE, UNDERMSRP, OVERMSRP, CALL, NA, or OTHER

Name	PricingType
------	-------------



## Process Credit Application

---

\*Base XSD Type: string

### PricingTypeSource

These field(s) use this type: PricingTypeSource.

Source from which pricing type data originated (i.e. Blue Book, NADA, etc.).

Name	PricingTypeSource
------	-------------------

\*Base XSD Type: string

### PrimaryContactInd

These field(s) use this type: PrimaryContactInd.

Indicates if contact is primary contact

Name	PrimaryContactInd
------	-------------------

\*Base XSD Type: string

Code Value	Description
0	
1	

### PrimaryDriverInd

These field(s) use this type: PrimaryDriverInd,PrimaryDriverInd,PrimaryDriverInd,PrimaryDriverInd.

Identifies customer as primary driver.

Name	PrimaryDriverInd
------	------------------

\*Base XSD Type: string

## Process Credit Application

---

Code Value	Description
0	
1	

### PrivacyInd

These field(s) use this type: **PrivacyInd**.

Indicator to note that Business Party has requested to share or to not share information with third parties.

Name	PrivacyInd
*Base XSD Type: string	
Code Value	Description
0	
1	

### PrivacyType

These field(s) use this type: **PrivacyType**.

Code identifying a Party's authorized privacy rights.

Name	PrivacyType
*Base XSD Type: string	

### PublicConveyanceInd

These field(s) use this type: **PublicConveyanceInd**.

Indicator of whether the vehicle is intended for public conveyance, e.g., taxi.

## Process Credit Application

---

Name	PublicConveyanceInd
------	---------------------

\*Base XSD Type: string

Code Value	Description
0	
1	

### PurchaseDate

These field(s) use this type: **PurchaseDate**.

Vehicle Purchase/Lease Date

Name	PurchaseDate
------	--------------

\*Base XSD Type: date

### Reference

These field(s) use this type: **ReferenceId**.

Reference notation

Name	Reference
------	-----------

\*Base XSD Type: string

### ReferenceNumber

Reference number

Name	ReferenceNumber
------	-----------------

\*Base XSD Type: string

## Process Credit Application

---

### RelationshipCode

These field(s) use this type: RelationshipCode,RelationshipCode,RelationshipCode,RelationshipCode,RelationshipCode.

Indicates the Business Party's relationship to the primary Party (e.g., mother, father, husband, etc.).

Name	RelationshipCode
------	------------------

\*Base XSD Type: string

### RemovedInd

These field(s) use this type: RemovedInd.

Indicates the option is removed from the vehicle.

Name	RemovedInd
------	------------

\*Base XSD Type: string

Code Value	Description
------------	-------------

0	
---	--

1	
---	--

### RepairsAccessoriesOrderNumber

These field(s) use this type: RepairsAccessoriesOrderNumber.

Customer's purchase order number for dealer's repairs and accessories on the purchased vehicle.

Name	RepairsAccessoriesOrderNumber
------	-------------------------------

\*Base XSD Type: string

### ReportOfSaleNumber

These field(s) use this type: ReportOfSaleNumber.

## Process Credit Application

---

Auditable number used to track titling etc. This is an alphanumeric text field.

Name	ReportOfSaleNumber
------	--------------------

\*Base XSD Type: string

### RepossessionDate

These field(s) use this type: RepossessionDate.

Date the Business Party experienced repossession.

Name	RepossessionDate
------	------------------

\*Base XSD Type: date

### RepossessionInd

These field(s) use this type: RepossessionInd.

Indicates if the Business Partner has experienced repossession.

Name	RepossessionInd
------	-----------------

\*Base XSD Type: string

Code Value	Description
------------	-------------

0	
---	--

1	
---	--

### ResidenceType

These field(s) use this type: ResidenceType,ResidenceType,ResidenceType.

Business Partner's type of residence (i.e., Own, Rent).

Name	ResidenceType
------	---------------

## Process Credit Application

---

\*Base XSD Type: string

### RestrictionInd

These field(s) use this type: **RestrictionInd**.

Indication that vehicle has restrictions on its use

Name	RestrictionInd
------	----------------

\*Base XSD Type: string

Code Value	Description
0	
1	

### RetiredInd

These field(s) use this type: **RetiredInd**.

Indicates if the Business Partner is retired.

Name	RetiredInd
------	------------

\*Base XSD Type: string

Code Value	Description
0	
1	

### SaleClass

These field(s) use this type: **SaleClass,SaleClass**.

## Process Credit Application

---

Class of sale.

Name	SaleClass
Base XSD Type: string	
Code Value	Description
New	Never owned.
Used	Previously Owned
Demo	Demonstration item.
Other	Other
N/A	Not Applicable
Floor Sample	This is a vehicle that is provided in the showroom as an example.
Factory	Identifies that the vehicle may have been used as a product demonstration for an official or executive from the manufacturer.

### SalesOrderNumber

These field(s) use this type: **SalesOrderNumber.**

A vehicle order number used by dealers and OEMS to track customer orders.

Name	SalesOrderNumber
Base XSD Type: string	

### SalesPersonName

These field(s) use this type: **SalesPersonName,SalesPersonName.**

Name of Salesperson. Format for name should be "First Last" with no commas between first and last name

Name	SalesPersonName
------	-----------------

## Process Credit Application

---

\*Base XSD Type: string

### SalesStockNumber

These field(s) use this type: SalesStockNumber.

Dealer assigned vehicle stock number of the sale.

Name	SalesStockNumber
------	------------------

\*Base XSD Type: string

### Salutation

These field(s) use this type: Salutation.

Title or greeting of business party

Name	Salutation
------	------------

\*Base XSD Type: string

### SecondaryPassword

These field(s) use this type: SecondaryPassword.

Secondary password used to validate access to the dealer information

Name	SecondaryPassword
------	-------------------

\*Base XSD Type: string

### SecondKeyNumber

These field(s) use this type: SecondKeyNumber.

Number of second key (e.g. trunk, valet key, etc).



## Process Credit Application

---

Name	SecondKeyNumber
------	-----------------

\*Base XSD Type: string

### SelectionMethod

These field(s) use this type: SelectionMethod.

Method used to select dealer Example: PF for preferred, PM for PMA, DI for distance, etc.

Name	SelectionMethod
------	-----------------

\*Base XSD Type: string

### SelfEmployedInd

These field(s) use this type: SelfEmployedInd.

Indicates whether or not the applicant is self-employed.

Name	SelfEmployedInd
------	-----------------

\*Base XSD Type: string

Code Value	Description
------------	-------------

0	
---	--

1	
---	--

### SerialNumber

Serial Number

Name	SerialNumber
------	--------------

\*Base XSD Type: string

## Process Credit Application

---

### SeriesName

These field(s) use this type: SeriesName, SeriesName.

The name corresponding to the SeriesCode

Name	SeriesName
------	------------

\*Base XSD Type: string

### ServiceCenterCode

These field(s) use this type: ServiceCenterCode.

Manufacturer service center code.

Name	ServiceCenterCode
------	-------------------

\*Base XSD Type: string

### ShortMfg

These field(s) use this type: SenderNameCode, DestinationNameCode.

Short Manufacturer or RSP Codes

Name	ShortMfg
------	----------

\*Base XSD Type: string

### SortName

These field(s) use this type: SortName.

Index name used as a sort for report purposes

Name	SortName
------	----------

\*Base XSD Type: string

## Process Credit Application

---

### SpecialPrograms

These field(s) use this type: SpecialPrograms.

Code identifying the type of special program (First Time Buyer, College Graduate, etc.

<b>Name</b>	<b>SpecialPrograms</b>
-------------	------------------------

\*Base XSD Type: string

### StateOfIncorporation

These field(s) use this type: StateOfIncorporation.

State in which incorporation was granted.

<b>Name</b>	<b>StateOfIncorporation</b>
-------------	-----------------------------

\*Base XSD Type: string

### StateOrProvince

These field(s) use this type: StateOrProvince.

Is the State or Province of a given Address.

<b>Name</b>	<b>StateOrProvince</b>
-------------	------------------------

\*Base XSD Type: string

### SteeringSystem

These field(s) use this type: SteeringSystem.

Steering system required to steer the engine.

<b>Name</b>	<b>SteeringSystem</b>
-------------	-----------------------

\*Base XSD Type: string

## Process Credit Application

---

### Suffix

These field(s) use this type: **Suffix**.

Business Party name suffix designation if individual Ex: Sr, Jr, III, etc.

Name	Suffix
------	--------

\*Base XSD Type: string

### SystemVersion

These field(s) use this type: **SystemVersion**.

The sender's software version number .

Name	SystemVersion
------	---------------

\*Base XSD Type: string

### TaxabilityInd

These field(s) use this type: **TaxabilityInd**.

Determines whether an item or amount is taxable.

Name	TaxabilityInd
------	---------------

\*Base XSD Type: string

Code Value	Description
------------	-------------

0	
---	--

1	
---	--

### TaxType

These field(s) use this type: **TaxType**.

## Process Credit Application

---

Tax Type

**Name**

**TaxType**

Base XSD Type: string

Code Value

Description

Total

Amount

Labor

Parts

Claim

Dealer

Dealer

Deductible

Prorated

Other

Other

Luxury

Vehicle Inventory

Taxes Not In Cash Price

Document Stamp

Sales

Tire

Personal Property

Registration

Monthly/Use

Weight

## Process Credit Application

Code Value	Description
Adjustment	
DownPayment	
CapCostReduction	
Lieu	
CurrentYear	
N/A	Not Applicable
LocalOption	Tennessee Tax - combination of city and county.
SingleArticle	Tennessee Tax - State Tax
Gas	Gas tax levied to applicable vehicles or by state/province law. (Referred to in US as "Gas Guzzler" tax).
Total Monthly/Use	The total amount of monthly use tax for a payment on a contract.
Service Contract	Tax charged on service contracts (where applicable).
Adjusted Sales	Adjusted sales tax due to tax modifications when capitalized (i.e. NY)
Total Sales/Use	The total amount of sales/use tax for a single payment contract.
Air Conditioning Excise	Provincial tax providing for the installation or removal of freon. (Canada)
Purchase and Use	A type of tax that is assessed upon "tax free" tangible personal property purchased by a resident of the assessing state for use, storage or consumption of goods in that state (not for resale), regardless of where the purchase took place. The tax is a one time retail tax due at registration or titling of a vehicle.
County Tax	A county tax charged based on the location of the dealer and the customer. An example, The Cook County Tax.
General Excise	This is a general excise tax that a state or region could impose.
Gross Receipt	A gross receipts tax, sometimes referred to as a gross excise tax, is a tax on the total gross revenues of a company, regardless of their source.
Tax on Trade-In	Tax due on a trade-in vehicle.

## Process Credit Application

Code Value	Description
Tax on Upfront Fees	Total tax due on fees paid upfront.
Tax on Acquisition Fee	Tax due on amount of acquisition fee.
Environmental Tax	Environmental Levy / Tax.
Motor Vehicle Tax	Tax paid at of registration based on the vehicle's age and MSRP.
Wheel Tax	A tax levied by cities and villages to be credited to a road fund of the city or village

## TaxTypeId

These field(s) use this type: **TaxTypeId**.

CS - City, CP - County, ST - State, OT - Other, EX - Excise, VAT - Value Added Tax, PST - Provincial Sales Tax , RT - Rental, GST - Goods and Services Tax, HST - Harmonized Tax, ART - Air Tax, QST - Quebec Sales Tax, IMP - Import Tax

Name	TaxTypeId
*Base XSD Type: string	
Code Value	Description
CS	City
CP	County
ST	State
OT	"OT" = Other
EX	Excise
VAT	Value Added
PST	Provincial Sales Tax
RT	Rental
GST	Goods and Services Tax

## Process Credit Application

Code Value	Description
HST	Harmonized Tax
ART	Air Tax
QST	Quebec Sales Tax
IMP	Import Tax

## TelematicsServiceInd

These field(s) use this type: **TelematicsServiceInd**.

Indication whether Telematics Service Subscription is turned on

Name	TelematicsServiceInd
------	----------------------

\*Base XSD Type: string

Code Value	Description
0	
1	

## TermLength

Term Length

Name	TermLength
------	------------

\*Base XSD Type: string

Code Value	Description
Months	Months
Weeks	Weeks



## Process Credit Application

Code Value	Description
Years	Years

### Text

These field(s) use this type:

**CreatorNameCode,StoreNumber,AreaNumber>Password,DestinationSoftwareCode,DestinationSoftware,StoreNumber,AreaNumber,LogicalId,Component,T**

Indicates generic text type

Name	Text
------	------

\*Base XSD Type: string

### TradeInInd

These field(s) use this type: **TradeInInd**.

Identifies vehicle being traded-in

Name	TradeInInd
------	------------

\*Base XSD Type: string

Code Value	Description
0	
1	

### TransmissionType

These field(s) use this type: **TransmissionType**.

Vehicle Transmission type - 3 = 3 speed, 4 = 4 speed, 5 = 5 speed, 6 = 6 speed, A - Automatic

Name	TransmissionType
------	------------------

## Process Credit Application

\*Base XSD Type: string

Code Value	Description
3	3 Speed
4	4 Speed
5	5 Speed
6	6 Speed
A	"A" = Automatic
Automatic 3	Automatic 3 speed transmission type
Automatic 4	Automatic 4 speed transmission type
Automatic 5	Automatic 5 speed transmission type
Automatic 6	Automatic 6 speed transmission type
Automatic 7	Automatic 7 speed transmission type
7	7 Speed
CVT Automatic 3	Continuously Variable T ransmission Automatic 3 speed transmission type (natural gas and hybrid).
CVT Automatic 4	Continuously Variable T ransmission Automatic 4 speed transmission type (natural gas and hybrid).
CVT Automatic 5	Continuously Variable T ransmission Automatic 5 speed transmission type (natural gas and hybrid).
CVT Automatic 6	Continuously Variable T ransmission Automatic 6 speed transmission type (natural gas and hybrid).
CVT Automatic 7	Continuously Variable T ransmission Automatic 7 speed transmission type (natural gas and hybrid).
M	M = Manual

## Process Credit Application

---

### TrimCode

These field(s) use this type: **TrimCode**.

Manufacturer assigned trim code

Name	TrimCode
------	----------

\*Base XSD Type: string

### Type

Type

Name	Type
------	------

\*Base XSD Type: string

### UOM

Units of Measure - ea=Each; bx=Box; case=Case; ctn=Carton; gal=Gallon; qt=Quart; pt=Pint; ft=Feet; yd=Yard; in=Inch; L=Liter; m=Meter; cm=Centimeter; kg=Kilograms; g=grams; other=Other

Name	UOM
------	-----

\*Base XSD Type: string

Code Value	Description
ea	Each
bx	Box
case	Case
ctn	Carton
gal	Gallon
qt	Quart

## Process Credit Application

Code Value	Description
pt	Pint
ft	ft = feet
yd	yd = yard
in	in = inch
L	"L" = Canceled
m	m = meter
cm	cm = centimeter
kg	Kilogram
g	Gram
other	
tn	Ton
km	kilometers
mi	miles
hp	horsepower
kw	kilowatt

### UrbanizationCode

These field(s) use this type: **UrbanizationCode, UrbanizationCode.**

Geographic definition of a metropolitan or suburban area

Name	UrbanizationCode
------	------------------

Base XSD Type: string

## Process Credit Application

---

### URI

These field(s) use this type: SenderURI, DestinationURI, URI, URI.

URI

Name	URI
------	-----

\*Base XSD Type: anyURI

### UsedVehicleCertificationNumber

These field(s) use this type: UsedVehicleCertificationNumber.

Certification number verifying certification.

Name	UsedVehicleCertificationNumber
------	--------------------------------

\*Base XSD Type: string

### VehicleDemoInd

These field(s) use this type: VehicleDemoInd.

Indicates whether vehicle was ever a demo

Name	VehicleDemoInd
------	----------------

\*Base XSD Type: string

Code Value	Description
0	
1	

### VehicleNote

These field(s) use this type: VehicleNote.

## Process Credit Application

---

Any vehicle related notes

Name	VehicleNote
------	-------------

\*Base XSD Type: string

### VehicleOwnership

These field(s) use this type: VehicleOwnership.

Designation of actual owners(s) of the purchased vehicle. This may be different from the entity signing the contract.

Name	VehicleOwnership
------	------------------

\*Base XSD Type: string

Code Value	Description
Individual Applicant	Represents the individual applicant is the owner of the vehicle
Co-Applicant	Represents the co-applicant is the owner of the vehicle.
Joint	Represents that both individual applicant and co-applicant is the owner of the vehicle.
Other	Other
N/A	Not Applicable

### VehiclePricingType

These field(s) use this type: VehiclePricingType.

Designates type of pricing for vehicle

Name	VehiclePricingType
------	--------------------

\*Base XSD Type: string

## Process Credit Application

Code Value	Description
MSRP	
Hold Back	
Destination/Handling	
Group Fund Price	
Wholesale Price	
Wholesale Cost	
Actual Cash Value	
Employee	
Invoice	
Sale Price	
Final MSRP	
Base MSRP	
Employee Order Price	
Employee Stock Price	
Other	Other
Selling Price	
Cap Cost	
Total Option Price	
Total Option Cost	
Retail	
N/A	Not Applicable
MSRP Discount	

## Process Credit Application

---

Code Value	Description
Gross Cap Cost	
Net Cap Cost	
Taxable Selling Price	
Loan	Amount lenders typically loan on the listed vehicle.
Trade-In	Amount allowed by dealers on a trade.
Adjusted Gross Cap Cost	Adjusted gross cap cost due to tax calculations.
Adjusted Net Cap Cost	Adjusted net cap cost due to tax calculations.
Total Option MSRP	Total of all itemized products of the Manufactured Suggested Retail Price.

## VehicleStock

These field(s) use this type: VehicleStock.

Dealer assigned vehicle stock number

Name	VehicleStock
------	--------------

\*Base XSD Type: string

## VehicleUse

These field(s) use this type: VehicleUse.

Indicates the use of the vehicle (i.e., Agricultural, Commercial, Personal, Other).

Name	VehicleUse
------	------------

\*Base XSD Type: string

## VehicleUseCode



## Process Credit Application

---

The use of a particular vehicle

Name	VehicleUseCode
------	----------------

\*Base XSD Type: string

Code Value	Description
Demonstration	Vehicle was used as demonstration model.
Daily Rental	Used as a rental or loaner car.
Personal	Used for personal or individual use.
Household	Vehicle information related to the household vehicle
Other	Other
Not Applicable	Not applicable.
Off Lease	

### VIN

These field(s) use this type: VIN,VIN.

Federally defined 17 position vehicle identification number

Name	VIN
------	-----

\*Base XSD Type: string

### Year

Year

Name	Year
------	------

\*Base XSD Type: gYear

# Process Credit Application

---

## ZoneCode

These field(s) use this type: ZoneCode.

Manufacturer Assigned Zone Code

Name	ZoneCode
------	----------

\*Base XSD Type: string

## Process Credit Application

---

### Fields and Global Attributes

Global declarations are items such as elements, attribute groups, and group definitions. These items are not defined within any particular component. A component may reference these definitions. Within a STAR XML Schemas these are typically known as global fields.

#### ApplicationArea

These field(s) use this type: **ApplicationArea**.

Provides the information that an application may need to know in order to communicate in an integration of two or more business applications. The ApplicationArea is used at the applications layer of communication. While the integration frameworks web services and middleware provide the communication layer that OAGIS operates on top of.

Provides the information that an application may need to know in order to communicate in an integration of two or more business applications. The ApplicationArea is used at the applications layer of communication. While the integration frameworks web services and middleware provide the communication layer that OAGIS operates on top of.

<b>Name</b>	<b>ApplicationArea</b>
<b>Type</b>	<b>ApplicationArea</b>
<b>Nilable</b>	<b>no</b>
<b>Abstract</b>	<b>no</b>

#### XML Instance Representation

```
<ApplicationArea>
  <Sender> Sender </Sender> [1]
  <CreationDateTime> DateTime </CreationDateTime> [1]
  <Signature> Signature </Signature> [0..1]
  <BODId> Code </BODId> [0..1]
  <Destination> Destination </Destination> [1]
</ApplicationArea>
```

#### CreditApplication

These field(s) use this type: **CreditApplication**.

## Process Credit Application

<b>Name</b>	<b>CreditApplication</b>
<b>Type</b>	<b>CreditApplication</b>
<b>Nilable</b>	<b>no</b>
<b>Abstract</b>	<b>no</b>

### XML Instance Representation

```
<CreditApplication>
  <Header> ... </Header> [1]
  <Detail> ... </Detail> [1]
</CreditApplication>
```

### Detail

<b>Name</b>	<b>Detail</b>
<b>Type</b>	<b>CreditApplicationDetail</b>
<b>Nilable</b>	<b>no</b>
<b>Abstract</b>	<b>no</b>

### XML Instance Representation

```
<Detail>
  <CreditVehicle> CreditVehicle </CreditVehicle> [0..1]
  <IndividualApplicant> IndividualApplicantPartyExtended </IndividualApplicant> [0..1]
  <Co-Applicant> Co-ApplicantPartyExtended </Co-Applicant> [0..*]
  <OrganizationalApplicant> OrganizationalApplicantPartyExtended </OrganizationalApplicant> [0..1]
  <PrimaryDriver> CreditPrimaryDriver </PrimaryDriver> [0..1]
  <Financing> ApplicationFinancing </Financing> [1]
</Detail>
```

### Header

<b>Name</b>	<b>Header</b>
-------------	---------------

## Process Credit Application

Type	CreditApplicationHeader
Nilable	no
Abstract	no

### XML Instance Representation

```
<Header>
  <DocumentDateTime> DocumentDateTime </DocumentDateTime> [0..1]
  <SecondaryPassword> SecondaryPassword </SecondaryPassword> [0..1]
  <SecondaryDealerNumber> SecondaryDealerNumber </SecondaryDealerNumber> [0..1]
  <DocumentId> DocumentId </DocumentId> [1]
  <FinanceCompany> ExpandedFinanceParty </FinanceCompany> [1]
  <Dealer> DealerParty </Dealer> [0..1]
  <ApplicationStatus> ApplicationStatus </ApplicationStatus> [1]
  <Privacy> Privacy </Privacy> [0..*]
</Header>
```

## Process

These field(s) use this type: **Process**.

The Process verb is used to request processing of the associated noun by the receiving application or business to party. In a typical external exchange scenario a Process BOD is considered to be a legally binding message. For example, if a customer sends a ProcessPurchaseOrder BOD to a supplier and the supplier acknowledges with a positive AcknowledgePurchaseOrder, then the customer is obligated to fulfill the agreement, unless of course other BODs are allowed to cancel or change the original order.

Name	Process
Type	Process
Nilable	no
Abstract	no

### XML Instance Representation

```
<Process
confirm="ConfirmType [0..1]"
```

## Process Credit Application

```
acknowledge="AcknowledgementType [0..1]">  
  <Criteria> ActionExpressionCriteria </Criteria> [0..1]  
</Process>
```

### ProcessCreditApplication

These field(s) use this type: **ProcessCreditApplication**.

<b>Name</b>	ProcessCreditApplication
<b>Type</b>	ProcessCreditApplication
<b>Nilable</b>	no
<b>Abstract</b>	no

### XML Instance Representation

```
<ProcessCreditApplication  
revision="Text [0..1]"  
release="8.1-Lite [0..1]"  
environment="Text [0..1]"  
lang="Language [0..1]"  
bodVersion="Text [0..1]">  
  <ApplicationArea> ... </ApplicationArea> [1]  
  <DataArea> ProcessCreditApplicationDataArea </DataArea> [1]  
</ProcessCreditApplication>
```

### Verb

These field(s) use this type: **Verb**.

<b>Name</b>	Verb
<b>Type</b>	Verb
<b>Nilable</b>	no
<b>Abstract</b>	yes

## Process Credit Application

---

### XML Instance Representation

<Verb/>
---------

